



CITY OF TAMPA

Bob Buckhorn, Mayor

CONTRACT ADMINISTRATION DEPARTMENT

David L. Vaughn, AIA, Director

ADDENDUM NO. 2

DATE: October 19, 2011

Contract 12-C-00001; Wastewater Gravity Sewer Rehabilitation by Cured-in-Place Pipe (C.I.P.P.) FY12

Bidders on the above referenced project are hereby notified that the following addendum is made to the Contract Documents. BIDS TO BE SUBMITTED SHALL CONFORM TO THIS NOTICE.

- Item 1: Delete Section W52.08 Rehabilitated Manhole re-inspection from the specifications.
- Item 2: Replace Proposal pages P-3 thru P-6 with the attached pages P-3R thru P-6R.
- Item 3: Replace Contract Item 4800 Rehabilitate Manhole and Structure by Coating System with the following:

CONTRACT ITEM 4800 SERIES - REHABILITATE MANHOLE AND STRUCTURE BY COATING SYSTEM

The Contractor shall furnish all labor, materials and equipment to rehabilitate the existing manholes and structures complete as shown on the Plans, specified, and directed by the Engineer.

The manhole and structure rehabilitation shall conform to the Workmanship and Materials section headed "Manhole and Structure Rehabilitation," and to the requirements shown on the drawings.

The work comprises installing an approved coating system as specified including surface preparation, cleaning, application of hydraulic cement or other means to fill voids and stop infiltration, curing, visually inspecting finished liner; removing existing stairs, deteriorated concrete and loose bricks from the existing bench; apply coating system to the restored bench surfaces; maintenance of traffic; installing brick masonry and mortar bulkheads; disposal of material, protection of adjacent facilities, restoring all disturbed areas to preconstruction condition or better, and all appurtenant work.

Payment for the rehabilitation of Existing Manholes will be made at the Contract Unit Price per square feet of internal manhole surfaces rehabilitated.

All other provisions of the Contract Documents and Specifications not in conflict with this Addendum shall remain in full force and effect. Questions are to be e-mailed to Contract Administration@tampagov.net.

Jim Greiner

Jim Greiner, P.E., Contract Management Supervisor

306 E. Jackson Street, 4N • Tampa, Florida 33602 • (813) 274-8456 • FAX: (813) 274-8080



Item No.	Description	Unit	Approx. Quantity	Unit Price in Words	Unit Price	Total Computed Price
	BASE BID					
100	Contingency	LS	1	One Hundred Thousand Dollars and No Cents	\$ 100,000.00	\$ 100,000.00
101.01	Mobilization for Work Order total less than \$15,000	EA	5		\$	\$
101.02	Mobilization for MH Rehab. (if less than 3 manholes)	EA	3		\$	\$
101.03	Emergency Mobilization	EA	3		\$	\$
102-60	Work Zone Signs	E.D.	500		\$	\$
102-74-1	Barricades Type I or II	E.D.	1,000		\$	\$
102-74-2	Cones	E.D.	4,000		\$	\$
102-75-1	Light towers	E.D.	50		\$	\$
102-75-2	Flagman	E.D.	50		\$	\$
102-76	Arrow Board	E.D.	80		\$	\$
102-77	Variable Message Board	E.D.	20		\$	\$
0408.2360	Cured in Place Pipe for 8" Dia. Gravity Sewer (.236 inch thick)	LF	2,500		\$	\$
0410.2950	Cured in Place Pipe for 10" Dia. Gravity Sewer (.295 inch thick)	LF	2,500		\$	\$
0412.2950	Cured in Place Pipe for 12" Dia. Gravity Sewer (.295 inch thick)	LF	2,500		\$	\$
0415.2950	Cured in Place Pipe for 15" Dia. Gravity Sewer (.295 inch thick)	LF	2,000		\$	\$

Item No.	Description	Unit	Approx. Quantity	Unit Price in Words	Unit Price	Total Computed Price
0418.3540	Cured in Place Pipe for 18" Dia. Gravity Sewer (.354 inch thick)	LF	2,500		\$	\$
0421.4130	Cured in Place Pipe for 21" Dia. Gravity Sewer (.413 inch thick)	LF	2,000		\$	\$
0424.4720	Cured in Place Pipe for 24" Dia. Gravity Sewer (.472 inch thick)	LF	2,000		\$	\$
0601	Hydraulic Cleaning & Inspection of Gravity Sewer	LF	9,000		\$	\$
0602	Mechanical Cleaning of Gravity Sewer	LF	2,000		\$	\$
0621	Cleaning & Inspection of Tuberculated Cast Iron or Ductile Iron Sewer , less than 15" Dia.	LF	2,000		\$	\$
0622	Cleaning & Inspection of Tuberculated Cast Iron or Ductile Iron Sewer , 15" Dia. & greater	LF	1,000		\$	\$
0700	Additional Cleaning & Inspection of Gravity Sewer	LF	500		\$	\$
0700	Disposal of Debris	CY	500		\$	\$
2050	Reconnect Service Connections	EA	300		\$	\$
2051	Removal of Protruding Services	EA	8		\$	\$
2052	Root Removal	LF	15		\$	\$
4800	Manhole Rehabilitation by Coating System (min. Thickness 250 mils)	SF	3,000		\$	\$
9000	Sewer Bypass with Tanker Truck	E.D.	10		\$	\$
9050.08	Sewage Bypass Pumping for 8" Dia. Sewer	LF	2,500		\$	\$
9050.10	Sewage Bypass Pumping for 10" Dia. Sewer	LF	2,500		\$	\$

Item No.	Description	Unit	Approx. Quantity	Unit Price in Words	Unit Price	Total Computed Price
9050.12	Sewage Bypass Pumping for 12" Dia. Sewer	LF	2,500		\$	\$
9050.15	Sewage Bypass Pumping for 15" Dia. Sewer	LF	2,000		\$	\$
9050.18	Sewage Bypass Pumping for 18" Dia. Sewer	LF	2,500		\$	\$
9050.21	Sewage Bypass Pumping for 21" Dia. Sewer	LF	2,000		\$	\$
9050.24	Sewage Bypass Pumping for 24" Dia. Sewer	LF	2,000		\$	\$
0408.2361	Increase/Reduction of 0.059" Thickness for 8" Dia. Gravity Sewer	LF	1,100		\$	\$
0410.2951	Increase/Reduction of 0.059" Thickness for 10" Dia. Gravity Sewer	LF	1,100		\$	\$
0412.2951	Increase/Reduction of 0.059" Thickness for 12" Dia. Gravity Sewer	LF	1,100		\$	\$
0415.2951	Increase/Reduction of 0.059" Thickness for 15" Dia. Gravity Sewer	LF	1,100		\$	\$
0418.3541	Increase/Reduction of 0.059" Thickness for 18" Dia. Gravity Sewer	LF	1,100		\$	\$
0421.4131	Increase/Reduction of 0.059" Thickness for 21" Dia. Gravity Sewer	LF	1,100		\$	\$
0424.4721	Increase/Reduction of 0.059" Thickness for 24" Dia. Gravity Sewer	LF	1,100		\$	\$
				BASE BID	\$	\$
	ALTERNATE BID					
0427.4720	Cured in Place Pipe for 27" Dia. Gravity Sewer (.472 inch thick)	LF	300		\$	\$
0430.5310	Cured in Place Pipe for 30" Dia. Gravity Sewer (.531 inch thick)	LF	300		\$	\$
0436.7090	Cured in Place Pipe for 36" Dia. Gravity Sewer (.709 inch thick)	LF	300		\$	\$
9050.27	Sewage Bypass Pumping for 27" Dia. Sewer	LF	300			
9050.30	Sewage Bypass Pumping for 30" Dia. Sewer	LF	300		\$	\$

Item No.	Description	Unit	Approx. Quantity	Unit Price in Words	Unit Price	Total Computed Price
9050.36	Sewage Bypass Pumping for 36" Dia. Sewer	LF	300		\$	\$
0427.4721	Increase/Reduction of 0.059" Thickness for 27" Dia. Gravity Sewer	LF	300		\$	\$
0430.5311	Increase/Reduction of 0.059" Thickness for 30" Dia. Gravity Sewer	LF	300		\$	\$
0436.7081	Increase/Reduction of 0.059" Thickness for 36" Dia. Gravity Sewer	LF	300		\$	\$
				ALTERNATE BID	\$	\$
				BASE BID AND ALTERNATE TOTAL	\$	\$