



CITY OF TAMPA

Bob Buckhorn, Mayor

CONTRACT ADMINISTRATION DEPARTMENT

David L. Vaughn, AIA, Director

ADDENDUM NO. 4

DATE: September 10, 2014

Contract 14-C-00030; Whatley Ditch Rehabilitation (North Boulevard to Hillsborough River)

Bidders on the above referenced project are hereby notified that the following addendum is made to the Contract Documents. BIDS TO BE SUBMITTED SHALL CONFORM TO THIS NOTICE.

Item 1: Replace Proposal pages P-3R and P-4R with the attached P-3RR and P-4RR.

Item 2. Insert the following Contract Items:

CONTRACT ITEM 0112 SERIES – LANDSCAPING AND SOD

0112-1 LAWN REPLACEMENT SOD
0112-2 NEW LANDSCAPING PLANTINGS

For the Lawn Replacement scope, the Contractor shall furnish and install all labor, materials, services, equipment and appurtenances to restore all areas damaged during construction within the work site as depicted on the Contract Drawings.

For the New Landscaping scope, the Contractor shall furnish and install all labor, materials, services, equipment and appurtenances to install all new landscaping trees as depicted on the Habitat Restoration Plans included within the Contract Drawings.

The Lawn Replacement work includes, but is not limited to, the following: installation and maintenance of all sodded areas damaged as a result of construction activities within the work site as depicted on the Contract Drawings.

The New Landscaping work includes, but is not limited to, the following: installation and maintenance of all newly planted trees within the work site as depicted on the Contract Drawings.

Lawn Replacement work shall conform to the requirements of the Workmanship and Materials Section 17 – Lawn Replacement. New Landscaping work shall conform to the requirements of the Workmanship and Materials Section 112 – Landscaping.

Contractor will be responsible for the maintenance of the sod and new plants and will warrant them for a period of time as stated in Workmanship and Materials Section – 112
Whatley Ditch Rehabilitation (North Boulevard to Hillsborough River)

306 E. Jackson Street, 4N • Tampa, Florida 33602 • (813) 274-8456 • FAX: (813) 274-8080

Payment for the lawn replacement will be made at the appropriate Contract Item Unit Price per square yard.

Payment for new landscaping will be made at the appropriate contract unit price per tree.

CONTRACT ITEM 0120 SERIES – SLOPE GRADING AND UNSUITABLE SUBSOIL REMOVAL

0120-1 SLOPE GRADING

0120-4 REMOVAL & DISPOSAL of UNSUITABLE SUBSOIL

The Contractor shall furnish and install all labor, materials, services, equipment and appurtenances to excavate, shape, grade and construct the ditch banks as shown in the Contract Drawings.

The work includes, but is not limited to, the following: surveying stakeout, excavating, removing, and placement of all soil material within the ditch; rough and final grading of the side slopes and bottom; and placement and grading of imported fill material as shown in the Contract Drawings.

Although the intent is to use all excavated material as fill with in the ditch, Item 120-4 Subsoil Excavation (unsuitable) (per FDOT) will be used for the removal and off-site disposal any unsuitable material as determined by the Engineer. Any fill needed to replace the removed unsuitables would be paid under item 142-1 Imported Soil Fill Material. The contractor will be required to keep record of all hauling and dumping records of removed unsuitable materials.

The Contractor shall refer to the latest version of FDOT Workmanship and Materials Section 120 – Excavation and Embankment.

Payment for the Slope Grading will be made at the appropriate Contract Unit Price per square yard measured in place and compacted slope.

Payment for the Removal & Disposal of Unsuitable Subsoil will be made at the appropriate Contract Unit Price per cubic yard.

All other provisions of the Contract Documents and Specifications not in conflict with this Addendum shall remain in full force and effect. Questions are to be e-mailed to Contract Administration@tampagov.net.

Jim Greiner

Jim Greiner, P.E., Contract Management Supervisor

Item No.	Description	Unit	Approx. Quantity	Unit Price in Words	Unit Price	Total Computed Price
0100-1	Contingency	LS	1	One Hundred Twelve Thousand Five Hundred Dollars	\$ 112,500.00	\$ 112,500.00
0101-1	Mobilization	LS	1		\$	\$
0102-1	Maintenance of Traffic	LS	1		\$	\$
0104-1	Erosion Control, Tree Protection, & Turbidity Barrier	LS	1		\$	\$
0105-1	Root Pruning	LS	1		\$	\$
0105-2	Tree Removal	LS	1		\$	\$
0108-1	Dewatering and By-Pass Pumping	LS	1		\$	\$
0110-1	Clearing Ditch and Debris Removal	LS	1		\$	\$
0110-2	Remove Ex. Sheet Metal Fencing/Wall	LF	100		\$	\$
0110-3	Demo and Remove Ex. Riprap & Granite Curb Retaining Wall	LF	515		\$	\$
0112-1	Lawn Replacement Sod	SY	3,400		\$	\$
0112-2	New Landscaping Plantings	EA	61		\$	\$
0120-1	Grading Slope	SY	2,840		\$	\$
0120-4	Removal & Disposal of Unsuitable Subsoil	CY	600		\$	\$
0142-1	Imported Soil Fill Material	CY	2,400		\$	\$
0350-1	Concrete Retaining Wall Penetrations	CY	3		\$	\$
0425-1	City of Tampa Brick Manhole	EA	1		\$	\$

Item No.	Description	Unit	Approx. Quantity	Unit Price in Words	Unit Price	Total Computed Price
0430-1	Concrete Pipe Culvert (15-Inch Diameter) -Class IV	LF	11		\$	\$
0430-2	6" PVC Stormpipe	LF	10		\$	\$
0524-1	Enviromat EL 400 Fabric Formed Concrete	SY	560		\$	\$
0530-1	Rubble Rip Rap	TN	2		\$	\$
0535-1	Box Culvert Headwall & Wingwall	EA	1		\$	\$
0548-1	Retaining Wall System (Interlocking Block Wall)	SF	16,000		\$	\$
0548-2	Retaining Wall System (Gabion Wall)	CY	95		\$	\$
0548-3	Reno Mats (Ditch Bottom)	CY	355		\$	\$
0550-1	Remove & Reinstall Ex. Chainlink Fence	LF	1,728		\$	\$
0570-1	Hydroseed (Bahia at Reno Mats, Gabions and Enviromats)	SY	1,785		\$	\$
0570-2	Hydroseed (Hydramax-Bahia Mix at bank slope)	SY	1,620		\$	\$
0590-1	Temporary Irrigation	LS	1		\$	\$
					TOTAL \$	