The Enclosed Document Is Provided For Your Convenience.

Please Email ALL Questions: <u>MailTo:ContractAdministration@TampaGov.net</u>

City of Tampa Contract Administration Department 306 E. Jackson St. #280A4N Tampa, FL 33602 (813)274-8456

CITY OF TAMPA, FLORIDA

NOTICE TO BIDDERS, INSTRUCTIONS TO BIDDERS PROPOSAL, BID BOND, FORM OF NOTICE OF AWARD, AGREEMENT, PERFORMANCE BOND AND SPECIFICATIONS

FOR

Contract 20-C-00013

Macfarlane Park Freedom Playground Expansion

City of Tampa CONTRACT ADMINISTRATION DEPARTMENT TAMPA MUNICIPAL OFFICE BUILDING 306 E. JACKSON STREET - 4TH FLOOR NORTH TAMPA, FLORIDA 33602

JANUARY 2020

CITY OF TAMPA CONTRACT ADMINISTRATION DEPARTMENT 306 E. Jackson Street 280A4N Tampa, FL 33602

BID NOTICE MEMO

Bids will be received no later than 1:30 p.m. on the indicated Date(s) for the following Project(s):

CONTRACT NO.: 20-C-00013; Macfarlane Park Freedom Playground Expansion

BID OPENING: 1:30PM, Tuesday, February 25, 2020 **ESTIMATE:** \$ 358,700 **SCOPE:** furnish all labor materials, and equipment for palm tree and paving removal, excavation, placing and compacting fill for stormwater improvements, installation of playground equipment, extension of electrical service and connection to play equipment, benches and trash receptacles, playground surfacing, concrete and brick paving, Flexi Pave surfacing, landscaping including trees, shrubs, ornamental grass and sod, irrigation, removal and relocation of park picnic tables and trash receptacles, with all associated work required for a complete project in accordance with the Contract Documents. **PRE-BID CONFERENCE:** 2:00PM, Tuesday, February 11, 2020. Attendance is not mandatory, but recommended.

Bids will be opened in the 4th Floor Conference Room, Tampa Municipal Office Building, 306 E. Jackson Street, Tampa, Florida 33602. Pre-Bid Conference is held at the same location unless otherwise indicated. Plans and Specifications and Addenda for this work may be examined at, and downloaded from, <u>www.demandstar.com</u>. Backup files are available at <u>http://www.tampagov.net/contract-administration/programs/construction-project-bidding</u>.

Email Questions to: contractadministration@tampagov.net .

TABLE OF CONTENTS

BIDDING REQUIREMENTS

Notice to Bidders	N-1
Instructions to Bidders	
Insurance Requirements	
MBD Form 70	
WMBE-SLBE Availability Contact List	ACL-1
Availability Contact List Instructions	ACLI-1

BID FORMS

Proposal	P-1 thru P-4
Good Faith Efforts Compliance Plan	
SLBE Solicited	
SLBE Utilized	DMI – Utilized
Bid Bond	BB-1

CONTRACT FORMS

Agreement	A-1 thru A-15
Public Construction Bond	PB-1 thru PB-3

GENERAL PROVISIONS

General Provisions	G-1 thru G-10
Subcontractors Payment Form	DMI – Payments
Project Sign	•

SPECIFICATION

DIVISION 1 GENERAL REQUIREMENTS

SECTION 02315	SITE EARTHWORK	02315-1 thru 02315-3
SECTION 02900	TREES, PLANTS AND GROUND COVERS	02900-1 thru 02900-7
SECTION 02930	SODDING	02930-1 thru 02930-5
SECTION 32 31 19	ORNAMENTAL METAL FENCES AND GATES	32 31 19-1 thru 32 31 19-4
SECTION 32 84 23	UNDERGROUND SPRINKLERS	32 84 23-1 thru 32 84 23-7

Plans 12 Sheets of Drawings

NOTICE TO BIDDERS CITY OF TAMPA, FLORIDA Contract 20-C-00013; Macfarlane Park Freedom Playground Expansion

Sealed Proposals will be received by the City of Tampa no later than 1:30 P.M., February 25, 2020, in the 4th Floor Conference Room, Tampa Municipal Office Building, 306 E. Jackson Street, Tampa, Florida, there to be publicly opened and read aloud.

The proposed work is to include, but not be limited to, furnish all materials, labor and equipment for palm tree and paving removal, excavation, placing and compacting fill for stormwater improvements, installation of playground equipment, extension of electrical service and connection to play equipment, benches and trash receptacles, playground surfacing, concrete and brick paving, Flexi Pave surfacing, landscaping including trees, shrubs, ornamental grass and sod, irrigation, removal and relocation of park picnic tables and trash receptacles with all associated work required for a complete project in accordance with the Contract Documents.

The Instructions to Bidders, Proposal, Form of Bid Bond, Agreement, Form of Public Construction Bond, Specifications, Plans and other Contract Documents are posted at DemandStar.com. Backup files may be downloaded from http://www.tampagov.net/contract-administration/programs/construction-project-bidding. One set may be available for reference at the office of the Contract Administration Department, Municipal Office Building, Fourth Floor North, City Hall Plaza, Tampa, Florida 33602.

Each Proposal must be submitted on the Proposal form included in the Specifications and must be accompanied by a certified check or cashier's check on a solvent bank or trust company in compliance with Section 255.051, Florida Statutes, made payable to the City of Tampa, in an amount of not less than five per cent of the total bid, or a Bid Bond, of like amount, on the form set forth in the Contract Documents, as a guarantee that, if the Proposal is accepted, the Bidder will execute the Proposed Contract and furnish a Public Construction Bond within twenty (20) days after receipt of Notice of Award of Contract.

To be eligible to submit a proposal, a Bidder must hold the required and/or appropriate current license, certificate, or registration (e.g. DBPR license/certificate of authorization, etc.) in good standing at the time of receipt of Bids. <u>Per Section 489.131, Florida Statutes</u>, <u>Proposals submitted for the construction, improvement, remodeling, or repair of public projects must be accompanied by evidence that the Bidder holds the required and/or appropriate current certificate or registration, unless the work to be performed is exempt under Section 489.103, Florida Statutes.</u>

The City of Tampa reserves the right to reject any or all Bids and to waive any informalities in the Bid and/or Bid Bond. Acceptance or rejection of Proposals will be made as soon as practicable after the Proposals are received, but the City reserves the right to hold Proposals for ninety (90) days from the date of Opening.

Bid Protest Procedures: Unless subsequently indicated otherwise, in a revised posting on the Department's web page for Construction Project Bidding, the City of Tampa intends to award the referenced project to the lowest bidder listed in the tabulation posted on or about the date of Bid Opening. A bidder aggrieved by this decision may file a protest not later than 4:30 P.M., five (5) business days from the first posting thereof, pursuant to City of Tampa Code Chapter 2, Article V, Division 3, Section 2-282, Procurement Protest Procedures. Protests not conforming therewith shall not be reviewed.

Pursuant to Section 2-282, City of Tampa Code, during the solicitation period, including any protest and/or appeal, NO CONTACT with City officers or employees is permitted from any bidder or proposer, other than as specifically stated in this solicitation and as follows: Director of the Contract Administration Department (CAD) Contracts Management Supervisor, Jim Greiner Contract Officer, Jody Gray City legal department

Any Requests For Information must be submitted by email to ContractAdministration@tampagov.net

A person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list." Refer to Section 287.133, Florida Statues.

Pursuant to Section 287.087, Florida Statutes, under certain circumstances preference may be given to businesses with a drug-free workplace program that meets the requirements of said Section.

I-1.01 GENERAL:

The proposed work is the Macfarlane Park Freedom Playground Expansion in the City of Tampa, as required for a complete project, as shown on the plans and detailed in the specifications. The work is located on land owned or controlled by the City of Tampa.

To be eligible to submit a proposal, a Bidder must hold the required and/or appropriate current license, certificate, or registration (e.g. DBPR license/certificate of authorization, etc.) in good standing at the time of receipt of Bids. <u>Per Section</u> 489.131, Florida Statutes, Proposals submitted for the construction, improvement, remodeling, or repair of public projects must be accompanied by evidence that the Bidder holds the required and/or appropriate current certificate or registration, unless the work to be performed is exempt under Section 489.103, Florida Statutes.

I-1.02 FORM PREPARATION AND PRESENTATION OF PROPOSALS: Replace the second sentence with the following: Submission of the entire specification book is not required.

I-1.03 ADDENDA – Section I-2.03 is replaced with the following: No interpretation of the meaning of the Plans, Specifications, or other Contract Documents will be made to any Bidder orally.

Every request for such interpretation must be in writing, addressed to the City of Tampa, Contract Administration Department. <u>306 E. Jackson St.,</u> 4th Floor, Tampa. Florida 33602 and then emailed to ContractAdministration@tampagov.net. To be given consideration, such request must be received at least seven (7) days prior to the date fixed for the opening of the Proposals. Any and all such interpretations and any supplemental instructions will be in the form of written addenda which, if issued, will be posted on DemandStar.Com and on the Department's web page. Failure of any Bidder to receive any such addenda shall not relieve said Bidder from any obligation under his Proposal as submitted. All addenda so issued shall become part of the Contract Documents.

I-1.04 INSTRUCTIONS TO BIDDERS

SECTION 2 – GENERAL INSTRUCTIONS. Section I-2.07 SIGNATURE AND QUALIFICATIONS OF BIDDERS is replaced with the following:

Proposals must be signed in ink by the Bidder with signature in full. When firm is a Bidder, the Proposal shall be signed in the name of the firm by one or more partners. When a corporation is a bidder the officer signing shall set out the corporate name in full beneath which he shall sign his name and give the title of his office.

If the bidder referred to in Section I-2.07 is a corporation, it must submit; upon request, a copy of its filed Articles of Incorporation. In addition, if the bidder was incorporated in another state, it must establish that it is authorized to do business in the State of Florida. If the bidder is using a fictitious name, it must submit upon request, proof of registration of such name with the Clerk of the Circuit Court of the County where its principal place of business is. Failure to submit what is required is grounds to reject the bid of that bidder.

SECTION 2 – GENERAL INSTRUCTIONS. Section I-2.14 NONDISCRIMINATION IN EMPLOYMENT is changed to add the following to the end of the existing text:

The following provisions are hereby incorporated into any contract executed by or on behalf of the City. Contractor shall comply with the following Statement of Assurance: During the performance of the Contract, the Contractor assures the City, that the Contractor is in compliance with Title VII of the 1964 Civil Rights Act, as amended, the Florida Civil Rights Act of 1992, and the City of Tampa Code of Ordinances, Chapter 12, in that Firm/Contractor does not on the grounds of race, color, national origin, religion, sex, sexual orientation, gender identity or expression, age, disability, familial status, or marital status, discriminate in any form or manner against said Firm's/Contractor's employees or applicants for employment. Contractor understands and agrees that the Contract is conditioned upon the veracity of this Statement of Assurance, and that violation of this condition shall be considered a material breach of the Award/Contract. Furthermore, Contractor herein assures the City that said Contractor will comply with Title VI of the Civil Rights Act of 1964 when federal grant(s) is/are

involved. This Statement of Assurance shall be interpreted to include Vietnam-Era Veterans and Disabled Veterans within its protective range of applicability. Firm/Contractor further acknowledges and agrees to provide the City with all information and documentation that may be requested by the City from time to time regarding the solicitation, selection, treatment and payment of subcontractors, suppliers and vendors in connection with this Award/Contract. Firm/Contractor further acknowledges that it must comply with City of Tampa Code of Ordinances, Chapter 26.5, as enacted by Ordinance No. 2008-89.

I-1.05 TIME FOR COMPLETION:

The work shall be arranged to be completed in accordance with a progress schedule approved by the Construction Engineer.

The time for completion of this project, referred in Article 4.01 of the Agreement, shall be 180 consecutive calendar days. The period for performance shall start from the date indicated in the Notice To Proceed.

I-1.06 LIQUIDATED DAMAGES:

The amount of liquidated damages, referred to in Article 4.06 of the Agreement, for completion of this project shall be \$500 per calendar day.

I-1.07 BASIS OF AWARD OF CONTRACT:

The basis of award referred to in Item I-2.11 of Instructions to Bidders shall be the greatest amount of work, which can be accomplished within the funds available as budgeted. The award may be made on the basis of the total bid, base bid, alternates(s) if any, unit bids if any, or any combination thereof deemed to be in the best interest of the City.


Unless all bids are rejected, the award will be made within 90 days after opening proposals.

I-1.08 GROUND BREAKING CEREMONY:

Arrangement may be made by the City in coordination with the Contractor, for construction to commence with a Ground Breaking Ceremony. Details will be discussed at the pre-construction conference.

I-1.09 INSURANCE:

The insurance required for this project shall be as indicated on the attached and incorporated Special Instructions pages beginning with page INS-1 entitled CITY OF TAMPA INSURANCE REQUIREMENTS, which among other things requires the Contractor to provide a Certificate of Insurance to the City prior to commencing work. The City may from time to time use a third party vendor to manage its insurance certificates and related documentation which vendor may periodically initiate contact, requests for information, etc. on the City's behalf.



Bidder **must submit**, with its bid, <u>completed and signed</u> Forms MBD-10 and MBD-20 to be considered a responsive bid. Specifically, the 'Schedule of All Solicited Sub-(Contractors/Consultants/Suppliers) (Form MBD-10)' listing all subcontractors (including non-certified) solicited and 'Schedule of All -To Be Utilized Sub-(Contractors/Consultants/Suppliers) (Form MBD-20)' listing all subcontractors (including non-certified) to be utilized. Supplemental forms, such as 'Form MBD-40 Official Letter Of Intent' (LOI), can be submitted with the bid or once declared lowest-responsive bidder. After an award, 'DMI Sub-(Contractors/Consultants/Suppliers) Payment Form (Form MBD-30)' is to be submitted with payment requests to report payments to subcontractors and using the on-line automated MBD compliance software system available at https://tampa.diversitysoftware.com

For additional information about the WMBE and SLBE programs contact the Minority and Small Business Development Office at 813-274-5522. (3-18)

I-1.11 BID SECURITY:

Surety companies shall have a rating of not less than B+ Class VI as evaluated in the most recently circulated Best KeyRating Guide Property/Casualty.

I-1.12 PUBLIC CONSTRUCTION BOND:

The Bidder who is awarded the Contract will be required to furnish a Public Construction Bond upon the form provided herein, equal to 100 percent of the Contract price, such Bond to be issued and executed by (a) surety company(ies) acceptable to the City and licensed to underwrite contracts in the State of Florida. After execution of the Agreement and before commencing work, the Contractor must provide the City a certified copy of the officially recorded Bond.

I-1.13 AGREEMENT

SECTION 2 – POWERS OF THE CITY'S REPRESENTATIVES, new Article 2.05: Add the following:

Article 2.05 CITY'S TERMINATION FOR CONVENIENCE:

The City may, at any time, terminate the Contract in whole or in part for the City's convenience and without cause. Termination by the City under this Article shall be by a notice of termination delivered to the Contractor, specify the extent of termination and the effective date.

Upon receipt of a notice of termination, the Contractor shall immediately, in accordance with instructions from the City, proceed with performance of the following duties regardless of delay in determining or adjusting amounts due under this Paragraph:

- (a) cease operations as specified in the notice;
- (b) place no further orders and enter into no further subcontracts for materials, labor, services or facilities except as necessary to complete continued portions of the Contract;
- (c) terminate all subcontracts and orders to the extent they relate to the Work terminated;
- (d) proceed to complete the performance of Work not terminated; and
- (e) take actions that may be necessary, or that the City may direct, for the protection and preservation of the terminated Work.

The amount to be paid to the Contractor by the City because of the termination shall consist of:

- (a) for costs related to work performed on the terminated portion of the Work prior to the effective date including termination costs relative to subcontracts that are properly chargeable to the terminated portion of the Work;
- (b) the reasonable costs of settlement of the Work terminated, including accounting, legal, clerical and other expenses reasonable necessary for the preparation of termination settlement proposals and supporting data; additional costs of termination and settlement of subcontracts excluding amounts of such settlements; and storage, transportation, and other costs incurred which are reasonably necessary for the preservation, protection or disposition of the terminated Work; and
- (c) a fair and reasonable profit on the completed Work unless the Contractor would have sustained a loss on the entire Contract had it been completed.

Allowance shall be made for payments previously made to the Contractor for the terminated portion of the Work, and claims which the City has against the Contractor under the Contract, and for the value of materials supplies, equipment or other items that are part of the costs of the Work to be disposed of by the Contractor.

SECTION 5 – SUBCONTRACTS AND ASSIGNMENTS, Article 5.01, Page A-7, last paragraph:

Change "...twenty-five (25) percent..." to "...fifty-one (51) percent..."

SECTION 8 – CONTRACTOR'S EMPLOYEES, Article 8.03, Page A-9, delete Article 8.03 in its entirety and Replace with the following new article:

ARTICLE 8.03 EMPLOYMENT OPPORTUNITIES

The Contractor shall, in the performance of the work required to be done under this Contract, employ all workers without discrimination and must not maintain, provide or permit facilities that are segregated.

SECTION 10 – PAYMENTS, Article 10.05, Page A-10, 1st Paragraph, 1st Sentence: Change "...fair value of the work done, and may apply for..." to "...fair value of the work done, and shall apply for..."

SECTION 11 – MISCELLANEOUS PROVISIONS, Article 11.02, Page A-12, 1st Paragraph, 2nd Sentence: Delete the 2nd Sentence in its entirety and replace it with the following new 2nd Sentence:

Without limiting application of Article 11.07, below, whenever the Contractor is required or desires to use any design, device, material, or process covered by letters of patent or copyright, the Contractor shall indemnify, defend, and hold harmless the City Indemnified Parties (as defined below) from any and all Claims (as defined below) for infringement by reason of the use of any such patented design, device, tool, material, equipment, or process, to be performed under the Contract and damages which may be incurred by reason of such infringement at any time during the prosecution or after completion of the work.

SECTION 11 – MISCELLANEOUS PROVISIONS, Article 11.03, Page A-12:

Delete Article 11.03 in its entirety and replace with the following new article:

ARTICLE 11.03 INTENTIONALLY OMITTED.

SECTION 11 - MISCELLANEOUS PROVISIONS, Article 11.07, Page A-12:

Delete Article 11.07 in its entirety and replace with the following new article:

ARTICLE 11.07 INDEMNIFICATION PROVISIONS

Whenever there appears in this Agreement, or in the other Contact Documents made a part hereof, an indemnification provision within the purview of Chapter 725.06, Laws of Florida, the monetary limitation on the extent of the indemnification under each such provision shall be One Million Dollars or a sum equal to the total Contract price, whichever shall be the greater.

Contractor releases and agrees to defend, indemnify and hold harmless the City, its officers, elected and appointed officials, employees, and/or agents (collectively, "City Indemnified Parties") from and against any and all losses, liabilities, damages, penalties, settlements, judgments, charges, or costs (including without limitation attorneys' fees, professional fees, or other expenses) of every kind and character arising out of any and all claims, liens, is entitled to indemnification hereunder. This obligation shall in no way be limited in any nature whatsoever by any limitation on the amount or type of Contractor's insurance coverage.

The parties agree that to the extent the written terms of this indemnification are deemed by a court of competent jurisdiction to be in conflict with any provisions of Florida law, in particular Sections 725.06 and 725.08, Florida Statutes, the written terms of this indemnification shall be deemed by any court of competent jurisdiction to be modified in such a manner as to be in fully and complete compliance with all such laws and to contain such limiting conditions or limitations of liability, or to not contain any unenforceable or prohibited term or terms, such that this indemnification shall be enforceable in accordance with and to the maximum extent permitted by Florida law.

The obligation of Contractor under this Article is absolute and unconditional; it is not conditioned in any way on any attempt by a City Indemnified Party to collect from an insurer any amount under a liability insurance policy, and is not subject to any set-off, defense, deduction, or counterclaim that the Contactor might have against the City Indemnified Party. The duty to defend hereunder is independent and separate from the duty to indemnify, and the duty to defend exists regardless of any ultimate liability of Contractor, the City, and any City Indemnified Party. The duty to defend arises immediately upon presentation of a Claim by any party and written notice of such Claim being provided to Contractor. Contractor's defense and indemnity obligations hereunder will survive the expiration or earlier termination of this Contract.

Contractor agrees and recognizes that the City Indemnified Parties shall not be held liable or responsible for any Claims which may result from any actions or omissions of Contractor in which the City Indemnified Parties participated either through providing data or advice and/or review or concurrence of Contractor's actions. In

reviewing, approving or rejecting any submissions by Contractor or other acts of Contractor, the City in no way assumes or shares any responsibility or liability of Contractor or any tier of subcontractor/subconsultant/supplier, under this Contract.

In the event the law is construed to require a specific consideration for such indemnification, the parties agree that the sum of Ten Dollars and 00/100 (\$10.00), receipt of which is hereby acknowledged, is the specific consideration for such indemnification and the providing of such indemnification is deemed to be part of the specifications with respect to the services provided by Contractor.

SECTION 11 – MISCELLANEOUS PROVISIONS, Article 11.12, Page A-13:

Change Article 11.12 to add the following new language after existing text:

The City of Tampa is a public agency subject to Chapter 119, Florida Statutes. In accordance with Florida Statutes, 119.0701, Contractor agrees to comply with Florida's Public Records Law, including the following:

1. Contractor shall keep and maintain public records required by the City to perform the services under this Agreement;

2. Upon request by the City, provide the City with copies of the requested records, having redacted records in total on in part that are exempt from disclosure by law or allow the records to be inspected or copied within a reasonable time (with provision of a copy of such records to the City) on the same terms and conditions that the City would provide the records and at a cost that does not exceed that provided in Chapter 119, Florida Statutes, or as otherwise provided by law;

3. Ensure that records, in part or in total, that are exempt or that are confidential and exempt from disclosure requirements are not disclosed except as authorized by law for the duration of the Agreement term and following completion (or earlier termination) of the Agreement if Contractor does not transfer the records to the City;

4. Upon completion (or earlier termination) of the Agreement, Contractor shall within 30 days after such event either transfer to the City, at no cost, all public records in possession of the Contractor or keep and maintain the public records in compliance with Chapter 119, Florida Statutes. If Contractor transfers all public records to the City upon completion (or earlier termination) of the Agreement, Contractor shall destroy any duplicate records that are exempt or confidential and exempt from public records disclosure requirements. If Contractor keeps and maintains public records upon completion (or earlier termination) of the Agreement, Contractor shall meet all applicable requirements for retaining public records. All records stored electronically must be provided to the City in a format that is compatible with the information technology systems of the agency.

The failure of Contractor to comply with Chapter 119, Florida Statutes, and/or the provisions set forth in this Article shall be grounds for immediate unilateral termination of the Agreement by the City; the City shall also have the option to withhold compensation due Contractor until records are received as provided herein.

IF CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS AGREEMENT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT 813-274-8598, JIM.GREINER@TAMPAGOV.NET, AND CONTRACT ADMINISTRATION DEPARTMENT, TAMPA MUNICIPAL OFFICE BUILDING, 4TH FLOOR, 306 E. JACKSON ST. TAMPA, FLORIDA 33602.

I-1.14 Contractors must utilize the U.S. Department of Homeland Security's E-Verify Systems to verify the employment eligibility of all persons employed during the term of the Contract to perform employment duties within the State of Florida and all persons, including subcontractors, assigned by Contractor to perform work pursuant to the contract.

I-1.15 GENERAL PROVISIONS; G-2.02 Copies Furnished to Contractor: Replace the first paragraph with the following:

The Contractor shall acquire for its use copies of the plans and specifications as needed, which may be downloaded from the City's web site, at http://www.tampagov.net/contract-administration/programs/construction-project-bidding.

Bidder as part of the solicitation process (and as Contractor if Bidder is successful) may hold, come into possession of, and/or generate certain building plans, blueprints, schematic drawings, including draft, preliminary, and final formats, which depict the internal layout and structural elements of a building, facility, or other structure owned or operated by the City or an agency (singularly or collectively "Exempt Plans"), which pursuant to Section 119.071(3), Florida Statutes, are exempt from Section 119.07(1), Florida Statutes and Section 24(a), Art. I of the Florida State Constitution. Contractor certifies it has read and is familiar the exemptions and obligations of Section 119.071(3), Florida Statutes; further that Contractor is and shall remain in compliance with same, including without limitation maintaining the exempt status of such Exempt Plans, for so long as any Exempt Plans are held by or otherwise in its possession.

I-1.16 PAYMENT DISPUTE RESOLUTION

Any dispute pertaining to pay requests must be presented to the City pursuant to Executive Order 2003-1.

I-1.17 SCRUTINIZED COMPANIES CERTIFICATION

Section 287.135, Florida Statutes, prohibits agencies or local governmental entities from contracting for goods or services of any amount with companies that are on the Scrutinized Companies that Boycott Israel List or are engaged in a boycott of Israel, and of \$1 million or more with companies that are on either the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or are engaged in business operations in Cuba or Syria. Specifically, Section 287.135(2), Florida Statutes, states: "A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a contract with an agency or local governmental entity for goods or services of: (a) Any amount if, at the time of bidding on, submitting a proposal for, or entering into or renewing such contract, the company is on the Scrutinized Companies with Activities in a boycott Israel List, created pursuant to s. 215.4725, or is engaged in a boycott of Israel; or (b) One million dollars or more if, at the time of bidding on, submitting a proposal for, or entering into or renewing such contract, the company: 1. Is on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, created pursuant to s. 215.473; or 2. Is engaged in business operations in Cuba or Syria."

Upon submitting its bid or proposal, a bidder/proposer: (i) certifies the company is not in violation of Section 287.135, Florida Statutes, and shall not be in violation at the time the company enters into or renews any resulting contract; and (ii) agrees any such resulting contract shall be deemed to contain a provision that allows the City, at its option, to terminate such contract for cause if the company is found to have submitted a false certification, been placed on one or any of the foregoing Lists, been engaged in a boycott of Israel, or been engaged in business operations in Cuba or Syria.

I-1.18 FLORIDA'S PUBLIC RECORDS LAW; DATA COLLECTION

Pursuant to Section 119.071(5)(a)2a, Florida Statutes, social security numbers shall only be collected from Bidders and/or Contractor by the City should such number be needed for identification, verification, and/or tax reporting purposes. To the extent Bidder and/or Contractor collects an individual's social security number in the course of acting on behalf of the City pursuant to the terms and conditions of its Proposal or, if awarded, the Agreement, Bidder and/or Contractor shall follow the requirements of Florida's Public Records Law.

SECTION 2 GENERAL INSTRUCTIONS

I-2.01 BIDDER'S RESPONSIBILITY

Before submitting Proposals, Bidders shall carefully examine the entire site of the proposed work and adjacent premises and the various means of approach and access to the site, and make all necessary investigations to inform themselves thoroughly as to the facilities necessary for delivering, placing and operating the necessary construction equipment, and for delivering and handling materials at the site, and inform themselves thoroughly as to all difficulties involved in the completion of all the work in accordance with the Contract Documents.

Bidders must examine the Plans, Specifications, and other Contract Documents and shall exercise their own judgment as to the nature and amount of the whole of the work to be done, and for the bid prices must assume all risk of variance, by whomsoever made, in any computation or statement of amounts or quantities necessary to complete the work in strict compliance with the Contract Documents.

Elevations of the ground are shown on the Plans and are believed to be reasonably correct, but are not guaranteed to be absolutely so and are presented only as an approximation. Bidders shall satisfy themselves as to the correctness of all elevations.

The City may have acquired, for its own use, certain information relating to the character of materials, earth formations, probable profiles of the ground, conditions below ground, and water surfaces to be encountered at the site of the proposed work. This information, if it exists, is on file at the offices of the Department of Public Works and Bidders will be permitted to see and examine this information for whatever value they consider it worth. However, this information is not guaranteed, and Bidders should satisfy themselves by making borings or test pits, or by such other methods as they may prefer, as to the character, location, and amounts of water, peat, clay, sand, quicksand, gravel, boulders, conglomerate, rock, gas or other material to be encountered or work to be performed.

Various underground and overhead structures and utilities are shown on the plans. The location and dimensions of such structures and utilities, where given, are believed to be reasonably correct, but do not purport to be absolutely so. These structures and utilities are plotted on the Plans for the information of the Bidders, but information so given is not to be construed as a representation or assurance that such structures will be found or encountered as plotted, or that such information is complete or accurate.

I-2.02 FORM, PREPARATION AND PRESENTATION OF PROPOSALS

Each Proposal shall be submitted upon the Proposal Form and in accordance with the instructions included herein. The Proposal Form must not be detached herefrom. All blank spaces for bid prices must be filled in, in both words and figures, with the unit or lump sum prices, or both, for which the Proposal is made. The computed total price for each unit price Contract Item shall be determined by multiplying the estimated quantity of the item, as set forth in the Proposal Form, by the corresponding unit price bid for such item. The resulting product shall be entered in the appropriate blank space under the column headed "Computed Total Price for Item". The lump sum price bid for each lump sum price Contract Item shall also be entered in the column headed "Computed Total Price for Item". If a Proposal contains any omissions, erasures, alterations, additions, or items not called for in the itemized Proposal, or contains irregularities of any kind, such may constitute sufficient cause for rejection of the Proposal. In case of any discrepancy in the unit price or amount bid for any item in the Proposal, the price as expressed in written words will govern. In no case is the Agreement Form to be filled out or signed by the Bidder.

In the case of certain jobs bid Lump Sum a "Schedule of Unit Prices" must be filled out as an attachment to the Lump Sum proposal. These prices may be used as a guide for the negotiation of change orders, at the City's option.

The proposal must be signed and certified and be presented on the prescribed form in a sealed envelope on/or before the time and at the place stated in the Notice of Bidders, endorsed with the name of the person, firm or corporation presenting it, the date of presentation, and the title of the work for which the Proposal is made.

Unless the apparent low bidder is now engaged in or has recently completed contract work for the City of Tampa, he, if requested, shall furnish to the City, after the opening of bids and prior to award, a summary statement of record of construction experience over the past three (3) years with proper supporting evidence, and, if required by the City, shall also furnish a list of equipment and other facilities pertinent to and available for the proper execution of the proposed work, and a statement of financial resources to the extent necessary to establish ability to carry on the proposed work. The City may make further investigations as considered necessary with respect to responsibility of the Bidder to whom it appears may be awarded the Contract.

If forwarded by mail, the sealed envelope containing the Proposal, endorsed as directed above, must be enclosed in another envelope addressed as specified in the Notice to Bidders and sent by registered mail.

I-2.03 ADDENDA AND INTERPRETATIONS

No interpretation of the meaning of the Plans, Specifications, or other Contract Documents will be made to any Bidder orally.

Every request for such interpretation must be in writing, addressed to the Contract Administration Department, Tampa Municipal Office Building, 4th Floor North, City Hall Plaza, Tampa, Florida 33602. To be given consideration, such request must be received at least seven (7) days prior to the date fixed for the opening of the Proposals. Any and all such interpretations and any supplemental instructions will be in the form of written addenda which, if issued, will be sent by certified mail, with return receipt requested, to all prospective bidders at the respective addresses furnished, for such purposes, not later than three (3) working days prior to the date fixed for the opening of the Proposals, and if requested, a copy will be delivered to the prospective bidder's representative. Failure of any Bidder to receive any such addenda shall not relieve said Bidder from any obligation under his Proposal as submitted. All addenda so issued shall become part of the Contract Documents.

I-2.04 BID SECURITY

Each Proposal must be accompanied by a certified or cashier's check issued by a solvent bank or trust company and payable at sight to the City of Tampa, in compliance with Section 255.051 Florida Statutes, or a Bid Bond upon the form provided herein, in an amount of not less than five percent of the sum of the computed total amount of the Bidder's Proposal as a guarantee that if the Proposal is accepted, the Bidder will execute and fill in the proposed Contract and Public Construction Bond within twenty (20) days after notice of award of the Contract. Certified checks shall have all necessary documentary revenue stamps attached if required by law. Surety on Bid Bonds shall be a duly authorized surety company authorized to do business in the State of Florida, and all such Bonds shall be issued or countersigned by a local resident producing agent, and satisfactory evidence of the authority of the person or persons executing such Bonds shall be issued by a surety company acceptable to the City.

Within ten (10) days after the opening of Proposals, the bid security of all but the three lowest Bidders will be returned. The bid security of the remaining two Bidders whose Proposals are not accepted will be

returned within ten (10) days after the execution of the Contract, or, if no such Contract has been executed, within ninety (90) days after the date of opening Proposals. The bid security of the Bidder whose Proposal is accepted will be returned only after he has duly executed the Contract and furnished the required Public Construction Bond and insurance.

Should it be necessary for the City to retain the bid security and said bid security is in the form of checks, the checks of these Bidders will be returned if replaced by Bid Bonds in an amount equal to the amount of the checks of such Bidders in such form and issued by a surety company acceptable to the City.

A Bidder may withdraw his Proposal before the time fixed for the opening of Proposals, without prejudice to himself, by communicating his purpose, in writing, to the Mayor and City Council, and when his communication is received, the Proposal will be handed to him or his authorized agent unopened. No Bidder may withdraw his Proposal within ninety (90) days after the day of opening Proposals.

The Bidder whose Proposal is accepted shall enter into a written contract, upon the Agreement form included herein, for the performance of the work and furnish the required Public Construction Bond within twenty (20) days after written notice by the City of Award of Contract has been served on such Bidder personally or after receipt of the written notice by registered mail to such Bidder at the address given in his Proposal.

If the Bidder to whom a Contract is awarded refuses or neglects to execute it or fails to furnish the required Public Construction Bond within twenty (20) days after receipt by him of the Notice of Award of Contract, the amount of his bid security shall be forfeited and shall be retained by the City as liquidated damages, and not as a penalty, it being now agreed that said sum is a fair estimate of the amount of damages that the City will sustain in case said Bidder fails to enter into a Contract and furnish the required Public Construction Bond. If a Bid Bond was furnished, the full amount of the Bond shall be consideration of the Bid eas liquidated damages caused by such failure. The full amount of the Bidder's Proposal, excepting that the award shall be within the conditions of said Proposal relating to the basis of consideration for an award. No plea of mistake in the bid or misunderstanding of the conditions of forfeiture shall be available to the Bidder for the recovery of his deposit or as a defense to any action based upon the neglect or refusal to execute a contract.

I-2.05 LAWS AND REGULATIONS

The Bidder who is awarded the Contract must comply with all laws of the State of Florida, and all applicable Ordinances of the City of Tampa respecting labor and compensation and with all other statutes, ordinances, rules and regulations applicable and having the force of law.

I-2.06 PUBLIC CONSTRUCTION BOND

The Bidder who is awarded the Contract will be required to furnish a Public Construction Bond upon the form provided herein, equal to 100 percent of the Contract price, such Bond to be executed by a surety company acceptable to the City of Tampa and licensed to underwrite contracts in the State of Florida. Surety companies shall have a rating of not less than: B+ Class VI as evaluated in the most recently circulated BEST'S KEY RATING GUIDE PROPERTY-LIABILITY.

I-2.07 SIGNATURE AND QUALIFICATIONS OF BIDDERS

Proposals must be signed in ink by the Bidder with signature in full. When a firm is a Bidder, the Proposal shall be signed in the name of the firm by one or more of the partners. When a corporation is a Bidder the officer signing shall set out the corporate name in full beneath which he shall sign his name and give the title of his office. The Proposal shall also bear the seal of the corporation attested by its secretary. Anyone signing the Proposal as agent must file with it legal evidence of his authority to do so.

Bidders who are nonresident corporations shall furnish to the City a

duly certified copy of their permit to transact business in the State of Florida, signed by the Secretary of State, within ten days of the notice to do so. Such notice will be given to Bidders who are nonresident corporations, to whom it appears an award will be made, and the copy of the permit must be filed with the City before the award will be made. Failure to promptly submit this evidence of qualification to do business in the State of Florida may be basis for rejection of the Proposal.

I-2.08 REJECTION OF PROPOSALS

The City reserves the right to reject any Proposal if investigation of the Bidder fails to satisfy the City that such Bidder is properly qualified to carry out the obligations and to complete the work contemplated therein. Any or all Proposals will be rejected if there is reason to believe that collusion exists among Bidders. Proposals will be considered irregular and may be rejected if they show serious omissions, alterations in form, additions not called for, conditions or unauthorized alternates, or irregularities of any kind. The City reserves the right to reject any or all Proposals and to waive such technical errors as may be deemed best for the interests of the City.

I-2.09 QUANTITIES ESTIMATED ONLY

The estimate of quantities of the various items of work and materials, if set forth in the Proposal Form, is approximate only and is given solely to be used as a uniform basis for the comparison of Proposals.

The quantities actually required to complete the Contract work may be less or more than so estimated, and if awarded a Contract for the work specified, the Contractor agrees that he will not make any claim for damages or for loss of profits because of a difference between the quantities of the various classes of work assumed for comparison of Proposals and quantities of work actually performed. The City further reserves the right to vary the quantities in any amount.

I-2.10 COMPARISON OF PROPOSALS

Except jobs bid on a "One Lump Sum" basis, proposals will be compared on the basis of a total computed price arrived at by taking the sum of the estimated quantity of each time and the corresponding unit price of each item, and including any lump sum prices on individual items.

The computed total prices for individual Contract Items and the total computed price for the entire Contract, as entered by the Bidder in the Proposal Form, are for convenience only and are subject to correction in the tabulation and computation of the Proposals.

I-2.11 BASIS OF AWARD

The Contract will be awarded, if at all, to the lowest responsible Bidder or Bidders, as determined by the City and by the terms and conditions of the Contract Documents. Unless all bids are rejected, the award will be made within ninety (90) days after the opening of Proposals. The successful Bidder will be required to possess, or obtain, a valid City Occupational License.

I-2.12 INSURANCE REQUIRED

The successful Bidder and his subcontractors will be required to procure and pay for insurance covering the work in accordance with the provisions of Article 6.02 of the Agreement as indicated on special instructions pages beginning with INS-1.

I-2.13 NO ASSIGNMENT OF BID

No Bidder shall assign his bid or any rights thereunder.

I-2.14 NONDISCRIMINATION IN EMPLOYMENT

Contracts for work under this Proposal will obligate the contractors and subcontractors not to discriminate in employment practices.

Bidders must, if requested, submit with their initial bid a signed statement as to whether they have previously performed work subject to the President's Executive Order Nos. 11246 and 11375.

Bidders must, if requested, submit a compliance report concerning their employment practices and policies in order to maintain their eligibility to receive the award of the Contract.

Successful Bidders must, if requested, submit a list of all subcontractors who will perform work on the project and written,

signed statement from authorized agents of the labor pools with which they will or may deal for employees on the work together with supporting information to the effect that said labor pools practices and policies are in conformity with Executive Order No. 11246 and that said labor pools will affirmatively cooperate in or offer no hindrance to the recruitment, employment and equal treatment of employees seeking employment and performing work under the Contract, or a certification as to what efforts have been made to secure such statements when such agents or labor pools have failed or refused to furnish them prior to the award of the Contract.

I-2.15 LABOR STANDARDS

The Bidder's attention is directed to the Contract Provisions of the Labor Standards for federally assisted projects which may be attached to and made a part of the Agreement.

I-2.16 NOTICE TO LABOR UNIONS

If applicable, the successful Bidder will be required to provide Labor Unions and other organizations of workers a completed copy of the form entitled "Notice to Labor Unions or Other Organizations of Workers", and such form may be made a part of the Agreement.

I-2.17 NOTICE TO PROSPECTIVE FEDERALLY-ASSISTED CONSTRUCTION CONTRACTORS

A Certification of Nonsegregated Facilities, as required by the May 9, 1967, Order (32 F.R. 7439, May 19, 1967) on Elimination of Segregated Facilities, by the Secretary of Labor, must be submitted to said Secretary prior to the award of a federally-assisted construction and Contract exceeding \$10,000 which is not exempt from the provisions of the Equal Opportunity Clause. The form of certification may be bound herein following the form of Bid Bond.

Contractors receiving federally-assisted construction Contract awards exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity Clause will be required to provide for the forwarding of the following notice to prospective subcontractor for supplies and construction contracts where the subcontracts exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity Clause:

NOTICE TO PROSPECTIVE SUBCONTRACTORS OF REQUIREMENT FOR CERTIFICATIONS OF NONSEGREGATED FACILITIES

"A Certification of Nonsegregated Facilities, as required by the May 9, 1967, Order (32 F.R. 7439, May 19, 1967) on Elimination of Segregated Facilities, by the Secretary of Labor, must be submitted prior to the award of a subcontract exceeding \$10,000 which is not exempt from the provisions of the Equal Opportunity Clause."

"Contractors receiving subcontract awards exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity Clause will be required to provide from the forwarding of this notice to prospective subcontractors for supplies and construction contracts where the subcontracts exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity Clause."

The United States requires a pre-award conference if a proposed construction contract exceeds one million dollars to determine if the the prospective contractor is in compliance with the Equal Employment Opportunity requirements of Executive Order 11246 of September 24, 1965. In such instances, a meeting may be scheduled at which the prospective contractor must specify what affirmative action he has taken or proposed to take to assure equal employment opportunity which must be approved by the United States before award of the contract will be authorized.

Bidders must be prepared to submit an Equal Employment Opportunity (EEO) plan at a pre-award conference. The plan must include bidding opportunities offered by the Bidder to minority subcontractors.

On October 13, 1971, President Nixon issued Executive Order 11246 emphasizing the government's commitment to the promotion of minority business enterprise. Accordingly, the United States is firmly committed to the utilization of available resources to support this important program. U.S. agencies are most interested in realizing minority participation on the subject. Achieving equal employment opportunity compliance is required through Executive Order 11246. WE cannot emphasize too strongly that minority subcontractors be extended subcontractors bidding opportunities as but one step in your affirmative action policy.

Due to the importance of this contract, U.S. Agencies may conduct an EEO Conference prior to the award of the Contract. It is suggested that the responsive Bidder confirm the minority subcontractors he contacted for bids or quotations in his EEO plan submitted at the conference.

I-2.18 EEO AFFIRMATIVE ACTION REQUIREMENTS

By the submission of a Proposal, each Bidder acknowledges that he understands and will agree to be bound by the equal opportunity requirements of Federal regulations which shall be applicable throughout the performance of work under any contract awarded pursuant to solicitation. Each Bidder agrees that if awarded a contract, he will similarly bind contractually each subcontractor. In policies, each Bidder further understands and agrees that if awarded a contract, he must engage in Affirmative Action directed to promoting and ensuring equal employment opportunity in the work force used under the contract (and he must require contractually the same effort of all subcontractors whose subcontracts exceed \$100,000). The Bidder understands and agrees that "Affirmative Action" as used herein shall constitute a good faith effort to achieve and maintain minority employment in each trade in the on-site work force used on the project. ****** END of SECTION ******

CITY OF TAMPA INSURANCE REQUIREMENTS

Prior to commencing any work or services or taking occupancy under that certain written agreement or award (for purposes of this document, Agreement) between the City of Tampa, Florida (City) and Firm/Awardee/Contractor/Consultant/Lessee/non-City party, etc. (for purposes of this document, Firm) to which this document is attached and incorporated as an Exhibit or otherwise, and continuing during the term of said Agreement (or longer if the Agreement and/or this document so requires), Firm shall provide, pay for, and maintain insurance against claims for injuries to persons (including death) or damages to property which may arise from or in connection with the performance of the Agreement (including without limitation occupancy and/or use of certain property/premises) by Firm, its agents, representatives, employees, suppliers, subtenants, or subcontractors (which term includes subconsultants, as applicable) of any tier subject to the terms and conditions of this document. Firm's maintenance of insurance coverage as required herein is a material element of the Agreement and the failure to maintain or renew coverage or provide evidence of same (defined to include without limitation Firm's affirmative duty to provide from time to time upon City's request certificates of insurance, complete and certified copies of Firm's insurance policies. forms, and endorsements, information on the amount of claims payments or reserves chargeable to the aggregate amount of coverage(s) whether during the term of the Agreement or after as may be requested by the City in response to an issue or potential claim arising out of or related to the Agreement to which Firm's insurance obligations hereunder may apply or possibly help mitigate) may be treated as a material breach of the Agreement. Should at any time Firm not maintain the insurance coverages required, City at its sole option (but without any obligation or waiver of its rights) may (i) terminate the Agreement or (ii) purchase such coverages as City deems necessary to protect itself (charging Firm for same) and at City's option suspending Firm's performance until such coverage is in place. If Firm does not reimburse City for such costs within 10 days after demand, in addition to any other rights, City shall also have the right to offset such costs from amounts due Firm under any agreement with the City. All provisions intended to survive or to be performed subsequent to the expiration or termination of the Agreement shall survive, including without limitation Firm's obligation to maintain or renew coverage, provide evidence of coverage and certified copies of policies, etc. upon City's request and/or in response to a potential claim, litigation, etc.

The City reserves the right from time to time to modify or waive any or all of these insurance requirements (or to reject policies) based on the specific nature of goods/services to be provided, nature of the risk, prior experience, insurer, coverage, financial condition, failure to operate legally, or other special circumstances. If Firm maintains broader coverage and/or higher limits than the minimums shown herein, the City requires and shall be entitled to such broader coverage and/or higher limits maintained by Firm. Any available insurance proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the City. No representation is made that the minimum insurance requirements are sufficient to cover Firm's interests, liabilities, or obligations. Required insurance shall not limit Firm's liability.

Firm acknowledges and agrees Firm and not the City is the party in the best position to determine applicability (e.g. "IF APPLICABLE"), confirm, and/or verify its insurance coverage. Acceptance by the City, or by any of its employees, representatives, agents, etc. of certificates or other documentation of insurance or policies pursuant to the terms of this document and the Agreement evidencing insurance coverages and limits does not constitute approval or agreement that the insurance requirements have been met or that coverages or policies are in compliance. Furthermore, receipt, acceptance, and/or approval of certificates or other documentation of insurance or policies or copies of policies by the City, or by any of its employees, representatives, agents, etc., which indicate less coverage than required does not constitute a waiver of Firm's obligation to fulfill these insurance requirements.

MINIMUM SCOPE AND LIMIT OF INSURANCE ¹

Commercial General Liability (CGL) Insurance on the most current Α Insurance Services Office (ISO) Form CG 00 01 or its equivalent on an "occurrence" basis (Modified Occurrence or Claims Made forms are not acceptable without prior written consent of the City). Coverage must be provided to cover liability contemplated by the Agreement including without limitation premises and operations, independent contractors, contractual liability, products and completed operations, property damage, bodily, personal and advertising injury, contractual liability, explosion, collapse, underground coverages, personal injury liability, death, employees-as-insureds. Products and completed operations liability coverage maintained for at least 3 years after completion of work. Limits shall not be less than \$1M per occurrence and \$2M general aggregate for Agreements valued at \$2M or less; if valued over \$2M, a general aggregate limit that equals or exceeds the Agreement's value. If a general aggregate limit applies; it shall apply separately to the project/location (ISO CG 2S 03 or 2S 04 or equivalent). (ALWAYS APPLICABLE)

B. <u>Automobile Liability (AL) Insurance</u> in accordance with Florida law, as to the ownership, maintenance, and use of all owned, non-owned, leased, or hired vehicles. AL insurance shall not be less than: (a) \$500,000 combined single limit each occurrence bodily injury and property damage for Agreements valued at \$100,000 or less or (b) \$1M combined single limit each occurrence bodily injury and property damage for Agreements valued over \$100,000. If transportation of hazardous material involved, the MCS-90 endorsement (or equivalent). (ALWAYS APPLICABLE)

C. <u>Worker's Compensation (WC) & Employer's Liability Insurance</u> for all employees engaged under the Agreement, Worker's Compensation as required by Florida law. Employer's Liability with minimum limits of (a) \$500,000 bodily injury by accident and each accident, bodily injury by disease policy limit, and bodily injury by disease each employee for Agreements valued at \$100,000 and under or (b) \$1M bodily injury by accident and each accident, bodily injury by disease policy limit, and bodily injury by disease each for all other Agreements. (ALWAYS APPLICABLE)

D. <u>Excess (Umbrella) Liability Insurance</u> for Agreements valued at \$2M or more, at least \$4M per occurrence in excess of underlying limits and no more restrictive than underlying coverage for all work performed by Firm. May also compensate for a deficiency in CGL, AL, or WC. (ALWAYS APPLICABLE)

E. <u>Builder's Risk Insurance</u> for property loss exposure associated with construction/renovation/additions to buildings or structures, including materials or fixtures to be incorporated. Must be "All Risk" form with limits of no less than the project's completed value, have no coinsurance penalties, eliminate the "occupancy clause", cover Finn (together with its contractors, subcontractors of every tier, and suppliers), and name City as a Loss Payee. (IF APPLICABLE)

F. Installation Floater coverage for property (usually highly valued equipment or materials such as compressors, generators, etc.) during its installation. Coverage must be "All Risk" including installation and transit for no less than 100% of the installed replacement cost value. (IF APPLICABLE)

G. <u>Architects & Engineers Liability/ Professional Liability (E&O)/ Contractors</u> <u>Professional Liability (CPrL)/ Medical Malpractice Insurance</u> where Agreement involves Florida-regulated professional services (e.g. architect, engineer, design-builder, CM, accountant, appraiser, investment banker medical professional) at any tier, whether employed or independent, vicarious design liability exposure (e.g. construction means & methods, design supervision), value engineering, constructability assessments/reviews, BIM process, and/or performance specifications. Limits of at least \$1M per occurrence and \$2M aggregate; deletion of design/ build liability exclusions, as applicable, and maintained for at least 3 years after completion of work/services and City's acceptance of same. (IF APPLICABLE)

H. <u>Railroad Protective Liability CRPL) Insurance</u> for construction within 50ft of operated railroad track(s) or where affects any railroad bridge, trestle, tunnel, track(s) roadbed, or over/under pass. Subject to involved rail road's approval prior to commencement of work. (IF APPLICABLE).

I. <u>Pollution and/or Asbestos Legal Liability Insurance</u> where Agreement involves asbestos and/or environmental hazards/contamination risks (defined broadly, e.g. lead, mold, bacteria, fuel storage, underground work, cleanup (owned or non-owned sites),pollutant generation/transportation, marine/natural resource damage, contamination claim, restitution, business interruption, mold, fungus, lead-based paint, 3rd party claims/removal, etc.), with limits of at least \$1M per occurrence and \$2M aggregate, maintained for at least 3 years after Agreement completion. (IF APPLICABLE)

J. <u>Cyber Liability Insurance</u> where Agreement involves portals allowing access to obtain, use, or store data; managed dedicated servers; cloud hosting services; software/hardware; programming; and/or other IT services

¹ "M" indicates million(s), for example \$1M is \$1,000,000

and products are involved. Limits of not less than \$2M per occurrence and \$2M aggregate. Coverage sufficiently broad to respond to duties and obligations undertaken by Firm, and shall include, but not be limited to, claims involving infringement of intellectual property/copyright, trademark, trade dress, invasion of privacy violations, damage to or destruction of electronic information, information theft, release of confidential and/or private information, alteration of electronic information, extortion, virus transmission, and network security. Coverage, as applicable and with sufficient limits to respond, for breach response costs, regulatory fines and penalties, credit monitoring expenses. (IF APPLICABLE)

K. <u>Drone/UAV Liability Insurance</u> where Agreements involves unmanned aerial vehicles/drones. Coverage to include products and completed operations, property damage, bodily injury with limits no less than \$1M per occurrence, and \$2M aggregate; may be provided by CGL endorsement subject to City's prior written approval. (IF APPLICABLE)

L. <u>Longshore & Harbor Workers' Compensation Act/Jones Act</u> for work being conducted near, above, or on "navigable waters" for not less than the above Employer's Liability Insurance limit. (IF APPLICABLE)

M. <u>Garagekeeper/Hangerkeeper/Marina Operator Legal Liability</u> <u>Insurance and/or Hull/P&IInsurance</u> where parking lot, valet, dealership, garage services, towing, etc. and/or operation of a hangar, marina, or air plane/ship repairer, providing safe berth, air/watercraft storage/docking (on land/ in water), fueling, tours, charters, ferries, dredges, tugs, mooring, towing, boat/aircraft equipment/repair/alteration/maintenance, etc.; cover- age against liability for damage to vehicles air/watercraft, their machinery in Firm's care, custody, or control both private & commercial. Limits at least equal to greater of \$1M, value of max number of vehicles that may be in Firm's custody, or of most costly object in Firm's custody. (IF APPLICABLE)

N. Property Insurance and Interruption of Business CIOB) Insurance where premises, building, structure, or improved real property is leased, licensed, or otherwise occupied by Firm. Property Insurance against all risks of loss to any occupant/tenant improvements at full replacement cost with no coinsurance penalty, including fire, water, leak damage, and flood, as applicable, vandalism and malicious mischief endorsements. IOB by which minimum monthly rent will be paid to City for up to 1 year if premises are destroyed, rendered inaccessible or untenantable, including disruption of utilities, water, or telecommunications. (IF APPLICABLE)

0. <u>Liquor Liability/Host Liquor Liability</u> where Firm directly or indirectly provides alcoholic beverages, limits of at least \$1M per occurrence and \$1M aggregate. (IF APPLICABLE)

P. <u>Educators Legal Liability Insurance</u> where day care, after school program, recreational activities, etc. limits per G above. (IF APPLICABLE)

ADDITIONAL REQUIREMENTS

ACCEPTABILTIY OF INSURERS- Insurance is to be placed with insurers admitted in the State of Florida and who have a current A.M. Best rating of no less than A-:VII or, if not rated by A.M. Best, as otherwise approved by the City in advance and in writing.

<u>ADDITONAL INSURED</u> - City, its elected officials, departments, officers, officials, employees, and volunteers together with, as applicable, any associated lender of the City shall be covered as additional insureds on all liability coverage (e.g. CGL, AL, and Excess (Umbrella) Liability) as to liability arising out of work or operations performed by or on behalf of Firm including materials, parts, or equipment furnished in connection with such work or operations and automobiles owned, leased, hired, or borrowed by or on behalf of Firm. Coverage can be provided in the form of an endorsement to Firm's insurance (at least as broad as ISO Form CG 20 10 11 85 or <u>both</u> CG 10 20, CG 20 26, CG 20 33, or CG 20 38 <u>and</u> CG 20 37 if later revisions used).

CANCELLATION/NON-RENEWAL – Each insurance policy shall provide that at least 30 days written notice must be given to City of any cancellation, intent to non-renew, or material reduction in coverage (except aggregate liability limits) and at least 10 days' notice for non-payment of premium. Firm shall also have an independent duty to notify City in like manner, within 5 business days of Firm's receipt from its insurer of any notices of same. If any policy's aggregate limit is reduced, Firm shall directly take steps to have it reinstated. Notice and proof of renewal/continued coverage/certifications, etc. shall be sent to the City's notice (or Award contact) address as stated in the Agreement with a copy to the following:

Contract Administration Department, 306 E Jackson St, Tampa, FL 33602 Purchasing Department, 306 E Jackson Street, Tampa, FL 33602 Other:

<u>CERTIFICATE OF INSURANCE (COI)</u> – to be provided to City by insurance carrier prior to Firm beginning any work/services or taking occupancy and, if the insurance expires prior to completion of the work or services or Agreement term (as may be extended), a renewal COI at least 30 days before expiration to the above address(es). COIs shall specifically identify the Agreement and its subject (project, lease, etc.), shall be sufficiently comprehensive to insure City (named as additional insured) and Firm and to certify that coverage extends to subcontractors' acts or omissions, and as to permit the City to determine the required coverages are in place without the responsibility of examining individual policies. **Certificate Holder must be The City of Tampa, Florida.**

<u>CLAIMS MADE</u> – If any liability insurance is issued on a claims made form, Firm agrees to maintain such coverage uninterrupted for at least 3 years following completion and acceptance of the work either through purchase of an extended reporting provision or purchase of successive renewals. The Retroactive Date must be shown and be a date not later than the earlier of the Agreement date or the date performance/occupancy began thereunder.

DEDUCTIBLES/ SELF-INSURED RETENTIONS (SIR) – must be disclosed to City and, if over \$500,000, approved by the City in advance and in writing, including at City's option being guaranteed, reduced, or eliminated (additionally if a SIR provides a financial guarantee guaranteeing payment of losses and related investigations, claim administration, and defense expenses). Firm shall be fully responsible for any deductible or SIR (without limiting the foregoing a policy with a SIR shall provide or be endorsed to provide that the SIR may be satisfied by either the City or named insured). In the event of loss which would have been covered but for a deductible or SIR, City may withhold from any payment due Firm, under any agreement with the City, an amount equal to same to cover such loss should full recovery not be obtained under the policy.

<u>PERFORMANCE</u>- All insurance policies shall be fully performable in Hillsborough County, Florida (the County), and construed in accordance with Florida law. Further, all insurance policies must expressly state that the insurance company will accept service of process in the County and that the exclusive venue for any action concerning any matter under those policies shall be in the appropriate state court of the County.

<u>PRIMARY POLICIES</u> - Firm's insurance coverage shall be primary insurance coverage at least as broad as ISO CG 20 01 04 13 as to the City, its elected officials, departments, officers, employees, and volunteers. Any insurance or self-insurance maintained by the City, its elected officials, departments, officers, employees, and volunteers shall be excess of the Firm's insurance and shall not contribute with it.

<u>SUBCONTRACTORS/INDEPENDENT ASSOCIATES/CONSULTANTS/SUBTENANTS/SUBLICENSEE</u> - Firm shall require and verify that all such entities maintain insurance meeting all requirements stated herein with the City as an additional insured by endorsement (ISO FORM CG 20 38, or broader) or otherwise include such entities within Firm's insurance policies. Upon City's request, Firm shall furnish complete and certified copies of copies of such entities' insurance policies, forms, and endorsements.

SUBCONTRACTOR DEFAULT INSURANCE CONTROLLED INSURANCE PROGRAM, WRAP-UP. Use requires express prior written consent of City Risk Manager.

UNAVAILABILTIY- To the fullest extent permitted by law, if Firm is out of business or otherwise unavailable at the time a claim is presented to City, Firm hereby assigns to the City all of its right, title and interest (but not any liabilities or obligations) under any applicable policies of insurance.

<u>WAIVER OF SUBROGATION</u> – With regard to any policy of insurance that would pay third party losses, Firm hereby grants City a waiver of any right to subrogation which any insurer of Firm may acquire against the City by virtue of the payment of any loss under such insurance. Firm agrees to obtain any endorsement that may be necessary to affect such waiver, but this provision shall apply to such policies regardless.

<u>WAIVER/RELEASE</u> <u>AGREEMENT</u> – Where Firm has a defined group of persons who might be exposed to harm (e.g. participants in an athletic event/program, volunteers) any waiver or release agreement used by Firm whereby such persons (and their parent/guardian as applicable) discharge Firm from claims and liabilities, shall include the City, its elected officials, departments, officers, officials, employees, and volunteers to the same extent as Firm.

	Minority & S	mall Business Pa	articipation	
	Construction-	-		
Construction	Related	Professional	Non-Professional	Goods
Black	Asian	Black	Black	Black
Hispanic	Native Am.	Hispanic	Asian	Hispanic
Native Am.	Woman	Asian	Native Am.	Asian
Woman		Native Am.		Native Am.
		Woman		Woman
Under	rutilized WMBE	Sub-Contractors	<mark>s / Sub-Consulta</mark>	nts
Construction	Construction- Related	Professional	Non-Professional	Goods
Black	Black	Black	Black	Black
	Construction Black Hispanic Native Am. Woman Under Construction	Minority & S Underutilized WW Construction Construction-Related Black Asian Hispanic Native Am. Native Am. Woman Woman Underutilized WMBEE Construction Construction-Related	Underutilized WMBE Primes by In Construction Professional Black Asian Black Hispanic Native Am. Hispanic Native Am. Woman Asian Woman Native Am. Woman Underutilized WMBE Sub-Contractors Construction-Related Professional Construction Construction-Related Professional	Minority & Small Business Participation Underutilized WMBE Primes by Industry Category Construction Construction- Related Professional Non-Professional Black Asian Black Black Hispanic Native Am. Hispanic Asian Native Am. Woman Asian Native Am. Woman Native Am. Native Am. Native Am. Underutilized WMBE Sub-Contractors / Sub-Consulta Construction- Related Professional Non-Professional

	Black	Black	Black	Black	Black
NORK		Asian	Hispanic	Asian	Asian
SUB \		Native Am.	Asian	Native Am.	Native Am.
		Woman	Native Am.		Woman
			Woman		

<u>Policy</u>

The Guidelines apply to formal procurements and solicitations. WMBE participation will be narrowly-tailored.

<u>Index</u>

- Black = Black/African-American Business Enterprise
- Hispanic = Hispanic Business Enterprise
- Asian = Asian Business Enterprise
- Native Am. = Native American Business Enterprise
- Woman = Woman Business Enterprise (Caucasian)

Industry Categories

<u>Construction</u> is defined as: new construction, renovation, restoration, maintenance of public improvements and underground utilities. <u>Construction-Related Services</u> are defined as: architecture, professional engineering, landscape architecture, design build, construction management services, or registered surveying and mapping.

Professional Services are defined as: attorney, accountant, medical doctor, veterinarian, miscellaneous consultant, etc.

Non-Professional Services are defined as: lawn maintenance, painting, janitorial, printing, hauling, security guard, etc.

<u>Goods</u> are defined as: all supplies, materials, pipes, equipment, machinery, appliances, and other commodities.

MBD Form-70

Dual Certified Not Double Counted		Note: 12 firms are dual o	Note: 12 firms are dual certified as BBE/SLBE. Firms can be placed into various subcontractable areas.	various subcontra	ctable are:	s. (Availability: 61 Total Firms)		
#'s Business Name	Phone	Fax Email	Address 1	City S	State Zip	Business Description	FEIN Type	e Ethnicity
3 2 Meyer Corp.	813-210-4864	813-645-5634 Renatonjr@aol.com	6308 Lake Sunrise Dr.	Apollo Beach	FL 33572	Excavation Services	562384669 SLBE	Caucasian
7 2 Meyer Corp.	813-210-4864	813-210-4864 813-645-5634 Renatonjr@aol.com	6308 Lake Sunrise Dr.	Apollo Beach	FL 33572	2 Irrigation	562384669 SLBE	Caucasian
8 2 Meyer Corp.	813-210-4864	813-210-4864 813-645-5634 Renatonjr@aol.com	6308 Lake Sunrise Dr.	Apollo Beach	FL 33572	2 Install Landscape	562384669 SLBE	Caucasian
8 AB5 Enterprises	813-542-6272	ab5enterprises@aol.com	11226 Southwind Lake Dr	Gibsonton	FL 33534	t Install Landscape	651020544 BBE	African American
8 AB5 Enterprises	813-542-6272		11226 Southwind Lake Dr	Gibsonton		t Install Landscape	651020544 SLBE	African American
1 Cherokee Enterprises, Inc.	305-828-3353	305-828-9317	12981 NW 113th Ct		FL 33178	3 Clearing and Grubbing	650891158 HBE	Hispanic American
6 Above Electric LLC	727-726-5484	801-894-3084 aboveelec@gmail.com	13529 Prestige PI #105	Tampa F	FL 33635	5 Electrical Contractor	453611228 SLBE	Hispanic American
1 Florida GeoDynamics Inc	813-973-3539	flgeo4@gmail.com	6129 OLD PASCO RD	WESLEY CHAPEFL	L 33544	t Clearing and Grubbing	650065822 WBE	Caucasian
6 Aguila Electrical Services, Inc.	813-515-6999	813-515-6999 813-884-4092 sales@aguilaelectrical.com	5708 N 56TH ST	Tampa	FL 33610) Electrical Contractor	200818128 SLBE	Hispanic American
1 Green Seeds Inc	813-858-7765	dbrion@ourgreenseed.com	3387 Antigua lane, UNIT 303		FL 33614	t Clearing and Grubbing	811867821 HBE	
6 All In One Electric Inc	813-849-6331	813-514-0473 rjones@aioelectric.com	1201 W WATERS AVENUE	TAMPA F	FL 33604	t Electrical Contractor	043689273 BBE	African American
6 All In One Electric Inc	813-849-6331	813-514-0473 rjones@aioelectric.com	1201 W WATERS AVENUE	TAMPA F	FL 33604	t Electrical Contractor	043689273 SLBE	African American
5 Allen Masonry & General Contractor, Inc.	813-597-3289	813-597-3289 813-436-0999 allenmasonrygc@gmail.com	4710 Dunquin Pl	Tampa I	FL 33610) Brick Paving	593752366 BBE	African American
5 Allen Masonry & General Contractor, Inc.	813-597-3289	813-436-0999 allenmasonrygc@gmail.com	4710 Dunquin Pl		FL 33610		593752366 SLBE	African American
3 BLACKTIP SERVICES INC	954-324-5300	321-285-2995	52 RILEY RD STE 422	ATION	FL 34747		274431832 WBE	
7 Aqua Pro Irrigation & Outdoor Services, LLC	813-814-4437	813-814-4437 813-814-9710 ken@aquaproirrigation.com	375 Douglas Road East	Oldsmar	FL 34677	7 Irrigation	900843885 SLBE	Caucasian
8 Aqua Pro Irrigation & Outdoor Services, LLC	813-814-4437	813-814-4437 813-814-9710 ken@aquaproirrigation.com	375 Douglas Road East	Oldsmar	FL 34677	7 Install Landscape	900843885 SLBE	Caucasian
8 Baron's Landscaping Services, Inc.	813-404-1509	813-404-1509 813-476-6255 baronslawncare@aol.com	P.O. Box 4047	Tampa	FL 33677	7 Install Landscape	650837654 SLBE	Hispanic American
1 BAY LIGHT, LLC	813-972-4057	813-972-4057 813-971-0882 baylightllc25@gmail.com	1717 E Busch Blvd	Tampa	FL 33612	2 Clearing and Grubbing	455079825 SLBE	African American
1 BAY LIGHT, LLC	813-972-4057	813-971-0882 baylightllc25@gmail.com	1717 E Busch Blvd	Tampa	FL 33612	2 Clearing and Grubbing	455079825 BBE	African American
8 BAY LIGHT, LLC	813-972-4057	813-971-0882 baylightllc25@gmail.com	1717 E Busch Blvd	Tampa	FL 33612	2 Install Landscape	455079825 BBE	African American
8 BAY LIGHT, LLC	813-972-4057	813-971-0882 baylightllc25@gmail.com	1717 E Busch Blvd	Tampa F	FL 33612	2 Install Landscape	455079825 SLBE	African American
3 Flave A. Williams III Dozer Service, Inc.	727-856-3765	727-856-6298 nwilliams@flavewilliamsdozerservice.com	14717 Hays Road	Spring Hill F	FL 34610	D Excavation Services	593225884 WBE	
3 Florida GeoDynamics Inc	813-973-3539		6129 OLD PASCO RD	IAPE				
3 FORRISTALL ENTERPRISES INC	941-729-8150		2712 63rd Avenue East	Bradenton	FL 34203	3 Excavation Services		Caucasian
8 Breit Turf Management, LLC	813-284-5979	813-284-5980 breitturf1@gmail.com	6801 S Westshore Blvd.	Tampa F	FL 33616	5 Install Landscape	273737949 SLBE	Caucasian
6 Brown & Brown Electric, Inc.	954-938-8986	954-938-9272 Hermine.Brown@brownandbrownelectric.com	1150 SW 30th Avenue	no Beac		Electrical Contractor		African American
8 BUN Construction Co., Inc.	813-931-8270	813-931-8270 813-931-9185 bunconstruction@tampabay.rr.com	4135 E. Hillsborough Avenue					
3 Central Florida Contractors Inc	727-596-0708	727-596-0708 727-596-0707 sidewalks@aol.com	13345 Pine Bark Ct	Largo F	FL 33774	1 Excavation Services	593119568 HBE	Hispanic American
8 BUN Construction Co., Inc.	813-931-8270	813-931-9185	4135 E. Hillsborough Avenue					African American
3 Cherokee Enterprises, Inc.	305-828-3353	305-828-9317 afreeman@cherokeecorp.com	12981 NW 113th Ct	Medley F	FL 33178	3 Excavation Services	650891158 HBE	Hispanic American
9 BUN Construction Co., Inc.	813-931-8270	813-931-9185	4135 E. Hillsborough Avenue					African American
3 CMS Crawford Maintenance Services LLC.	727-216-6469	1 727-216-6524 marina@crawfordmain.com	14028 Palm Way	Largo	FL 33771	L Excavation Services	262249991 HBE	Hispanic American
8 Cardinal Landscaping Services of Tampa, Inc.	813-915-9696	813-915-9695	817 E. Okaloosa Ave.	Tampa F	FL 33604		593394554 SLBE	Caucasian
3 MASONRY & CONSTRUCTION SERVICES, INC	813-981-0196	masonrylg@hotmail.com	13452 N. Florida Ave	Tampa F	FL 33613	3 Excavation Services	262240950 HBE	Hispanic American
5 CARJA CONSTRUCTION, INC	813-304-7158		18803 cherrybirch cir			8 Brick Paving		
3 Mom & Daughter's Team LLC	727-657-5576	momanddaughter@yahoo.com	4706 30th Ave N	St. Petersburg F	FL 33713	3 Excavation Services	814091364 HBE	Hispanic American
3 CMS Crawford Maintenance Services LLC.	727-216-6469	727-216-6524 marina@crawfordmain.com	14028 Palm Way					
3 Ortzak Construction Group, LLC	813-961-6023	813-961-6023 813-961-6023 dcastro@ortzak.com	13014 N. Dale Mabry Hwy, Suite 623	Tampa F	FL 33618	3 Excavation Services	454837502 HBE	
8 CMS Crawford Maintenance Services LLC.	727-216-6469	727-216-6469 727-216-6524 marina@crawfordmain.com	14028 Palm Way					
3 Parking Lot Striping Service Inc.	813-623-1454	813-623-1454 813-664-0140 fernandoplss@aol.com	3901 E LAKE AVE) Excavation Services		
6 Crevello Electric, Inc.	813-986-6106	813-986-6106 813-986-9633 crevelloelectric@gmail.com	2401 Procchi St	Plant City F	FL 33563	8 Electrical Contractor	593559003 SLBE	Caucasian

African American/Black Business Enterprises (BBE) shall count toward the subcontract goal. Refer to MBD Form 70 - Procurement Guidelines.

#'s Business Name	Phone	Fax	Email	Address 1	City	State Zip	Business Description	FEIN	Type	Ethnicity
3 Paynes Environmental Services, LLC	813-677-6822	866-467-9029	813-677-6822 866-467-9029 paynestrees@cs.com	5617 Causeway Blvd	Tampa	33	Excavation Services	9		Hispanic American
3 Professional Concrete, Inc.	941-921-3660	941-921-5371	941-921-3660 941-921-5371 david@professionalconcrete.com	5220 McIntosh Road, Suite 1	Sarasota	FL 34233	Excavation Services	650715612 F	HBE H	Hispanic American
3 UIT LLC	786-519-4534		uitllc@aol.com	10675 SW 190th St	Miami	FL 33157	Excavation Services	272127262 H	HBE H	Hispanic American
1 Cut-Ups Lawn Service	813-361-8871		813-238-2397 cutupslawnservice@yahoo.com	3217 East Powhatan Ave.	Tampa	FL 33610	Clearing and Grubbing	611412916 S	SLBE A	African American
1 Cut-Ups Lawn Service	813-361-8871		813-238-2397 cutupslawnservice@yahoo.com	3217 East Powhatan Ave.	Tampa	FL 33610	Clearing and Grubbing	611412916 E	BBE A	African American
4 BLACKTIP SERVICES INC	954-324-5300	321-285-2995	blacktipe mail@yahoo.com	52 RILEY RD STE 422	CELEBRATION	FL 34747	Foundations and Rubber Surface	274431832 V	WBE C	Caucasian
4 Central Florida Contractors Inc	727-596-0708	727-596-0707	727-596-0708 727-596-0707 sidewalks@aol.com	13345 Pine Bark Ct	Largo	FL 33774	Foundations and Rubber Surface	593119568 H	HBE H	Hispanic American
8 Cut-Ups Lawn Service	813-361-8871		813-238-2397 cutupslawnservice@yahoo.com	3217 East Powhatan Ave.	Tampa	FL 33610	Install Landscape	611412916 E	BBE A	African American
4 Parking Lot Striping Service Inc.	813-623-1454	813-664-0140	fernandoplss@aol.com	3901 E LAKE AVE	TAMPA	FL 33610	Foundations and Rubber Surface	260324264 H	HBE H	Hispanic American
8 Cut-Ups Lawn Service	813-361-8871	813-238-2397	813-361-8871 813-238-2397 cutupslawnservice@yahoo.com	3217 East Powhatan Ave.	Tampa	FL 33610	Install Landscape	611412916 S	SLBE A	African American
4 Professional Concrete, Inc.	941-921-3660	941-921-5371	david@professionalconcrete.com	5220 McIntosh Road, Suite 1	Sarasota	FL 34233	Foundations and Rubber Surface	650715612 H	HBE H	Hispanic American
8 D & J LAWN SERVICES OF LAKELAND LLC	863-859-3525		863-853-1044 DANDJLAWNSERVICES@HOTMAIL.COM	575 OLD POLK CITY ROAD	LAKELAND	FL 33809	Install Landscape	273279070 S	SLBE H	Hispanic American
1 Davids lawncare	813-334-4096		davidrasheed2@gmail.com	9885 Morris Glen Way	Tampa	FL 33687	Clearing and Grubbing	189662164 S	SLBE A	African American
1 Davids lawncare	813-334-4096		davidrasheed2@gmail.com	9885 Morris Glen Way	Tampa	FL 33687	Clearing and Grubbing	189662164 E	BBE A	African American
5 CARJA CONSTRUCTION, INC 5 Diamant Develonment ILC	813-304-7158 352-551-3194		Carly@puleosconcrete.com diamantdevelonmentlic@@mail.com	18803 cherrybirch cir 905 Snrinø Vallev Rd	lutz FL Altamonte SpriFL	FL 33558	Brick Paving Brick Paving	463665283 V 813746486 V	WBE C	Caucasian Caucasian
8 Davids lawncare	813-334-4096			9885 Morris Glen Wav	Tamna		Install Landscape			African American
0 Davide Jawasa	81 2-22 A-AOOE		davidrachaed2@rmail.com	0005 Morris Glan Wav	edmeT		Install Landscape			African American
	0.004-452-218	0003 108 202			tarripa Ct. Dotorchiuca					African American
כן בלא כטוונו פופ אפן אונפי וווני.	1000-000-171	670C-T70-171	ဗေးပ်း၊ သူနားတို့ ဖွေ နေးတိုင် ကျောက်		or. reterspurg rt					
5 E/S Concrete Service, Inc.	727-821-5029	727-821-5029	727-821-5029 727-821-5029 enorisslysr@yahoo.com	726 E. Harbor Drive	St. Petersburg FL		Brick Paving			African American
3 ECO 2000 INC	352-793-5060	352-793-9074	352-793-9074 WATERWORKS@ECO2000INC.COM	1611 W C-48	BUSHNELL		Excavation Services	593648996 E		African American
5 MASONRY & CONSTRUCTION SERVICES, INC	813-981-0196		masonrylg@hotmail.com	13452 N. Florida Ave	Tampa	FL 33613	Brick Paving	262240950 H	HBE	Hispanic American
6 Electric World Corp	813-785-5265	866-593-5921	813-785-5265 866-593-5921 Electricworldcorp@gmail.com	5708 N 56th St	tampa	FL 33610	Electrical Contractor	331112415 S	SLBE H	Hispanic American
6 ELECTRICAL HANDYMAN SERVICES INC	813-901-8185	813-884-5060	813-901-8185 813-884-5060 ehs915@aol.com	7046-B West Hillsborough Ave	Tampa	FL 33634	Electrical Contractor	272406369 S	SLBE H	Hispanic American
2 Excel 4 LLc	813-433-3486	813-433-3486	excel4llc@yahoo.com	318 N. John Young Parkway Suite #6	Kissimmee	FL 34741	Demolition	454149326 E	BBE A	African American
3 Excel 4 LLc	813-433-3486	813-433-3486	excel4llc@yahoo.com	318 N. John Young Parkway Suite #6	Kissimmee	FL 34741	Excavation Services	454149326 E	BBE A	African American
4 Excel 4 LLc	813-433-3486	813-433-3486	813-433-3486 813-433-3486 excel4llc@yahoo.com	318 N. John Young Parkway Suite #6	Kissimmee	FL 34741	Foundations and Rubber Surface	454149326 E	BBE A	African American
2 Exclusive Contractors, Inc.	863-559-1039	000-000-000	863-559-1039 000-000-0000 roadcontractor2@YAHOO.com	277 S. 10th Ave	Bartow	FL 33830	Demolition	592345574 E	BBE A	African American
3 Exclusive Contractors, Inc.	863-559-1039	000-000-000	863-559-1039 000-000-0000 roadcontractor2@YAHOO.com	277 S. 10th Ave	Bartow	FL 33830	Excavation Services	592345574 S	SLBE A	African American
3 Exclusive Contractors, Inc.	863-559-1039	863-559-1039 000-000-0000	roadcontractor2@YAHOO.com	277 S. 10th Ave	Bartow	FL 33830	Excavation Services	592345574 E	BBE A	African American
4 Exclusive Contractors, Inc.	863-559-1039	000-000-000	863-559-1039 000-000-0000 roadcontractor2@YAHOO.com	277 S. 10th Ave	Bartow	FL 33830	Foundations and Rubber Surface		SLBE A	African American
6 B & E Signal and Lighting, Inc.	941-758-3594	941-758-3805	nisa@beutillity.com	6447 33RD ST E	SARASTOA	FL 34243	Electrical Contractor	202880417 /	ABE A	Asian American
4 Exclusive Contractors, Inc.	863-559-1039	000-000-000	863-559-1039 000-000-0000 roadcontractor2@YAHOO.com	277 S. 10th Ave	Bartow		Foundations and Rubber Surface			African American
6 A & A Electric Services, Inc.	813-872-8597	813-872-8762	adelaparte@aaelectricservices.com	4409 N. Thatcher Avenue	Tampa		Electrical Contractor			Hispanic American
6 Above Electric LLC	727-726-5484	801-894-3084	727-726-5484 801-894-3084 aboveelec@gmail.com	13529 Prestige PI #105	Tampa		Electrical Contractor			Hispanic American
b Aguila Electrical Services, Inc. 6 Alliance Dower Schreine, Inc.	6660-CTC-ETS	813-884-4092 812-470-7201	013-013-0999/013-084-4092/0384e8@aguilaelectrical.com 013-070-7300/0913-070-7301/mike_octoc@anci.com	2/08 N 301H31 2615 E Laba Avanua	Tampa	FL 33510	Electrical Contractor			Hispanic American Hispanic American
	813 75 4 1000	813-4/0-/201	00 10000							
E FIDITUR NAUVES INUISELY, IIIC.	0061-401-610	T004-401-610	unce en la mananyesha ser y.com							Uiranic Amorican
6 Delpado Flectric. Inc	813-826-3364	813-876-4787	813-876-4782 813-876-4787 hector@elocia@cond.com	P.O. Box 151054	Tampa		Electrical Contractor			Hispanic American
6 E.C. Building Solutions, Inc.	352-683-5904	352-597-8933	352-597-8933 office@ecbuildingsolutions.com	5190 Commercial Way	Spring Hill		Electrical Contractor			Hispanic American
8 Florida Natives Nursery, Inc.	813-754-1900	813-754-4001	813-754-1900 813-754-4001 office@floridanativesnursery.com	4115 NATIVE GARDEN DR	PLANT CITY	FL 33565	Install Landscape	593561539 S	SLBE C	Caucasian
6 Electric World Corp	813-785-5265	866-593-5921	813-785-5265 866-593-5921 Electricworldcorp@gmail.com	5708 N 56th St	tampa	FL 33610	Electrical Contractor	331112415 H	HBE H	Hispanic American
5 Fresh Start Development, Inc.	813-758-5345	813-333-5949	813-758-5345 813-333-5949 freshstartdevelop@yahoo.com	5508 N 50th St	Tampa	FL 33610	Brick Paving	203857845 S	SLBE A	African American

African American/Black Business Enterprises (BBE) shall count toward the subcontract goal. Refer to MBD Form 70 - Procurement Guidelines.

#'s Business Name	Phone Fa	Fax	Email	Address 1	City	State Z	Zip Business Description	FEIN	Type	Ethnicity
6 ELECTRICAL HANDYMAN SERVICES INC	813-901-8185 813-884	813-884-5060 eh	ehs915@aol.com	7046-B West Hillsborough Ave	Tampa	FL 33634		272406369	HBE Hispi	Hispanic American
6 Erwin Electric, Inc		5-5404 rol	813-855-5404 robin@erwinelectric.com	13817 MONROE BUSINESS PARK	TAMPA	FL 33635	35 Electrical Contractor	593490070	WBE Cauc	Caucasian
6 Energy Services and Products Corp	813-931-8853 813-931	813-931-8852 pa	padilla.melissa@gmail.com	3817 W. Humphrey St. #203	Tampa	FL 33614	14 Electrical Contractor	593241383	HBE Hisp	Hispanic American
6 Infinity Industrial Controls Inc	727-216-6416 727-286	727-286-6240 lb(lb@iicontrols.com	1057 CEPHAS RD	CLEARWATER	FL 33765	65 Electrical Contractor	273205660	WBE Cauc	Caucasian
6 Henriquez Electric Corporation		813-853-2513 sh	sharon@henriquezelectric.com	4101 W. Linebaugh Ave.	TAMPA	FL 33624		591742874	HBE Hisp	Hispanic American
5 Fresh Start Development, Inc.		33-5949 fr€	813-333-5949 freshstartdevelop@yahoo.com	5508 N 50th St						African American
6 JDP Electric, Inc.			jdpinc@tampabay.rr.com	6600 N. Florida Avenue						Hispanic American
6 MCS of Tampa, Inc.	813-872-0217 813-876	813-876-6317 tw	twhitmore@mcsoftampa.com	8510 Sunstate Street	Tampa	FL 33634	34 Electrical Contractor	593059024	HBE Hispi	Hispanic American
9 Fresh Start Development, Inc.	813-758-5345 813-333	\3-5949 frε	813-333-5949 freshstartdevelop@yahoo.com	5508 N 50th St	Tampa	FL 33610	10 Fencing Contractor	203857845	BBE Afric	African American
8 GardenSmith	813-352-3008	ga	gardensmith@me.com	4113 Henderson Blvd	tampa	FL 33629	29 Install Landscape	273649269	SLBE Cauc	Caucasian
6 TAMCO Electric, Inc.	813-918-8489 813-986	813-986-5979 atr	atrujill@tampabay.rr.com	4022 W South Avenue		FL 33614	14 Electrical Contractor	591396630	HBE Hisp	Hispanic American
8 Grass & Landscaping Hunters LLC	813-770-6795	gr	grasslandscapinghunters@hotmail.com	914 Burlwood St	Brandon	FL 33511	11 Install Landscape	821161283	BBE Afric	African American
8 Grass & Landscaping Hunters LLC	813-770-6795	gr	grasslandscapinghunters@hotmail.com	914 Burlwood St	Brandon	FL 33511	11 Install Landscape	821161283	SLBE Afric	African American
8 GREEN EXPECTATIONS LANDSCAPING LLC	813-782-6263 813-315-6461		INFO@GXLFL.COM	37609 Eiland Blvd.	Zephyrhills	FL 33542	42 Install Landscape	262054130	SLBE Hisp	Hispanic American
1 Green Seeds Inc	813-858-7765	db	dbrion@ourgreenseed.com	3387 Antigua lane, UNIT 303	tampa	FL 33614	14 Clearing and Grubbing	811867821	SLBE Hisp	Hispanic American
8 Green Seeds Inc	813-858-7765	db	dbrion@ourgreenseed.com	3387 Antigua lane, UNIT 303	tampa	FL 33614		811867821	SLBE Hisp	Hispanic American
8 irene&joe's lawn care &tree trimming	813-928-0124	re	rechibutler@yahoo.com	2921 E 33rd Ave	Tampa	FL 33610	10 Install Landscape	262612745	BBE Afric	African American
8 irene&joe's lawn care &tree trimming	813-928-0124	re	rechibutler@yahoo.com	2921 E 33rd Ave	Tampa	FL 33610	10 Install Landscape	262612745	SLBE Afric	African American
5 JNandlal Maintenance Services of Brandon, LLC	813-679-7769 813-654	813-654-7675 Jar	James Nandlal @msn.com	3008 King Phillip Way	Sefner	FL 33584	84 Brick Paving	760821164	SLBE Cauc	Caucasian
3 John Varrati, LLC	813-938-1818 813-260	813-260-3725 ma	magnumde mo@live.com	1609 North 31st Street	Tampa	FL 33605	05 Excavation Services	272161968	SLBE Cauc	Caucasian
3 Johnson's Excavation & Services, Inc.	813-752-7097 813-719	813-719-9052 sal	sales@jescontracting.com	1706 East Trapnell Road	Plant City	FL 33566	66 Excavation Services	593031174	SLBE Cauc	Caucasian
8 Johnson's Excavation & Services, Inc.	813-752-7097 813-719	813-719-9052 sal	sales@jescontracting.com	1706 East Trapnell Road	Plant City	FL 33566	66 Install Landscape	593031174	SLBE Cauc	Caucasian
8 JTCM Inc	813-935-7724	ofi	office@lawnsculptures.net	817 S MacDill Ave	Tampa	FL 33609	09 Install Landscape	562418914	SLBE Cauc	Caucasian
6 Manatee Electric, Inc.	813-645-7000 813-654	813-654-7568 job	john@reliableelectricusa.com	845 Thompson Rd.	Lithia	FL 33547	47 Electrical Contractor	593454485	SLBE Cauc	Caucasian
3 MASONRY & CONSTRUCTION SERVICES, INC	813-981-0196	m	masonrylg@hotmail.com	13452 N. Florida Ave	Tampa	FL 33613	13 Excavation Services	262240950	SLBE Hisp:	Hispanic American
5 MASONRY & CONSTRUCTION SERVICES, INC	813-981-0196	m	masonrylg@hotmail.com	13452 N. Florida Ave	Tampa	FL 33613	13 Brick Paving	262240950	SLBE Hisp:	Hispanic American
3 MBattle Construction Ilc	727-214-4301 727-517-3774 moebattle@hotmail.com	.7-3774 mt	oebattle@hotmail.com	470 maple way	safety harbor	FL 34695	95 Excavation Services	760840117	SLBE Afric	African American
3 MBattle Construction Ilc	727-214-4301 727-517-3774 moebattle@hotmail.com	.7-3774 mc	oebattle@hotmail.com	470 maple way	safety harbor	FL 34695	95 Excavation Services	760840117	BBE Afric	African American
3 McKenzie Contracting LLC	813-454-4429 813-45	4-4429 va	813-454-429 813-454-429 valarie@mckenziecontractingllc.com	7712 W Broadway Ave	Tampa	FL 33619	19 Excavation Services	463561860	SLBE Afric	African American
3 McKenzie Contracting LLC	813-454-4429 813-454	813-454-4429 val	valarie@mckenziecontractingllc.com	7712 W Broadway Ave	Tampa	FL 33619	19 Excavation Services	463561860	BBE Afric	African American
6 MDH Enterprises, Inc.	386-789-2672 866-681	866-681-5026 ma	matize@my-es.com	281 East C Street	Orange City	FL 32763	63 Electrical Contractor	550849332	BBE Afric	African American
3 Mom & Daughter's Team LLC	727-657-5576	ŭ	momanddaughter@yahoo.com	4706 30th Ave N	St. Petersburg	FL 33713	13 Excavation Services	814091364	SLBE Hisp	Hispanic American
8 Morelli Landscaping, Inc	727-535-6263 727-536	16-6855 vjr	727-535-6263 727-536-6855 vjmorelli@tampabay.rr.com	6370 146th Avenue North	Clearwater	FL 33760	60 Install Landscape	591877993	SLBE Cauc	Caucasian
8 Moses & Wourman Maintenance Inc.	813-244-7134 813-920	0-1430 cti	813-920-1430 ctmoses11@msn.com	13014 N Dale Mabry Ste 136	Tampa	FL 33618	18 Install Landscape	650105210	BBE Afric	African American
8 Moses & Wourman Maintenance Inc.	813-244-7134 813-920	:0-1430 cti	813-920-1430 ctmoses11@msn.com	13014 N Dale Mabry Ste 136	Tampa	FL 33618	18 Install Landscape	650105210	SLBE Afric	African American
8 Nelson's Tree Farm and Nursery, Inc.	813-842-4663 813-350	813-350-9139 kin	kimberly.martinez33@gmail.com	5027 N Lois Ave	Tampa	FL 33614	14 Install Landscape	593404710	SLBE Hisp:	Hispanic American
3 Ortzak Construction Group, LLC	813-961-6023 813-961	813-961-6023 dc	dcastro@ortzak.com	13014 N. Dale Mabry Hwy, Suite 623	Tampa	FL 33618	18 Excavation Services	454837502	SLBE Hisp:	Hispanic American
3 Parking Lot Striping Service Inc.	813-623-1454 813-662	i4-0140 fei	813-664-0140 fernandoplss@aol.com	3901 E LAKE AVE	TAMPA	FL 33610	10 Excavation Services	260324264	SLBE Hisp	Hispanic American
4 Parking Lot Striping Service Inc.	813-623-1454 813-664-0140 fernandoplss@aol.com	34-0140 fei	rnandoplss@aol.com	3901 E LAKE AVE	TAMPA	FL 33610	10 Foundations and Rubber Surface	260324264	SLBE Hisp	Hispanic American
3 Paynes Environmental Services, LLC	813-677-6822 866-467-9029	7-9029 pa	paynestrees@cs.com	5617 Causeway Blvd	Tampa	FL 33619	19 Excavation Services	271037046	SLBE Hispi	Hispanic American
8 Pine Lake Services, Inc.	813-948-4736 813-948	18-4914 jar	813-948-4736 813-948-4914 janet@pinelakenurseryinc.com	2122 Henley Rd.	Lutz	FL 335	33548 Install Landscape	273360158	SLBE Hisp	SLBE Hispanic American

African American/Black Business Enterprises (BBE) shall count toward the subcontract goal. Refer to MBD Form 70 - Procurement Guidelines.

#'s Business Name	Phone	Fax	Email	Address 1	City	State Zip	D Business Description	FEIN	Type	Ethnicity
8 Promise Construction and Repair Solutions LLC	813-988-8633	813-988-1555	813-988-8633 813-988-1555 promisecarelic@outlook.com	10711 North 53rd Street	TAMPA	FL 33617	7 Install Landscape	464723775	BBE African	African American
8 Promise Construction and Repair Solutions LLC	813-988-8633	813-988-1555	promisecarellc@outlook.com	10711 North 53rd Street	TAMPA	FL 33617	7 Install Landscape	464723775	SLBE African	African American
8 Arazoza Brothers Corporation	305-246-3223	305-246-0481	305-246-3223 305-246-0481 RASENSIO@arazozabrothers.com	15901 S.W. 242th Street	Homestead	FL 33031	1 Install Landscape	650031332	HBE Hispani	Hispanic American
5 Provisions Construction & Development, Inc.	407-985-2442	407-985-2440	407-985-2442 407-985-2440 marrington@provisionscdi.com	3401 Lake Breeze Drive Bldg 601	Orlando	FL 32808	8 Brick Paving	462802435	BBE African	African American
6 Reliability Consulting Services, Inc.	813-298-2617	813-645-2272	813-298-2617 813-645-2272 bwoolbright@reliabilityconsulting.net	748 Kingston Ct.	Apollo Beach	FL 33572	2 Electrical Contractor	201126584	SLBE Caucasian	5
6 ROB MICHAEL INC	813-323-0304	813-968-1036	813-323-0304 813-968-1036 RJMICHAEL74@AOL.COM	16204 SAGEBRUSH RD	TAMPA	FL 33618	8 Electrical Contractor	264389755	SLBE Caucasian	L L
8 Baron's Landscaping Services, Inc.	813-404-1509	813-476-6255	813-404-1509 813-476-6255 baronslawncare@aol.com	P.O. Box 4047	Tampa	FL 33677	7 Install Landscape	650837654	HBE Hispani	Hispanic American
8 RODRIGUEZ SOD RANCH INC	813-886-2163		rodriguezsodranch@yahoo.com	7608 W Linebaugh Ave	Tampa	FL 33625	5 Install Landscape	455303273	SLBE Hispani	Hispanic American
8 CMS Crawford Maintenance Services LLC.	727-216-6469	727-216-6524	727-216-6469 727-216-6524 marina@crawfordmain.com	14028 Palm Way	Largo	FL 33771	1 Install Landscape	262249991	HBE Hispani	Hispanic American
8 Sunbelt Sod & Grading Company	813-641-9855	813-645-7263	sunbeltsod@verizon.net	819 - 9th St. N.E.	Ruskin	FL 33570	0 Install Landscape	134250933	SLBE Caucasian	L.
8 D & J LAWN SERVICES OF LAKELAND LLC	863-859-3525	863-853-1044	863-859-3525 863-853-1044 DANDJLAWNSERVICES@HOTMAIL.COM	575 OLD POLK CITY ROAD	LAKELAND	FL 33809	9 Install Landscape	273279070	HBE Hispani	Hispanic American
8 Superior Mortgage Services	877-725-6831	877-725-6831	877-725-6831 877-725-6831 peter.lopez@sms-fl.com	700 South Harbour Island #205	Tampa	FL 33602	2 Install Landscape	592933285	592933285 SLBE Hispanic American	American
8 GREEN EXPECTATIONS LANDSCAPING LLC	813-782-6263	813-315-6461	813-782-6263 813-315-6461 INFO@GXLFL.COM	37609 Eiland Blvd.	Zephyrhills	FL 33542	2 Install Landscape	262054130	262054130 HBE Hispanic American	American
8 Green Seeds Inc	813-858-7765		dbrion@ourgreenseed.com	3387 Antigua lane, UNIT 303	tampa	FL 3363	33614 Install Landscape	811867821	811867821 HBE Hispanic American	American
6 TAMCO Electric, Inc.	813-918-8489	813-986-5979	atrujill@tampabay.rr.com	4022 W South Avenue	Tampa	FL 33614	4 Electrical Contractor	591396630	SLBE Hispani	Hispanic American
8 Landscape Maintenance Professionals, Inc.	813-757-6500	813-757-6501	kelly.vickers@Imppro.com	PO Box 267	Seffner	FL 33583	3 Install Landscape	593613665	HBE Hispani	Hispanic American
3 TNT Environmental, LLC	352-567-1822	352-567-6374	tntenvironmental@gmail.com	17852 Pine Knoll Drive	Dade City	FL 33523	3 Excavation Services	263864129	SLBE Caucasian	u
8 Nelson's Tree Farm and Nursery, Inc.	813-842-4663	813-350-9139	813-842-4663 813-350-9139 kimberly.martinez33@gmail.com	5027 N Lois Ave	Tampa	FL 33614	4 Install Landscape	593404710	HBE Hispani	Hispanic American
8 Twenty-Nine 11 Property Services, LLC	813-420-4987		twentynine11propertyservices@gmail.com	13736 Ogakor Dr	Riverview	FL 33579	9 Install Landscape	841949792	BBE African	African American
5 WC Boxes, Inc.	813-478-1102	813-864-4386	wcindustries2003@gmail.com	17620 Lake Key Drive	Odessa	FL 33556	6 Brick Paving	472682190	SLBE African	African American
8 Sunbelt Sod & Grading Company	813-641-9855	813-645-7263	sunbeltsod@verizon.net	819 - 9th St. N.E.	Ruskin	FL 33570	0 Install Landscape	134250933	WBE Caucasian	u
8 Pine Lake Nursery & Landscape, Inc.	813-948-4736	813-948-4914	813-948-4736 813-948-4914 Janet@pinelakenurseryinc.com	2122 Henley Rd	Lutz	FL 33558	8 Install Landscape	593499734	HBE Hispani	Hispanic American
5 WC Boxes, Inc.	813-478-1102	813-864-4386	813-478-1102 813-864-4386 wcindustries2003@gmail.com	17620 Lake Key Drive	Odessa	FL 33556	6 Brick Paving	472682190	BBE African	African American
8 Pine Lake Services, Inc.	813-948-4736	813-948-4914	813-948-4736 813-948-4914 janet@pinelakenurseryinc.com	2122 Henley Rd.	Lutz	FL 33548	8 Install Landscape	273360158	HBE Hispani	Hispanic American
8 RODRIGUEZ SOD RANCH INC	813-886-2163		rodriguezsodranch@yahoo.com	7608 W Linebaugh Ave	Tampa	FL 33625	5 Install Landscape	455303273	HBE Hispani	Hispanic American
8 WC Boxes, Inc.	813-478-1102	813-864-4386	813-478-1102 813-864-4386 wcindustries2003@gmail.com	17620 Lake Key Drive	Odessa	FL 33556	6 Install Landscape	472682190	SLBE African	African American
8 WC Boxes, Inc.	813-478-1102	813-864-4386	813-478-1102 813-864-4386 ocindustries2003@gmail.com	17620 Lake Key Drive	Odessa	FL 33556	6 Install Landscape	472682190	BBE African	African American
9 Best Made Enterprises, Inc.	813-248-5266	813-248-1299	813-248-5266 813-248-1299 Info@BestMadeFence.com	4133 Causeway Blvd.	Tampa	FL 33619	9 Fencing Contractor	593498525	HBE Hispani	Hispanic American
8 Williams Landscape Management Co., Inc.	813-628-8048	813-628-8041	813-628-8048 813-628-8041 tonywilliams@wlmslandscape.com	5710 N 50th St	Tampa	FL 33610	0 Install Landscape	593516370	SLBE African	African American
8 Yahweh Lawn Care & Landscaping Inc.	727-303-5609		Yahwehlawn@gmail.com	2621 Emerson ave S.	St. Petersburg FL			472424364	BBE African	African American
9 Green Seeds Inc	813-858-7765		dbrion@ourgreenseed.com	3387 Antigua lane, UNIT 303	tampa	FL 33614	4 Fencing Contractor	811867821	811867821 HBE Hispanic American	American

Instructions Regarding Use of the WMBE/SLBE Availability Contact List

Bidders must solicit a subcontracting bid from ALL of the firms listed on the WMBE/SLBEs list provided within the Specifications, and provide

documentation of emails, faxes, phone calls, letters, or other communication with the firms as a first step in demonstrating Good-Faith Efforts to achieve the goal set for WMBE/SLBE participation on this contract.

The list is formatted to facilitate e-mailing of a solicitation to the listed firms by copying and pasting the email addresses.

The WMBE/SLBE participation Goal is based upon the availability of the certified firms indicated on the contact list. The Goal and Requirements of the City's Equal Business Opportunity Program are stated in the Bid/Contract Document, Specifications.

Contract 20-C-00013; Macfarlane Park Freedom Playground Expansion

PROPOSAL

To the Mayor and City Council of the City of Tampa, Florida:

١٥	gal Name of Bidder:
	dder's Fictitious Name, <i>if applicable</i> :
	dder is a/an: Individual Partnership* I Joint Venture* LLC Corp. Other:
	dder is organized under the laws of: State of Florida Other:
	dder Mailing Address:
	dder's Federal Employee Identification No. (FEI/EIN):
BI	dder's License No.:Bidder's FDOS (SUNBIZ) Doc. No.:
	dder Contact Name**: Phone: ()
Cł	dder's own initial application for employment has criminal history screening practices similar in nature to the practices contained in napter 12, Article VI, City of Tampa Code (<i>Responses, whether "Yes" or "No", are for informational purposes only and will not be used</i> a basis of award or denial, nor as a basis for any protest): Yes No
	e below named person, appearing before the undersigned authority and after being first duly sworn, for him/herself and on behalf of e entity submitting this Proposal does hereby affirm and declare as follows:
(1)	He/She is of lawful age and is authorized to act on behalf of Bidder (the individual, partnership, corporation, entity, etc. submitting this Proposal) and that all statements made in this document are true and correct to the best of my knowledge.
(2)	If Bidder is operating under a fictitious name, Bidder has currently complied with any and all laws and procedures governing the operation of businesses under fictitious names in the State of Florida
(3)	No person or entity other than Bidder has any interest in this Proposal or in the Contract proposed to be entered into.
(4)	This Proposal is made without any understanding, agreement, or connection with any person or entity making Proposal for the same purposes, and is in all respects fair and without collusion or fraud.
(5)	Bidder is not in arrears to the City of Tampa, upon debt or contract, and is not a defaulter, as surety or otherwise, upon any obligation to the City of Tampa.
(6)	That no officer or employee or person whose salary is payable in whole or in part from the City Treasury is, shall be or become interested, directly or indirectly, as a contracting party, partner, stockholder, surety or otherwise, in this Proposal, or in the performance of the Contract, or in the supplies, materials, or equipment and work or labor to which it relates, or in any portion of the profits thereof.
(7)	Bidder has carefully examined and fully understands the Solicitation and has full knowledge of the scope, nature, and quality of the work to be performed; furthermore, Bidder has carefully examined the site of the work and that, from his own investigations, he has satisfied himself as to the nature and location of the work, the character, quality, and quantity of materials and the kinds and extent of equipment and other facilities needed for the performance of the work, the general and local conditions and all difficulties to be encountered, and all other items which may, in any way, affect the work or its performance.
(8)	Bidder (including its principals) 🗌 has 🗌 has NOT been debarred or suspended from contracting with a public entity.
(9)	Bidder 🗌 has 🗌 has NOT implemented a drug-free workplace program that meets the requirements of Section 287.087, Florida Statutes.
(10)	Bidder has carefully examined and fully understands all the component parts of the Contract Documents and agrees Bidder will execute the Contract, provide the required Public Construction Bond, and will fully perform the work in strict accordance with the terms of the Contract and Contract Documents therein referred to for the following prices, to wit:
	If a Partnership or Joint Venture, attach Partnership or Joint Venture Agreement. Someone the City may contact with questions/correspondence regarding this Solicitation and/or permits.

PART I. BASE BID

FANI I. DAJE DIU						
ltem no.	Description	Unit	Quantity	Unit Price in Words	Unit Price	Total
	START UP AND DEMOLITION					
1.01	Mobilization	1	rS			
	Staking, Layout, Install construction fence & signs, silt fence, tree protection					
1.02	fence & sediment barriers	1	LS			
1.03	Clearing and grubbing 3 Palm trees & site preparation	1	LS			
1.04	Demolition, removal & disposal of exist. Concrete & rubber surfacing	725	SF			
1.05	Remove bench	1	rS			
1.06	Relocate bench	1	rS			
1.07	Relocate picnic tables	2	rS			
1.08	Raise tables to new grade	5	rS			
	STORMWATER POND EXPANSION					
2.01	Excavate, place and compact existing soil	400	CY			
2.02	Excavate & bury strippings	1	LS			
2.03	Import, place and compact fill	60	CY			
2.04	Install skimmer on existing control structure	1	EA			
	FURNISH & INSTALL PLAY EQUIPMENT					
3.01	Cozy Dome	1	LS			
3.02	Omni Spin	1	LS			
3.03	Oodle Swing	1	LS			
3.04	Color Splash Panel w/2 posts	1	LS			
3.05	Kaleidoscope Panel w/2 posts	1	LS			

-
~
\geq
\mathbf{O}
m
_
7
~
0
10
S
2
<
D
\mathbf{x}
<u>ω</u>
<u>ш</u>
g
ш.
Z
\equiv
0
8
G
Ň
· .
<
₹
P
<u> </u>
M PLA
Σ
Σ
Σ
Σ
MO
Σ
Σ
REEDOM
PARK FREEDOM
PARK FREEDOM
PARK FREEDOM
ARK FREEDOM
ANE PARK FREEDOM
ANE PARK FREEDOM
PARK FREEDOM
ANE PARK FREEDOM
ANE PARK FREEDOM
ANE PARK FREEDOM
ANE PARK FREEDOM
ANE PARK FREEDOM
ACFARLANE PARK FREEDOM
ANE PARK FREEDOM

3.06	Optigear Panel w/2 posts		1 LS			
3.07	Pulse Table w/ electrical connection	1	LS.			
3.08	We Go Round	1	LS.			
3.09	We Saw	-	1 LS			
	FURNISH & INSTALL PAVING					
4.01	Brick pavers	660	SF			
4.02	Poured In Place rubber play surface w/concrete base	2,850) SF			
4.03	Flexi Pave at Sensory Equipment Area	1,500) LS			
4.04	Concrete bench pads at playground	110	SF			
	FURNISH & INSTALL LANDSCAPE & IRRIGATION SYSTEM					
6.01	Trees (per plant list)	1	LS			
6.02	Shrubs, Ornamental Grass, GC		1 LS			
6.03	Sod (as shown)	11,000) SF			
6.04	Landscape mulch	162	CΛ			
6.05	Irrigation extension and repairs		1 LS			
7.01	Contingency	1	- LS	Twenty Seven Thousand Dollars and no Cents	\$27,000.00	\$27,000.00
				SUB-T	SUB-TOTAL BASE BID	
PART II.	ALTERNATES					
8.01	Furnish & install Chill Spinners	4	t LS			
8.02	Furnish & install Flexi Pave paving in picnic areas	1,000) SF			
8.03	Demolition, removal and replace concrete around picnic pavilion	450) SF			
8.04	Furnish & install 4' Ameristar Montage Plus Fence	180	LF			
				SUB-TOT/	SUB-TOTAL ATERNATIVE	
				TOTAL PROJECT (BASE BID + ALTERNATE)	D + ALTERNATE)	

Contract 20-C-00013; Macfarlane Park Freedom Playground Expansion

Computed Total Price in Words:		
	dollars and	cents.
Computed Total Price in Figures: \$		

Bidder acknowledges that the following addenda have been received and that the changes covered by the addendum(s) have been taken into account in this proposal: #1 ____ #2 ____ #3 ____ #4 ____ #5 ____ #6 ____ #7 ____ #8 ____.

Bidder acknowledges the requirements of the City of Tampa's Equal Business Opportunity Program.

Bidder acknowledges that it is aware of Florida's Trench Safety Act (Sections 553.60-553.64, Florida Statutes), and agrees that Bidder together with any involved subcontractors will comply with all applicable trench safety standards. Bidder further acknowledges that included in the various items of this Proposal and the total bid price (as applicable) are costs for complying with the Trench Safety Act. Bidder further identifies the costs and methods summarized below:

	Trench Safety Measure (Description)	Unit of Measure (LF, SY)	Unit Quantity	Unit Cost	Extended Cost
Α.					
В.					
C.					

Total Cost: \$

Accompanying this Proposal is a certified check, cashier's check or Tampa Bid Bond (form included herein must be used) for at least five percent (5%) of the total amount of the Proposal which check shall become the property of the City, or which bond shall become forthwith due and payable to the City, if this Proposal shall be accepted by the City and the Bidder shall fail to enter into a legally binding contract with and to furnish the required Public Construction Bond to the City within twenty (20) days after the date of its receipt of written Notice of Award by the City so to do.

FAILURE TO COMPLETE THE ABOVE MAY RESULT IN THE PROPOSAL BEING DECLARED NON-RESPONSIVE.

	[SEAL]	Name of Bidder:		
		Authorized Signature:		
		Signer's Printed Name:		
		Signer's Title:		
	The forgoing instrument was sworn (c	or affirmed) before me this day of as		
	of	, a/n □ Partnership □ Joint Venture of such entity. Such individual is □ personally known		Corp
For an individual:	The forgoing instrument was sworn (c 	or affirmed) before me this day of, who is □ personally known to me of as identification.	, 20 or □ prod	_ by luced
	[NOTARY SEAL]	Notary Public, State of Notary Printed Name: Commission No.: My Commission Expires:		



Good Faith Effort Compliance Plan Guidelines

for Women/Minority Business Enterprise\Small Local Business Enterprise Participation City of Tampa - Equal Business Opportunity Program (MBD Form 50 – detailed instructions on page 2 of 2)

Contract Name	· · · ·	Bid Date
Bidder/Proposer		
Signature		Date
Name	Title	

The Compliance Plan with attachments is a true account of Good Faith Efforts (GFE) made to achieve the participation goals as specified for Women/Minority Business Enterprises/Small Local Business Enterprises (WMBE/SLBE) on the referenced contract:

□ The WMBE/SLBE participation <u>Goal is Met or Exceeded</u>. See DMI Forms 10 and 20 which accurately report <u>all</u> subcontractors <u>solicited</u> and <u>all</u> subcontractors <u>to-be-utilized</u>.

□ The WMBE/SLBE participation Goal is <u>Not Achieved</u>. The following list is an overview of the baseline GFE action steps already performed. Furthermore, it is understood that these GFE requirements are weighted in the compliance evaluation based on the veracity and demonstrable degree of documentation provided with the bid/proposal: (Check applicable boxes below. Must enclose supporting documents accordingly with remarks)

- (1) Solicited through reasonable and available means the interest of WMBE/SLBEs that have the capability to perform the work of the contract. The Bidder or Proposer must solicit this interest within sufficient time to allow the WMBE/SLBEs to respond. The Bidder or Proposer must take appropriate steps to follow up initial solicitations with interested WMBE/SLBEs.
 See DMI report forms for subcontractors solicited.
 See enclosed supplemental data on solicitation efforts.
 Qualifying Remarks:
- (2) Provided interested WMBE/SLBEs with adequate, specific scope information about the plans, specifications, and requirements of the contract, including addenda, in a timely manner to assist them in responding to the requested-scope identified by bidder/proposer for the solicitation. \Box See enclosed actual solicitations used. \Box Qualifying Remarks:
- Negotiated in good faith with interested WMBE/SLBEs that have submitted bids (e.g. adjusted quantities or scale). Documentation of negotiation must include the names, addresses, and telephone numbers of WMBE/SLBEs that were solicited; the date of each such solicitation; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why agreements could not be reached with WMBE/SLBEs to perform the work. Additional costs involved in soliciting and using subcontractors is not a sufficient reason for a bidder/proposer's failure to meet goals or achieve participation, as long as such costs are reasonable. Bidders are not required to accept excessive quotes in order to meet the goal.
 DMI Utilized Forms for sub-(contractor/consultant) reflect genuine negotiations.
 This project is an RFO/RFP in nature and negotiations are limited to clarifications of scope/specifications and qualifications.
 Gualifying Remarks:
- Not rejecting WMBE/SLBEs as being unqualified without justification based on a thorough investigation of their capabilities. The WMBE/SLBEs standing within its industry, membership in specific groups, organizations / associations and political or social affiliations are not legitimate causes for rejecting or not soliciting bids to meet the goals.
 Not applicable. See attached justification for rejection of a subcontractor's bid or proposal. Output Qualifying Remarks:
- (5) Made scope(s) of work available to WMBE/SLBE subcontractors and suppliers; and, segmented portions of the work or material consistent with the available WMBE/SLBE subcontractors and suppliers, so as to facilitate meeting the goal.
 Sub-Contractors were allowed to bid on their own choice of work or trade without restriction to a pre-determined portion.
 See enclosed comments.
 Qualifying Remarks:
- (6) Made good faith efforts, despite the ability or desire of Bidder/Proposer to perform the work of a contract with its own forces/organization. A Bidder/Proposer who desires to self-perform the work of a contract must demonstrate good faith efforts if the goal has not been met.
 Sub-Contractors were not prohibited from submitting bids/proposals and were solicited on work typically self-performed by the prime.
 Qualifying Remarks:
- (7) Segmented portions of the work to be performed by WMBE/SLBEs in order to increase the likelihood that the goals will be met. This includes, where appropriate, breaking out contract work items into <u>economically feasible units (quantities/scale)</u> to facilitate WMBE/SLBE participation, even when the Bidder/Proposer might otherwise prefer to perform these work items with its own forces. □ Sub-Contractors were allowed to bid on their own choice of work or trade without restriction to a pre-determined portion. □ Sub-Contractors were not prohibited from submitting bids/proposals and were solicited on work typically self-performed by the prime. □ See enclosed comments. □ Qualifying Remarks:
- Made efforts to assist interested WMBE/SLBEs in obtaining bonding, lines of credit, or insurance as required by the city or contractor.
 See enclosed documentation on initiatives undertaken and methods to accomplish.
 Qualifying Remarks:
- (9) Made efforts to assist interested WMBE/SLBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, including participation in an acceptable mentor-protégé program.
 □ See enclosed documentation of initiatives and/or agreements.
 □ Qualifying Remarks:
- (10) Effectively used the services of the City and other organizations that provide assistance in the recruitment and placement of WMBE/SLBEs. □ See enclosed documentation. □ The following services were used:

Note: Provide any unsolicited information that will support the Bid/RFP Compliance Evaluation.
□ Named Documents Are:

MBD Form 50 rev/effective 02/2016



Participation Plan: Guidance for Complying with Good Faith Efforts Outreach (page 2 of 2)

- 1. All firms on the WMBE/SLBE Goal Setting List must be solicited and documentation provided for email, fax, letters, phone calls, and other methods of outreach/communication with the listed firms. The DMI Solicited and DMI-Utilized forms must be completed for all firms solicited or utilized. Other opportunities for subcontracting may be explored by consulting the City of Tampa MBD Office and/or researching the on-line Diversity Management Business System Directory for Tampa certified WMBE/SLBE firms.
- 2. Solicitation of WMBE/SLBEs, via written or electronic notification, should provide specific information on the services needed, where plans can be reviewed and assistance offered in obtaining these, if required. Solicitations should be sent a minimum of a week (i.e. 5 business days or more) before the bid/proposal date. Actual copies of the bidder's solicitation containing their scope specific instructions should be provided.
- 3. With any quotes received, a follow-up should be made when needed to confirm detail scope of work. For any WMBE/SLBE low quotes rejected, an explanation Shall be provided detailing negotiation efforts.
- 4. If a low bid WMBE/SLBE is rejected or deemed unqualified the contractor must provide an explanation and supporting documentation for this decision.
- 5. Prime Shall break down portions of work into economical feasible opportunities for subcontracting. The WMBE/SLBE directory may be useful in identifying additional subcontracting opportunities and firms not listed in the "WMBE/SLBE Goal Setting Firms List."
- 6. Contractor Shall not preclude WMBE/SLBEs from bidding on any part of work, even if the Contractor may desire to self-perform the work.
- 7. Contractor Shall avoid relying solely on subcontracting out work-scope where WMBE/SLBE availability is not sufficient to attain the pre-determined subcontract goal set for the Bid or when targeted sub-consultant participation is stated within the RFP/RFQ.
- 8. In its solicitations, the Bidder should offer assistance to WMBE/SLBEs in obtaining bonding, insurance, et cetera, if required of subcontractors by the City or Prime Contractor.
- 9. In its solicitation, the Bidder should offer assistance in obtaining equipment for a specific job to WMBE/SLBEs, if needed.
- 10. Contractor should use the services offered by such agencies as the City of Tampa Minority and Small Business Development Office, Hillsborough County Entrepreneur Collaborative Center, Hillsborough County Economic Development Department's MBE/SBE Program and the NAACP Empowerment Center to name a few for the recruitment and placement of WMBEs/SLBEs.



Failure to Complete, Sign and Submit Both Forms 10 & 20 SHALL render the Bid or Proposal Non-Responsive

Page 1 of 4 – DMI Solicited/Utilized Schedules City of Tampa – Schedule of All Solicited Sub-(Contractors/Consultants/Suppliers) (FORM MBD-10)

Contract No.:	Contract Name:		
Company Name:		Address:	
Federal ID:	Phone:	Fax:	Email:

Check applicable box(es). Detailed Instructions for completing this form are on page 2 of 4.

- [] No Firms were contacted or solicited for this contract.
- [] No Firms were contacted because:

[] See attached list of additional Firms solicited and all supplemental information (List must comply to this form) Note: Form MBD-10 must list ALL subcontractors solicited including Non-minority/small businesses

NIGP Code Categories: Buildings = 909, General = 912, Heavy = 913, Trades = 914, Architects = 906, Engineers & Surveyors = 925, Supplier = 912-77

S = SLBE W=WMBE O = Neither Federal ID	Company Name Address Phone, Fax, Email	Type of Ownership (F=Female M=Male) BF BM = African Am. HF HM = Hispanic AF AM = Asian Am. NF NM = Native Am. CF CM = Caucasian	Trade or Services NIGP Code (listed above)	Contact Method L=Letter F=Fax E=Email P=Phone	Quote or Response Received Y/N
	Failure to Complete	, Sign	and	Subi	nit
	this form with you			-	
	Shall render the Bi (Do Not Modi			ons	lve
		ly This	FOII	n)	

It is hereby certified that the information provided is an accurate and true account of contacts and solicitations for sub-contracting opportunities on this contract.

Signed:

____ Name/Title:____

Date:

Failure to Complete, Sign and Submit Both Forms 10 & 20 SHALL render the Bid or Proposal Non-Responsive Forms must be included with Bid / Proposal



Page 2 of 4 – DMI Solicited/Utilized Instructions for completing The Sub-(Contractors/Consultants/ Suppliers) Solicited Form (Form MBD-10)

<u>This form must be submitted with all bids or proposals</u>. <u>All</u> subcontractors (regardless of ownership or size) solicited and subcontractors from whom unsolicited quotations were received must be included on this form. The instructions that follow correspond to the headings on the form required to be completed. <u>Note:</u> Ability or desire to self-perform all work shall not exempt the prime from Good Faith Efforts to achieve participation.

- **Contract No.** This is the number assigned by the City of Tampa for the bid or proposal.
- Contract Name. This is the name of the contract assigned by the City of Tampa for the bid or proposal.
- Contractor Name. The name of your business and/or doing business as (dba) if applicable.
- Address. The physical address of your business.
- Federal ID. FIN. A number assigned to your business for tax reporting purposes.
- Phone. Telephone number to contact business.
- Fax. Fax number for business.
- Email. Provide email address for electronic correspondence.
- No Firms were contacted or solicited for this contract. Checking the box indicates that a pre-determined <u>Subcontract Goal or Participation Plan Requirement was not set</u> by the City resulting in your business not using subcontractors and will self-perform all work. If during the performance of the contract you employ subcontractors, the City must pre-approve subcontractors. Use of the "Sub-(Contractors/Consultants/Suppliers) Payments" form (MBD Form-30) must be submitted with every pay application and invoice. <u>Note:</u> Certified <u>SLBE or WMBE firms</u> bidding as Primes <u>are not exempt</u> from outreach and solicitation of subcontractors.
- No Firms were contacted because. Provide brief explanation why no firms were contacted or solicited.
- See attached documents. Check box, if after you have completed the DMI Form in its entirety, you need more space to list additional firms and/or if you have supplemental information/documentation relating to the form. All DMI data not submitted on the MBD Form-10 must be in the same format and have all requested data from MBD Form-10 included.

The following instructions are for information of any and all subcontractors solicited.

- "S" = SLBE, "W" = WMBE. Enter "S" for firms Certified by the City as Small Local Business Enterprises and/or "W" for firms Certified by the City as either Women/Minority Business Enterprise; "O" = Non-certified others.
- Federal ID. FIN. A number assigned to a business for tax reporting purposes. This information is critical in proper identification and payment of the contractor/subcontractor.
- Company Name, Address, Phone & Fax. Provide company information for verification of payments.
- **Type of Ownership.** Indicate the Ethnicity and Gender of the owner of the subcontracting business.
- **Trade, Services, or Materials** indicate the trade, service, or materials provided by the subcontractor. NIGP codes aka "National Institute of Governmental Purchasing" are listed at top section of document.
- Contact Method L=letter, F=fax, E=Email, P=Phone. Indicate with letter the method(s) of soliciting for bid.
- Quote or Resp. (response) Rec'd (received) Y/N. Indicate "Y" Yes if you received a quotation or if you received a response to your solicitation. Indicate "N" No if you received no response to your solicitation from the subcontractor. Must keep records: log, ledger, documentation, etc. that can validate/verify.

If additional information is required or you have questions, please contact the Equal Business Opportunity Program - Minority and Small Business Development Office at (813) 274-5522.



Failure to Complete, Sign and Submit Both Forms 10 & 20 SHALL render the Bid or Proposal Non-Responsive

Page 3 of 4 – DMI Solicited/Utilized Schedules City of Tampa – Schedule of All To-Be-Utilized Sub-(Contractors/Consultants/Suppliers) (FORM MBD-20)

Contract No.:	Contract Name:				
Company Na	me: Contract Name: Me: Addres Phone: Fax:	s:			
Federal ID:	Phone: Fax:	Er	nail:		
[] See attac <u>Note: Form</u> [] No Subco [] No Firms	able box(es). Detailed Instructions for completing this hed list of additional Firms Utilized and all supple MBD-20 must list ALL subcontractors To-Be-Utilized inclu- portracting/consulting (of any kind) will be perform are listed to be utilized because:	emental information iding Non-minority/smined on this contract	n (List mus <u>all businesse</u> t.	<u>25</u>	
	I Categories: Buildings = 909, General = 912, Heavy = 913, Trades = 914,		-		
S = SLBE W=WMBE O =Neither Federal ID	nter "S" for firms Certified as Small Local Business Enterprises, "W" for firms Co Company Name Address Phone, Fax, Email	ertified as Women/Minority Bu Type of Ownership (F=Female M=Male) BF BM = African Am. HF HM = Hispanic Am. AF AM = Asian Am. NF NM = Native Am. CF CM = Caucasian	siness Enterprise Trade, Services, or Materials NIGP Code Listed above	, "O" for Other No \$ Amount of Quote. Letter of Intent (LOI) if available	on-Certified Percent of Scope or Contract %
	Failure to Comple	te, Sign	and	Sub	nit
	this form with yo				
	Shall render the B	id Non-I	Resp	onsi	ve.
	(Do Not Mod	ify This	For	m)	
Total SLBE U Total WMBE U Percent SLBE It is hereby certi	bcontract / Supplier Utilization \$ tilization \$ Jtilization \$ E Utilization of Total Bid/Proposal Amt% Percent fied that the following information is a true and accurate accour	- ent WMBE Utilization	entracting opp	ortunities on t	his Contract.
Signed:	Name/Title:	SHALL render the Rid (or Proposal N	Date:	ive



Page 4 of 4 DMI – Solicited/Utilized

Instructions for completing The Sub-(Contractors/Consultants/ Suppliers) to be Utilized Form (Form MBD-20)

This form must be submitted with all bids or proposals. All subcontractors (regardless of ownership or size) projected to be utilized must be included on this form. Note: Ability or desire to self-perform all work shall not exempt the prime from Good Faith Efforts to achieve participation.

Contract No. This is the number assigned by the City of Tampa for the bid or proposal.

- Contract Name. This is the name of the contract assigned by the City of Tampa for the bid or proposal.
- Contractor Name. The name of your business and/or doing business as (dba) if applicable.
- Address. The physical address of your business.
- Federal ID. FIN. A number assigned to your business for tax reporting purposes.
- Phone. Telephone number to contact business.
- Fax. Fax number for business.
- Email. Provide email address for electronic correspondence.
- No Subcontracting/consulting (of any kind) will be performed on this contract. Checking box indicates your business will not use subcontractors when no Subcontract Goal or Participation Plan Requirement was set by the City, but will self-perform all work. When subcontractors are utilized during the performance of the contract, the "Sub-(Contractors/Consultants/Suppliers) Payments" form (MBD Form-30) must be submitted with every pay application and invoice. Note: certified SLBE or WMBE firms bidding as Primes are not exempt from outreach and solicitation of subcontractors, including completion and submitting Form-10 and Form-20.
- No Firms listed To-Be-Utilized. Check box; provide brief explanation why no firms were retained when a goal or participation plan requirement was set on the contract. Note: mandatory compliance with Good Faith Effort outreach (GFECP) requirements applies (MBD Form-50) and supporting documentation must accompany the bid.
- See attached documents. Check box, if after completing the DMI Form in its entirety, you need more space to list additional firms and/or if you have supplemental information/documentation relating to the scope/value/percent utilization of subcontractors. Reproduce copies of MBD-20 and attach. All data not submitted on duplicate forms must be in the same format and content as specified in these instructions.

The following instructions are for information of Any and All subcontractors To Be Utilized.

- Federal ID. FIN. A number assigned to a business for tax reporting purposes. This information is critical in proper identification of the subcontractor.
- "S" = SLBE, "W" = WMBE. Enter "S" for firms Certified by the City as Small Local Business Enterprises and/or "W" for firms Certified by the City as Women/Minority Business Enterprise; "O" = Non-certified others.
- Company Name, Address, Phone & Fax. Provide company information for verification of payments.
- Type of Ownership. Indicate the Ethnicity and Gender of the owner of the subcontracting business.
- **Trade, Services, or Materials (NIGP code if Known)** Indicate the trade, service, or material provided by the subcontractor. Abbreviated list of NIGP is available at <u>http://www.tampagov.net/mbd</u> "Information Resources".
- Amount of Quote, Letters of Intent (required for both SLBEs and WMBEs).
- **Percent of Work/Contract.** Indicate the percent of the total contract price the subcontract(s) represent. For CCNA only (i.e. Consultant A/E Services) you must indicate subcontracts as percent of total scope/contract.
- **Total Subcontract/Supplier Utilization.** Provide total dollar amount of all subcontractors/suppliers projected to be used for the contract. (Dollar amounts may be optional in CCNA depending on solicitation format).
- **Total SLBE Utilization.** Provide total dollar amount for all projected SLBE subcontractors/Suppliers used for this contract. (Dollar amounts may be optional in CCNA proposals depending on the solicitation format).
- **Total WMBE Utilization.** Provide total dollar amount for all projected WMBE subcontractors/Suppliers used for this contract. (Dollar amounts may be optional in CCNA proposals depending on the solicitation format).
- Percent SLBE Utilization. Total amount allocated to SLBEs divided by the total bid/proposal amount.
- Percent WMBE Utilization. Total amount allocated to WMBEs divided by the total bid/proposal amount.

If additional information is required or you have questions, please contact the Equal Business Opportunity Program - Minority and Small Business Development Office at (813) 274-5522.

TAMPA BID BOND Contract 20-C-00013: Macfarlane Park Freedom Playground Expansion

KNOW ALL MEN BY THESE PRESENTS, that we, _____

(hereinafter called the Principal) and _____

(hereinafter called the Surety) a Corporation chartered and existing under the laws of the State of _______, with its principal offices in the City of _______, and authorized to do business in the State of Florida, are held and firmly bound unto the City of Tampa, a Municipal Corporation of Hillsborough County, Florida, in the full and just sum of <u>5% of the amount of the (Bid) (Proposal)</u> good and lawful money of the United States of America, to be paid upon demand of the City of Tampa, Florida, to which payment will and truly to be made we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally and firmly these presents.

WHEREAS, the Principal is about to submit, or has submitted to the City of Tampa, Florida, a Proposal for the construction of certain facilities for the City designated Contract 20-C-00013, Macfarlane Park Freedom Playground Expansion.

WHEREAS, the Principal desires to file this Bond in accordance with law, in lieu of a certified Bidder's check otherwise required to accompany this Proposal.

NOW, THEREFORE: The conditions of this obligation are such that if the Proposal be accepted, the Principal shall, within twenty (20) days after the date of receipt of written Notice of Award, execute a contract in accordance with the Proposal and upon the terms, conditions and price set forth therein, in the form and manner required by the City of Tampa, Florida and execute a sufficient and satisfactory Public Construction Bond payable to the City of Tampa, Florida in an amount of one hundred percent (100%) of the total contract price, in form and with security satisfactory to said City, then this Bid Bond obligation is to be void; otherwise to be and remain in full force and virtue in law, and the Surety shall, upon failure of the Principal to comply with any or all of the foregoing requirements within the time specified above, immediately pay to the aforesaid City, upon demand, the amount thereof, in good and lawful money of the United States of America, not as a penalty, but as liquidated damages.

IN TESTIMONY THEREOF, the Principal and Surety have caused these presents to be duly signed and sealed this _____ day of ______, 20____.

Principal

(SEAL)

BY	
TITLE	
BY	
TITLE	
Producing Agent	
Producing Agent's Address	

The addition of such phrases as "not to exceed" or like import shall render the (Bid) (Proposal)non-responsive.

Name of Agency

AGREEMENT

For furnishing all labor, materials and equipment, together with all work incidental thereto, necessary and required for the performance of the work for the construction of Contract 20-C-00013 in accordance with your Proposal dated ______, amounting to a total of \$______ as completed in accordance with subsections I-2.09 and I-2.10 of the Instruction to Bidders.

This AGREEMENT, made and entered into in triplicate, between the City of Tampa, Florida, hereinafter called the City, and _______ hereinafter called the Contractor, as of the ______ day of ______, 20 when the City Council of the City of Tampa, Florida adopted a Resolution authorizing among other things, the

20____ when the City Council of the City of Tampa, Florida adopted a Resolution authorizing, among other things, the Mayor's execution of this Agreement.

WITNESSETH that, in consideration of the mutual stipulations, agreements, and covenants herein contained, the parties hereto have agreed and hereby agree with each other, the Party of the First Part for itself, its successors and assigns, and the Party of the Second Part for itself, or himself, or themselves, and its successors and assigns, or his or their executors, administrators and assigns, as follows:

Contract 20-C-00013; Macfarlane Park Freedom Playground Expansion, shall include, but not be limited to, furnish all materials, labor and equipment for palm tree and paving removal, excavation, placing and compacting fill for stormwater improvements, installation of playground equipment, extension of electrical service and connection to play equipment, benches and trash receptacles, playground surfacing, concrete and brick paving, Flexi Pave surfacing, landscaping including trees, shrubs, ornamental grass and sod, irrigation, removal and relocation of park picnic tables and trash receptacles with all associated work required for a complete project in accordance with the Contract Documents.

Contract Documents referred to in Article 1.01 of this Agreement also includes this volume, applicable standard drawings, the plans and any provisions referred to whether actually attached or not.

SECTION 1 GENERAL

ARTICLE 1.01 THE CONTRACT

Except for titles, subtitles, headings, running headlines, and tables of contents (all of which are printed herein merely for convenience), the following, except for such portions thereof as may be specifically excluded, constitute the Contract:

The Notice to Bidders;

The Instructions to Bidders, including Special Instructions and General Instructions;

The Proposal;

The Bid Bond;

The Certification of Nonsegregated Facilities;

The Notice of Award;

The Agreement;

The Performance Bond;

The Notice To Proceed;

The Specifications, including the General Provisions, the Workmanship and Materials, the Specific Provisions or the Contract Items

The Plans;

All Supplementary Drawings Issued after award of the Contract;

All Addenda issued by the City prior to the receipt of proposals;

All provisions required by law to be inserted in this Contract, whether actually inserted or not.

ARTICLE 1.02 DEFINITIONS

The following words and terms, or pronouns used in their stead, shall, wherever they appear in this Contract, be construed as follows, unless different meaning is clear from the context:

(a)"City" shall mean the City of Tampa, Florida, represented by its Mayor and City Council, Party of the First Part, or such other City official as shall be duly empowered to act for the City on matters relating to this Contract.

(b)"Contractor" shall mean the Party of the Second Part hereto, whether corporation, firm or individual, or any combination thereof, and its, their, or his successors, personal representatives, executors, administrators, and assigns, and any person, firm or corporation who or which shall at any time be substituted in the place of the Party of the Second Part under this Contract.

(c)"Engineer" shall mean the Director of the Department or his duly authorized representative.

(d)"Consultant" shall mean the engineering or architectural firm or individual employed by the City to consult with and advise the City in the construction of the project.

(e)"Surety" shall mean any person, firm or corporation that has executed as Surety the Contractor's Performance Bond securing the performance of this Contact.

(f)"The Work" shall mean everything expressly or implied required to be furnished and done by the Contractor under the Contract, and shall include both Contract Work and Extra Work.

(g)"Contract Work" shall mean everything expressly or implied required to be furnished and done by the Contractor by any one or more of the Contract parts referred to in Article 1.01 hereof, except Extra Work, as hereinafter defined; it being understood that, in case of any inconsistency in or between any part or parts of this Contract, the Engineer shall determine which shall prevail.

(h)"Contract" or "Contract Documents" shall mean each of the various part of the Contract referred to in Article 1.01 hereof, both as a whole and severally.

(i)"Extra Work" shall mean work other than that required either expressly or implied by the contract in its present form.

(j)"Plans" shall mean only those drawings specifically referred to as such in these documents, or in any Addendum. Drawings issued after the execution of the Contract to explain further, or to illustrate, or to show changes in the work, will be known as "Supplementary Drawings" and shall be binding upon the Contractor with the same force as the Plans.

(k)"Specifications" shall mean all of the directions, requirements, and standards of performance applying to the work, as hereinafter detailed and designated as such, or which may be issued in an addendum.

(l)"Addendum or Addenda" shall mean the additional contract provisions issued in writing prior to the receipt of bids.

(m)"Notice" shall mean written notice. Notice shall be served upon the Contractor, either personally or by leaving the said notice at his residence or with any employee found on the work, or addressed to the Contractor at the residence or place of business given in his proposal and deposited in a postpaid wrapper in any post office box regularly maintained by the United States Post Office.

(n)"Project" shall mean the entire improvement package or related work. The "project" may consist of several different, but related, contracts.

(o)"Site" shall mean, and be limited to, the area upon or in which the Contractor's operations are carried on and such other appropriate areas as may be designed as such by the Engineer.

(p)"Subcontractor" shall mean any person, firm, or corporation, other than employees of the Contractor, who or which contracts with the Contractor to furnish, or actually furnishes labor, or labor and materials, or labor and equipment or labor, materials, and equipment at the site.

(q)Whenever in the Contract the words "directed", "required", "permitted", "ordered", "designated", "prescribed", and words of like import are used, they shall imply the direction, requirement, permission, order, designation, or prescription of the Engineer; and "approved", "acceptable", "satisfactory", "in the judgement of", and words of like import shall mean approved by, or acceptable to, or satisfactory to, or in the judgment of the Engineer.

(r)Whenever in the Contract the word "day" is used, it shall mean calendar day.

(s)"Final Acceptance" shall mean acceptance of the

work as evidenced by an official resolution of the City. Such acceptance shall be deemed to have taken place only if and when an approving resolution has been adopted by the City Council. The final acceptance shall be signed only after the City has assured itself by tests, inspection, or otherwise, that all of the provisions of the Contract have been carried out to its satisfaction.

(t)"Eastern Standard Time" shall be construed as the time being observed in the City on the day proposals are received or other documents issued or signed.

SECTION 2 POWERS OF THE CITY'S REPRESENTATIVES

ARTICLE 2.01 THE ENGINEER

It is covenanted and agreed that the Engineer, in addition to those matters elsewhere herein expressly made subject to his determination, direction, or approval, shall have the power, subject to such express provisions and limitations herein contained as are not in conflict herewith, and subject to review by the Mayor and City Council:

(a)To monitor the performance of the work.

(b)To determine the amount, kind, quality, sequence, and location of the work to be paid for hereunder and, when completed, to measure such work for payment.

(c)To determine all questions of an engineering character in relation to the work, to interpret the Plans, Specifications and Addenda.

(d)To determine how the work of this Contract shall be coordinated with the work of other contractors engaged simultaneously on this project.

(e)To make minor changes in the work as he deems necessary, provided such changes do not result in a net increase in the cost to the City or to the Contractor of the work to be done under the Contract.

(f)To amplify the Plans, add explanatory information and furnish additional Specifications and Drawings consistent with the intent of the Contract Documents.

The power of the Engineer shall not be limited to the foregoing enumeration, for it is the intent of this Contract that all of the work shall be subject to his determinations and approval, except where the determination or approval of someone other than the Engineer is expressly called for herein and except as subject to review by the Mayor and City Council. All orders of the Engineer requiring the Contractor to perform work as Contract work shall be promptly obeyed by the Contractor.

The Engineer shall not, however, have the power to issue an extra work order, and the performance of such work on the order of the Engineer without previously obtaining written confirmation thereof from the Mayor in accordance with Article 7.02 hereof may constitute a waiver of any right to extra compensation therefor. The Contractor is warned that the Engineer has no power to change the terms and provisions of this Contract, except minor changes where such change results in no net increase in the Contract Price.

ARTICLE 2.02 DIRECTOR

The Director of the Department in addition to those matters

expressly made subject to his determination, direction or approval in his capacity as "Engineer", shall also have the power:

(a)To review any and all questions in relation to this Contract and its performance, except as herein otherwise specifically provided, and his determination upon such review shall be final and conclusive upon the Contractor.

(b)With the approval of the Mayor and City Council to authorize modifications or changes in the Contract so as to require: (1) the performance of extra work, or (2) the omission of Contract work whenever he deems it in the interest of the City to do so, or both.

(c)To suspend the whole or any part of the work whenever, in his judgment, such suspension is required: (1) in the interest of the City generally, or (2) to coordinate the work of the various Contractors engaged on this project, or (3) to expedite the completion of the entire project, even though the completion of this particular Contract may be thereby delayed, <u>without compensation to the Contractor for</u> such suspension other than extending the time for the completion of the work, as much as it may have been, in the opinion of the City, delayed by such a suspension.

(d)If, before the final acceptance of all the work contemplated herein, it shall be deemed necessary to take over, use, occupy, or operate any part of the completed or partly completed work, the Engineer shall have the right to do so and the Contractor will not, in any way, interfere with or object to the use, occupation, or operation of such work by the City after receipt of notice in writing from the Engineer that such work or part thereof will be used by the City on and after the date specified in such notice. Such taking over, use, occupancy or operation of any part of the completed or partially completed work shall not constitute final acceptance or approval of any such part of the work.

ARTICLE 2.03 NO ESTOPPEL

The City shall not, nor shall any department, officer, agent, or employee thereof, be bound, precluded, or estopped by any determination, decision, acceptance, return, certificate, or payment made or given under or in connection with this Contract by any officer, agent or employee of the City at any time either before or after final completion and acceptance of the work and payment therefor: (a) from showing the true and correct classification, amount, quality, or character of the work done, or that any determination, decision, acceptance, return certificate or payment is untrue, incorrect or improperly made in any particular, or that the work or any part thereof does not in fact conform to the requirements of the Contract Documents, and (b) from demanding and recovering from the Contractor any overpayments made to him or such damages as it may sustain by reason his failure to comply with the requirements of the Contract of Documents, or both.

ARTICLE 2.04 NO WAIVER OF RIGHTS

Neither the inspection, nor any order, measurements or

certificate of the City or its employees, officers, or agents, nor by any order of the City for payment of money, nor any money, nor payments for or acceptance of the whole or any part of the work by the City, nor any extension of time, nor any changes in the Contract, Specifications or Plans, nor any possession by the City or its employees shall operate as a waiver of any provisions of this Contract, nor any power herein provided nor shall any waiver of any breach of this Contract be held as a waiver of any other subsequent breach.

Any remedy provided in this Contract shall be taken and construed as cumulative, namely, in addition to each and every other suit, action, or legal proceeding. The City shall be entitled as of right to an injunction against any breach of the provisions of this Contract.

SECTION 3 PERFORMANCE OF WORK

ARTICLE 3.01 CONTRACTOR'S RESPONSIBILITY

The Contractor shall do all the work and furnish, at his own cost and expense, all labor, materials, equipment, and other facilities, except as herein otherwise provided, as may be necessary and proper for performing and completing the work under this Contract. The Contractor shall be responsible for the entire work until completed and finally accepted by the City.

The work shall be performed in accordance with the true intent and meaning of the Contract Documents. Unless otherwise expressly provided, the work must be performed in accordance with the best modern practice, with materials as specified and workmanship of the highest quality, all as determined by and entirely to the satisfaction of the Engineer.

Unless otherwise expressly provided, the means and methods of construction shall be such as the Contractor may choose, subject, however, to the approval of the Engineer. Only adequate and safe procedure, methods, structures and equipment shall be used. The Engineer's approval or the Engineer's failure to exercise his right thereon shall not relieve the Contractor of obligations to accomplish the result intended by the Contract, nor shall such create a cause of action for damages.

ARTICLE 3.02 COMPLIANCE WITH LAWS

The Contractor must comply with all local, State and Federal laws, rules, ordinances and regulations applicable to this Contract and to the work done hereunder, and must obtain, at his own expense, all permits, licenses or other authorization necessary for the prosecution of the work.

No work shall be performed under this Contract on Sundays, legal holidays or after regular working hours without the express permission of the Engineer. Where such permission is granted, the Engineer may require that such work be performed without additional expense to the City.

ARTICLE 3.03 INSPECTION

During the progress of the work and up to the date of final acceptance, the Contractor shall, at all times, afford the representatives of the City, the Florida Department of Environmental Regulation, and if applicable, the Federal Environmental Protection Agency and the Federal Department of Labor every reasonable, safe and proper facility for inspecting the work done or being done at the site. The inspection of any work shall not relieve the Contractor of any of his obligations to perform proper and satisfactory work as herein specified. Finished or unfinished work found not to be in strict accordance with the Contract shall be replaced as directed by the Engineer, even though such work may have been previously approved and payment made therefor.

The City shall have the right to reject materials and workmanship which are defective or require their correction. Rejected work and materials must be promptly removed from the site, which must at all times be kept in a reasonably clean and neat condition.

Failure or neglect on the part of the City to condemn or reject bad or inferior work or materials shall not be construed to imply an acceptance of such work or materials, if it becomes evident at any time prior to the final acceptance of the work by the City. Neither shall it be construed as barring the City at any subsequent time from the recovery of damages of such a sum of money as may be needed to build anew all portions of the work in which inferior work or improper materials were used, wherever found.

Should it be considered necessary or advisable by the City at any time before final acceptance of the entire work to make examinations of work already completed, by removing or tearing out all or portions of such work, the Contractor shall, on request, promptly furnish all necessary facilities, labor, and material for that purpose. If such work is found to be defective in any material respect, due to the fault of the Contractor or his subcontractors, he shall defray all expenses of such examination and of satisfactory reconstruction. If, however, such work is found to meet the requirements of the Contract, the cost of examination and restoration of the work shall be considered an item of extra work to be paid for in accordance with the provisions of Article 7.02 hereof.

ARTICLE 3.04 PROTECTION

During performance and until final acceptance, the Contractor shall be under an absolute obligation to protect the finished and unfinished work against any damage, loss, or injury. The Contractor shall take proper precaution to protect the finished work from loss or damage, pending completion and the final acceptance of all the work included in the entire Contract, provided that such precaution shall not relieve the Contractor from any and all liability and responsibility for loss or damage to the work occurring before final acceptance by the City. Such loss or damage shall be at the risk of and borne by the Contractor, whether arising from acts or omissions of the Contractor or others. In the event of any such loss or damage, the Contractor shall forthwith repair, replace, and make good the work without extension of time therefor, except as may be otherwise provided herein.

The provisions of this Article shall not be deemed to create any new right of action in favor of third parties against the Contractor or the City.

ARTICLE 3.05 PRESERVATION OF PROPERTY

The Contractor shall preserve from damage all property along the line of the work, or which is in the vicinity of or is in anywise affected by the work, the removal or destruction of which is not called for by the Plans. This applies, but is not limited, to the public utilities, trees, lawn areas, building monuments, fences, pipe and underground structures, public streets (except natural wear and tear of streets resulting from legitimate use thereof by the Contractor), and wherever such property is damaged due to the activities of the Contractor, it shall be immediately restored to its original condition by the Contractor and at his own expense.

In case of failure on the part of the Contractor to restore such property, or make good such damage or injury, the City may, upon forty-eight (48) hour written notice, proceed to repair, rebuild, or otherwise restore such property as may be deemed necessary, and the cost thereof will be deducted from any monies due or which may become due the Contractor under this Contract. Nothing in this clause shall prevent the Contractor from receiving proper compensation for the removal, damage, or replacement of any public or private property not shown on the Plans, when this is made necessary by alteration of grade or alignment authorized by the Engineer, provided that such property has not been damaged through fault of the Contractor, his employees or agents.

ARTICLE 3.06 BOUNDARIES

The Contractor shall confine his equipment, apparatus, the storage of materials, supplies and apparatus of his workmen to the limits indicated on the plans, by law, ordinances, permits or direction of the Engineer.

ARTICLE 3.07 SAFETY AND HEALTH REGULATIONS

The Contractor shall comply with the Department of Labor Safety and Health Regulations for construction promulgated under the Occupational Safety and Health Act of 1970 (PL 91-596) and under Section 107 of the Contract Work Hours and Safety Standards Act (PL91-54).

ARTICLE 3.08 TAXES

All taxes of any kind and character payable on account of the work done and materials furnished under this Contract shall be paid by the Contractor and shall be deemed to have been included in his bid. The laws of the State of Florida provide that sales and use taxes are payable by the Contractor upon the tangible personal property incorporated in the work and such taxes shall be paid by the Contractor and shall be deemed to have been included in his bid.

ARTICLE 3.09 ENVIRONMENTAL CONSIDERATIONS

The Contractor, in the performance of the work under this Contract, shall comply with all Local, State and Federal laws, statutes, ordinances, rules and regulations applicable to protection of the environment; and, in the event he violates any of the provisions of same, he shall be answerable to the Local, State and Federal agencies designated by law to protect the environment. In the event the City receives, from any of the environmental agencies, a citation which is occasioned by an act or omission of the Contractor or his subcontractor or any officers, employees or agents of either, it is understood and agreed that the Contractor shall automatically become a party-respondent under said citation; and the City immediately shall notify the Contractor and provide him with a copy of said citation.

The Contractor shall comply with the requirements of the citation and correct the offending conditions(s) within the time stated in said citation and further shall be held fully responsible for all fines and/or penalties.

SECTION 4 TIME PROVISIONS

ARTICLE 4.01 TIME OF START AND COMPLETION

The Contractor must commence work within thirty (30) days subsequent to the date of the receipt of the "Notice to Proceed" by the City unless otherwise provided in the Specific Provisions and Special Instructions. Time being of the essence of this Contract, the Contractor shall thereafter prosecute the work diligently, using such means and methods of construction as well as secure its full completion in accordance with the requirements of the Contract Documents no later than the date specified therefor, or on the date to which the time for completion may be extended.

The Contractor must complete the work covered by this Contract in the number of consecutive calendar days set forth in the Instructions to Bidders, unless the date of completion is extended pursuant to the provisions of Article 4.05 hereof. The period for performance shall start from the date of signing of this Agreement by the City.

The actual date of completion will be established after a final inspection as provided in Article 4.07 hereof.

ARTICLE 4.02 PROGRESS SCHEDULE

To enable the work to be laid out and prosecuted in an orderly and expeditious manner, the Contractor shall submit to the Engineer a proposed progress schedule within fifteen (15) days after the award of this Contract.

The schedule shall state the Contract starting date, time for completion and date of completion and shall show the anticipated time of starting and completion of each of the various operations to be performed under this Contract, together with all necessary and appropriate information regarding sequence and correlation of work and an estimated time required for the delivery of all materials and equipment required for the work. The proposed schedule shall be revised as directed by the Engineer until finally approved by him, and, after such approval, shall be strictly adhered to by the Contractor. The approved progress schedule may be changed only with the written permission of the Engineer.

If the Contractor shall fail to adhere to the approved progress schedule or the schedule as revised, he shall promptly adopt such other or additional means and methods of construction as will make up for the time lost, and will assure completion in accordance with the contract time.

ARTICLE 4.03 APPROVAL REQUESTS

From time to time, as the work progresses and in the sequence indicated by the approved schedule, the Contractor must submit to the Engineer a specific request, in writing, for each item of information or approval required of him by the Contract. These requests must be submitted sufficiently in advance of the date upon which the information or approval is actually required by the Contractor to allow for the time the Engineer may take to act upon such submissions or resubmissions. The Contractor shall not have any right to an extension of time on account of delays due to his failure to submit his requests for the required information or the required approval in accordance with these requirements.

ARTICLE 4.04 COORDINATION WITH OTHER CONTRACTORS

During progress of the work, other Contractors may be engaged in performing other work on this project or on other projects on the site. In that event, the Contractor shall coordinate the work to be done hereunder with the work of such other Contractors in such manner as the Engineer may direct.

ARTICLE 4.05 EXTENSION OF TIME

If such an application is made, the Contractor shall be entitled to an extension of time for delay in completion of the work should the Contractor be obstructed or delayed in the commencement, prosecution or completion of any part of said work by any act or delay of the City, or by acts or omissions of other Contractors on this project, or by a riot, insurrection, war, pestilence, acts of public authorities, fire, lightning, hurricanes, earthquakes, tornadoes, floods, extremely abnormal and excessive inclement weather as indicated by the records of the local weather bureau for a five-year period preceding the date of the Contract, or by strikes, or other causes, which causes of delay mentioned in this Article, in the opinion of the City, are entirely beyond the expectation and control of the Contractor.

The Contractor shall, however, be entitled to an extension of time for such causes only for the number of days of delay which the City may determine to be due solely to such causes and only to the extent that such occurrences actually delay the completion of the project and then only if the Contractor shall have strictly complied with all of the requirements of Articles 4.01, 4.02, 4.03 and 4.04 hereof. It is hereby understood that the determination by the Engineer as to the order and sequence of the work shall not in itself constitute a basis for extension of time.

The determination made by the City on an application for an extension of time shall be binding and conclusive on the Contractor.

Delays caused by failure of the Contractor's materialmen, manufacturers, and dealers to furnish approved working drawings, materials, fixtures, equipment, appliances, or other fittings on time or failure of subcontractors to perform their work shall not constitute a basis of extension of time.

The Contractor agrees to make no claim for damages for delay in the performance of this Contract occasioned by any act or omission to act of the City or any of its representatives or because of any injunction which may be brought against the City or its representatives and agrees that any such claim shall be fully compensated for by an extension of time to complete performance of the work as provided herein.

ARTICLE 4.06 LIQUIDATED DAMAGES

It is mutually agreed between the parties that time is the essence of this Contract and that there will be on the part of the City considerable monetary damage in the event the Contractor should fail to complete the work within the time fixed for completion in the Contract or within the time to which such completion may have been extended.

The amount per day set forth in the Instructions to Bidders is hereby agreed upon as the liquidated damages for each and every calendar day that the time consumed in completing the work under this Contract exceeds the time allowed.

This amount shall, in no event, be considered as a penalty or otherwise than as the liquidated and adjusted damages to the City because of the delay and the Contractor and his Surety agree that the stated sum per day for each such day of delay shall be deducted and retained out of the monies which may become due hereunder and if not so deductible, the Contractor and his Surety shall be liable therefor.

ARTICLE 4.07 FINAL INSPECTION

When the work has been completed in accordance with the requirements of the Contract and final cleaning up performed, a date for final inspection of the work by the Engineer shall be set by the Contractor in a written request therefor, which date shall be not less than ten (10) days after the date of such request. The work will be deemed complete as of the date so set by the Contractor if, upon such inspection, the Engineer determines that no further work remains to be done at the site.

If such inspection reveals interms of work still to be performed, however, the Contractor shall promptly perform them and then request a reinspection. If, upon such inspection, the Engineer determines that the work is complete, the date of final completion shall be deemed to be the last day of such reinspection.

SECTION 5 SUBCONTRACTS AND ASSIGNMENTS

ARTICLE 5.01 LIMITATIONS AND CONSENT

The Contractor shall not assign, transfer, convey, sublet or otherwise dispose of this Contract or of his right, title, or interest therein, or his power to execute such Contract, or to assign any monies due or to become due thereunder to any other person, firm or corporation unless the previous written consent of the City shall first be obtained thereto and the giving of any such consent to a particular subcontract or assignment shall not dispense with the necessity of such consent to any further or other assignment.

Before making any subcontract, the Contractor must submit a

written statement to the Engineer, giving the name and address of the proposed contractor, the portion of the work and materials which he is to perform and furnish and any other information tending to prove that the proposed subcontractor has the necessary facilities, skill, integrity, past experience and financial resources to perform the work in accordance with the terms and conditions of this Contract.

If the City finds that the proposed subcontractor is qualified, the Contractor will be notified in writing. The City may revoke approval of any subcontractor when such subcontractor evidences an unwillingness or inability to perform his work in strict accordance with these Contract Documents. Notice of such revocation of approval will be given in writing to the Contractor.

The Contractor will promptly, upon request, file with the City a conformed copy of the subcontract. The Contractor shall cause appropriate provisions to be inserted in all subcontracts relative to the work to bind subcontractors to the Contractor by the terms of these Contract Documents, insofar as applicable to the work of subcontractors, and to give the Contractor the same power as regards terminating any subcontracts that the City may exercise over the Contractor under provisions of these Contract Documents.

The Contractor shall be required to perform with his own forces at least twenty-five (25) percent of the work, unless written consent to subcontract a greater percentage of the work is first obtained from the City.

ARTICLE 5.02 RESPONSIBILITY

The approval by the City of a subcontractor shall not relieve the Contractor of any of his responsibilities, duties, and liabilities hereunder. The Contractor shall be solely responsible to the City for the acts or defaults or omissions of his subcontractor and of such subcontractor's officers, agents, and employees, each of whom shall for all purposes be deemed to be the agent or employee of the Contractor. Nothing contained in the Contract Documents shall create any contractual relationship between any subcontractor and the City.

SECTION 6 SECURITY AND GUARANTY

ARTICLE 6.01 CONTRACT SECURITY

The Contractor shall execute and deliver to the City a Performance Bond <u>on the form as provided herein</u>, in an amount at least equal to one hundred (100) percent of the full Contract price, such Bond to be executed by a surety company acceptable to the City. The surety on such Performance Bond shall be a surety company duly authorized to do business in the State of Florida, and the Bond shall be issued or countersigned by a local resident producing agent of such surety company who is a resident of the State of Florida, regularly commissioned and licensed in said State, and satisfactory evidence of the authority of the person or persons executing such Bond shall be submitted with the Bond. The Performance Bond shall serve as security for the faithful performance of this Contract, including maintenance and guaranty provisions, and for the payment of all persons performing labor and furnishing materials in connection with the Contract. The premiums on the Performance Bond shall be paid by the Contractor.

If, at any time, the City shall become dissatisfied with any surety or sureties then upon the Performance Bond, or if for any other reason such bond shall cease to be adequate security for the City, the Contractor shall, within five days after notice so to do, substitute an acceptable Bond in such form and sum and signed by such other sureties as may be satisfactory to the City. The premiums on such Bond shall be paid by the Contractor. No further partial payments shall be deemed due or shall be made until the new sureties have qualified.

ARTICLE 6.02 CONTRACTORS INSURANCE

Insurance required shall be as indicated on Special Instructions pages beginning with "INS-1"

ARTICLE 6.03 AGAINST CLAIMS AND LIENS

The City may withhold from the Contractor as much as any approved payments to him as may, in the opinion of the City, be necessary to secure (a) just claims of any persons supplying labor or materials to the Contractor or any of his subcontractors for the work then due and unpaid; (b) loss due to defective work not remedied, or (c) liability, damage, or loss due to injury to persons or damages to the work or property of other contractors, subcontractors, or others, caused by the act or neglect of the Contractor or of any of his subcontractors. The City shall have the right, as agent for the Contractor, to apply any such amounts so withheld in such manner as the City may deem proper to satisfy such claims or to secure such protection. Such application of such money shall be deemed payments for the account of the Contractor.

ARTICLE 6.04 MAINTENANCE AND GUARANTY

The Contractor hereby guarantees all the work furnished under this Contract against any defects in workmanship and materials for a period of one year following the date of final acceptance of the work by the City. Under this guarantee, the Contractor hereby agrees to make good, without delay, at his own expense, any failure of any part of the work due to faulty materials or manufacture, construction, or installation, or the failure of any equipment to perform satisfactorily all the work put upon it within the limits of the Contract Documents, and further, shall make good any damage to any part of the work caused by such failure. It is hereby agreed that the Performance Bond shall fully cover all guarantees contained in this Article.

It is also agreed that all warranties, expressed or implied, inure to the benefit of the City and are enforceable by the City.

SECTION 7 CHANGES

ARTICLE 7.01 MINOR CHANGES

The City reserves the right to make such additions, deductions, or changes to this Contract from time to time as

it deems necessary and in a manner not materially affecting the substance thereof or materially changing the price to be paid in order to carry out and complete more fully and perfectly the work herein agreed to be done and performed. This Contract shall in no way be invalidated by any such additions, deductions, or changes, and no claim by the Contractor shall be made for any loss of anticipated profits thereby.

Construction conditions may require that minor changes be made in the location and installation of the work and equipment to be furnished and other work to be performed hereunder, and the Contractor when ordered by the Engineer, shall make such adjustments and changes in said locations and work as may be necessary, without additional cost to the City, provided such adjustments and changes do not alter the character, quantity of cost of the work as a whole, and provided further that Plans and Specifications showing such adjustments and changes are furnished to the Contractor by the City within a reasonable time before any work involving such adjustment and changes is begun. The Engineer shall be the sole judge of what constitutes a minor change for which no additional compensation shall be allowed.

ARTICLE 7.02 EXTRA WORK

The City may at any time by a written order and without notice to the sureties require the performance of such extra work as it may find necessary or desirable. An order for extra work shall be valid only if issued in writing and signed by the Mayor and the work so ordered must be performed by the Contractor.

The amount of compensation to be paid to the Contractor for any extra work as so ordered shall be determined as follows:

(a)By such applicable unit prices, if any, as are set forth in the Proposal; or

(b)If no such unit prices are set forth then by a lump sum or other unit prices mutually agreed upon by the City and the Contractor; or

(c)If no such unit prices are set forth in the Proposal and if the parties cannot agree upon a lump sum or other unit prices then by the actual net cost in money to the Contractor of the extra work performed, which cost shall be determined as follows:

(1) For all labor and foreman in direct charge of the authorized operations, the Contractor shall receive the current local rate of wages to be agreed upon, in writing, before starting such work for each hour that said labor and foremen are actually engaged thereon, to which shall be added an amount equal to 25 percent of the sum thereof which shall be considered and accepted as full compensation for general supervision, FICA taxes, contributions under the Florida Unemployment Compensation Act, insurance, bond, subcontractor's profit and overhead, the furnishing of small tools and miscellaneous equipment used, such as picks, shovels, hand pumps, and similar items.

(2) For all materials used, the Contractor shall receive the actual cost of such materials delivered at the site or previously approved delivery point as established by original receipted bills. No percentage shall be added to this cost.

(3) For special equipment and machinery such as power-driven pumps, concrete mixers, trucks, and tractors, or other equipment, required for the economical performance of the authorized work, the Contractor shall receive payment based on the average local area rental price for each item of equipment and the actual time of its use on the work. No percentage shall be added to this sum.

(4) Records of extra work done under this procedure shall be reviewed at the end of each day by the Contractor or his representative and the Engineer. Duplicate copies of accepted records shall be made and signed by both Contractor or his representative and the Engineer, and one copy retained by each.

Request for payment for approved and duly authorized extra work shall be submitted in the same form as Contract work or in the case of work performed under paragraph (c) (1) above upon a certified statement supported by receipted bills. Such statement shall be submitted for the current Contract payment for the month in which the work was done.

ARTICLE 7.03 DISPUTED WORK

If the Contractor is of the opinion that any work required, necessitated, or ordered violates the terms and provisions of this Contract, he must promptly notify the Engineer, in writing, of his contentions with respect thereto and request a final determination thereof. If the Engineer determines that the work in question is Contract work and not extra work or that the order complained of is proper, he will direct the Contractor to proceed and the Contractor shall promptly comply. In order, however, to reserve his right to claim compensation for such work or damages resulting from such compliance, the Contractor must, within five (5) days after receiving notice of the Engineer's determination and direction, notify the City in writing that the work is being performed or that the determination and direction is being complied with under protest. Failure of the Contractor to notify shall be deemed as a waiver of claim for extra compensation or damages therefor.

Before final acceptance by the City, all matters of dispute must be adjusted to the mutual satisfaction of the parties thereto. Final determinations and decisions, in case any questions shall arise, shall constitute a condition precedent to the right of the Contractor to receive the money therefor until the matter in question has been adjusted.

ARTICLE 7.04 OMITTED WORK

The City may at any time by a written order and without notice to the sureties require the omission of such Contract work as it may find necessary or desirable.

An order for omission of work shall be valid only if signed by the Mayor and the work so ordered must be omitted by the Contractor. The amount by which the Contract price shall be reduced shall be determined as follows:

(a) By such applicable unit prices, if any, as are set forth in the Contract; or

(b) By the appropriate lump sum price set forth in the Contract; or

(c) By the fair and reasonable estimated cost to the City

of such omitted work as determined by the Engineer and approved by the City.

SECTION 8 CONTRACTOR'S EMPLOYEES

ARTICLE 8.01 CHARACTER AND COMPETENCY

The Contractor and his subcontractors shall employ upon all parts of the work herein contracted for only competent, skillful, and trustworthy workers. Should the Engineer at any time give notice, in writing, to the Contractor or his duly authorized representative on the work that any employee in his opinion is incompetent, unfaithful, disorderly, careless, unobservant of instructions, or in any way a detriment to the satisfactory progress of the work, such employee shall immediately be dismissed and not again allowed upon the site.

ARTICLE 8.02 SUPERINTENDENCE

The Contractor shall give his personal supervision to the faithful prosecution of the work and in case of his absence shall have a competent, experienced, and reliable supervisor or superintendent, acceptable to the Engineer on the site who shall follow without delay all instructions of the Engineer in the prosecution and completion of the work and every part thereof, in full authority to supply workers, material, and equipment immediately. He shall keep on hand at all times copies of the Contract Documents.

ARTICLE 8.03 EMPLOYMENT OPPORTUNITIES

The Contractor shall, in the performance of the work required to be done under this Contract, employ all workers without discrimination regarding race, creed, color, sex or national origin and must not maintain or provide facilities that are segregated on the basis of race, color, creed or national origin.

ARTICLE 8.04 RATES OF WAGES

On federally assisted projects, the rates of wages to be paid under this Contract shall not be less than the rates of wages set forth in Section 12 of this Agreement.

On other projects, no wage rate determination is included. Florida's Prevailing Wage Law (Section 215.19, Florida Statutes) was repealed effective April 25, 1979.

ARTICLE 8.05 PAYROLL REPORTS

The Contractor and each subcontractor shall, if requested to do so, furnish to the Engineer a duly certified copy of his payroll and also any other information required by the Engineer to satisfy him that the provisions of the law as to the hours of employment and rate of wages are being observed.

Payrolls shall be prepared in accordance with instructions furnished by the City and on approved forms. The Contractor shall not carry on his payroll any persons not employed by him. Subcontractor's employees shall be carried only on the payrolls of the employing subcontractor.

SECTION 9 CONTRACTOR'S DEFAULT

ARTICLE 9.01 CITY'S RIGHT AND NOTICE

It is mutually agreed that: (a) if the Contractor fails to begin work when required to do so, or (b) if at any time during the progress of the work it shall appear to the Engineer that the Contractor is not prosecuting the work with reasonable speed, or is delaying the work unreasonably and unnecessarily, or (c) if the force of workmen or quality or quantity of material furnished are not sufficient to insure completion of the work within the specified time and in accordance with the Specifications hereto attached, or (d) if the Contractor shall fail to make prompt payments for materials or labor or to subcontractors for work performed under the Contract, or (e) if legal proceedings have been instituted by others than the City in such manner as to interfere with the progress of the work and may subject the City to peril of litigation or outside claims of (f) if the Contractor shall be adjudged a bankrupt or make an assignment for the benefit of creditors, or (g) if in any proceeding instituted by or against the Contractor an order shall be made or entered granting an extension of time of payment, composition, adjustment, modification, settlement or satisfaction of his debts or liabilities, or (h) if a receiver or trustee shall be appointed for the Contractor or the Contractor's property, or (i) if the Contract or any part thereof shall be sublet without the consent of the City being first obtained in writing, or (j) if this Contract or any right, monies, or claim thereunder shall be assigned by the Contractor, otherwise than as herein specified, or (k) if the Contractor shall fail in any manner of substance to observe the provisions of this Contract, or (1) if any of the work, machinery, or equipment shall be defective, and shall not be replaced as herein provided, or (m) if the work to be done under this Contract shall be abandoned, then such fact or conditions shall be certified by the Engineer and thereupon the City without prejudice to any other rights or remedies of the City, shall have the right to declare the Contractor in default and so notify the Contractor by a written notice, setting forth the ground or grounds upon which such default is declared and the Contractor must discontinue the work, either as a portion of the work or the whole thereof, as directed.

ARTICLE 9.02 CONTRACTOR'S DUTY UPON DEFAULT

Upon receipt of notice that his Contract is in default, the Contractor shall immediately discontinue all further operations on the work or such part thereof, and shall immediately quit the site or such part thereof, leaving untouched all plant, materials, equipment, tools, and supplies.

ARTICLE 9.03 COMPLETION OF DEFAULTED WORK

The City, after declaring the Contractor in default, may then have the work completed or the defective equipment or machinery replaced or anything else done to complete the work in strict accordance with the Contract Documents by such means and in such manner, by Contract with or without public letting, or otherwise, as it may deem advisable, utilizing for such purpose without additional cost to the City such of the Contractor's plant, materials, equipment, tools, and supplies remaining on the site, and also such subcontractors as it may deem advisable.

The City shall reimburse all parties, including itself, for the expense of such completion, including liquidated damages, if any, and the cost of reletting. The City shall deduct this expense from monies due or to become due to the Contractor under this Contract, or any part thereof, and in case such expense is more than the sum remaining unpaid of the original contract price, the Contractor and his sureties shall pay the amount of such deficiency to the City.

ARTICLE 9.04 PARTIAL DEFAULT

In case the City shall declare the Contractor in default as to a part of the work only, the Contractor shall discontinue such part, shall continue performing the remainder of the work in strict conformity with the terms of the Contract, and shall in no way hinder or interfere with any other contractor or person whom the City may engage to complete the work as to which the Contractor was declared in default.

SECTION 10 PAYMENTS

ARTICLE 10.01 PRICES

For the Contractor's complete performance of the work, the City will pay and the Contractor agrees to accept, subject to the terms and conditions hereof, the lump sum prices or unit prices in the Contractor's Proposal and the award made therein, plus the amount required to be paid for any extra work ordered under Article 7.02 hereof, less credit for any work omitted pursuant to Article 7.04 hereof. Under unit price items, the number of units actually required to complete the work under the Contract may be more than stated in the Proposal. The Contractor agrees that no claim will be made for any damages or for loss of profits because of a difference between the quantities of the various classes of work assumed and stated in the Proposal Form as a basis for comparing Proposals and the quantities of work actually performed.

The sum as awarded for any lump sum Contract or lump sum Contract Item shall represent payment in full for all of the various classes of work, including materials, equipment, and labor necessary or required to complete, in conformity with the Contract Document, the entire work shown, indicated or specified under the lump sum Contract or lump sum Contract Item.

The amount as awarded as a unit price for any unit price Contact Item shall represent payment in full for all the materials, equipment, and labor necessary to complete, in conformity with the Contract Documents, each unit of work shown, specified, or required under the said unit price Contract Item.

No payment other than the amount as awarded will be made for any class of work included in a lump sum Contract Item or a unit price Contract Item, unless specific provision is made therefor in the Contract Documents.

whatsoever.

ARTICLE 10.02 SUBMISSION OF BID BREAKDOWN Within fifteen (15) days after the execution of this Contract, the Contractor must submit to the Engineer in duplicate an acceptable breakdown of the lump sums and unit prices bid for items of the Contract, showing the various operations to be performed under the Contract, as described in the progress schedule required under Article 4.02 hereof, and the value of each of such operations, the total of such items to equal the total price bid. The Contractor shall also submit such other information relating to the bid prices as may be required and shall revise the bid breakdown as directed. Thereafter, the breakdown may be used for checking the Contractor's applications for partial payments hereunder but shall not be binding upon the City or the Engineer for any purpose

ARTICLE 10.03 REPORTS, RECORDS AND DATA

The Contractor shall furnish to the Engineer such schedules of quantities and costs, progress schedules, reports, invoices, delivery tickets, estimates, records, and other data as the Engineer may request concerning work performed or to be performed and the materials furnished under the Contract.

ARTICLE 10.04 PAYMENTS BY CONTRACTOR

The Contractor shall pay (a) for all transportation and utility services not later than the 20th day of the calendar month following that in which such services are rendered, (b) for all materials, tools, and equipment delivered at the site of the project, and the balance of the cost thereof not later than the 30th day following the completion of that part of the work in or on which such materials, tools, and equipment are incorporated or used, and (c) to each of his subcontractors, not later than the 5th day following each payment to the Contractor, the respective amounts allowed the Contractor on account of the work performed by his subcontractors, to the extent of each subcontractor's interest therein; and proof of such payments or releases therefor shall be submitted to the Engineer upon request.

ARTICLE 10.05 PARTIAL PAYMENTS

On or about the first of each month, the Contractor shall make and certify an estimate, on forms prescribed by the City, of the amount and fair value of the work done, and may apply for partial payment therefor. The Contractor shall revise the estimate as the Engineer may direct. When satisfactory progress has been made, and shows that the value of the work completed since the last payment exceeds one percent (1%) of the total Contract price in amount, the Engineer will issue a certificate that such work has been completed and the value thereof. The City will then issue a voucher to the Contractor in accordance with the following schedule:

FOR CONTRACT AMOUNTS UNDER \$250,000

(A)In the amount of ninety percent (90%) of the value of the work completed as certified until construction is one hundred percent (100%) complete (operational or beneficial occupancy), the withheld amount may be reduced below ten percent (10%), at the Engineer's option, to only that amount necessary to assure completion.

FOR CONTRACT AMOUNTS OVER \$250,000

(A)In the amount of ninety percent (90%) of the value of the work completed as certified until construction is fifty percent (50%) complete.

(B)When the dollar value, as determined by the Engineer, of satisfactorily completed work in place is greater than fifty percent (50%) of the original contract price, vouchers for partial payment will be issued by the City to the Contractor in the amount of one hundred percent (100%) of the value of the work, above 50%, completed as certified for that payment period.

(C)If the Contractor has performed satisfactorily and the work is substantially complete (operational or beneficial occupancy) the withheld amount may be reduced, at the Engineer's option, to only that amount necessary to assure completion.

In addition to the Conditions set forth in (A), (B), and (C) above, payments will always be less any sums that may be retained or deducted by the City under the terms of any of the contract documents and less any sums that may be retained to cover monetary guarantees for equipment, materials or progress performance.

Payment on estimates made on or about the first of the month may be expected on or about the 20th of the month.

Unless specified otherwise in the Contract Items, the delivered cost of equipment and nonperishable materials suitably stored at the site of the work and tested for adequacy may be included in the Contractor's application for partial payment provided, however, that the Contractor shall furnish evidence satisfactory to the City that the Contractor is the unconditional owner and in possession of such materials or equipment. The amount to be paid will be 90 percent of the invoice cost to the Contractor which cost shall be supported by receipted bills within 30 days of the date of payment by the City to the Contractor. Such payment shall not relieve the Contractor from full responsibility for completion of the work and for protection of such materials and equipment until incorporated in the work in a permanent manner as required by the Contract Documents.

Before any payment will be made under this Contract, the Contractor and every subcontractor, if required, shall deliver to the Engineer a written, verified statement, in satisfactory form, showing in detail all amounts then due and unpaid by such Contractor or subcontractor to all laborers, workmen, and mechanics, employed by him under the Contract for the performance of the work at the site thereof, for daily or weekly wages, or to other persons for materials, equipment, or supplies delivered at the site of the work during the period covered by the payment under consideration.

ARTICLE 10.06 FINAL PAYMENT

Under determination of satisfactory completion of the work under this Contract as provided in Article 4.07 hereof, the Engineer will prepare the final estimate showing the value of the completed work. This estimate will be prepared within 30 days after the date of completion or as soon thereafter as the necessary measurements and computations can be made. All prior certificates and estimates, being approximate only, are subject to correction in the final estimate and payment.

When the final estimate has been prepared and certified by Engineer, he will submit to the Mayor and City Council the final certificate stating that the work has been completed and the amount based on the final estimate remaining due to the Contractor. The City will then accept the work as fully completed and will, not later than 30 days after the final acceptance, as defined in Article 1.02, of the work done under this Contract, pay the Contractor the entire amount so found due thereunder after deduction of all previous payments and all percentages and amounts to be kept and retained under provisions of this Contract; provided, however, and it is understood and agreed that, as a precedent to receiving final payment, the Contractor shall submit to the City a sworn affidavit that all bills for labor, service, materials, and subcontractors have been paid and that there are no suits pending in connection with this work. The City, at its option, may permit the Contractor to execute a separate surety bond in a form satisfactory to the City. The surety bond shall be in the full amount of the suit or suits.

Neither the final payment nor any part of the retained percentage shall be paid until the Contractor, if required, shall furnish the City with a complete release from any should remain unsatisfied after all payments are made, the Contractor shall refund to the City all monies which the City may be compelled to pay in discharging such claim, including incidental costs and attorney's fees.

ARTICLE 10.07 ACCEPTANCE OF FINAL PAYMENT

The acceptance by the Contractor, or by anyone claiming by or through him, of the final payment shall operate as and shall be a release to the City and every officer and agent thereof from any and all claims and liability to the Contractor for anything done or furnished in connection with the work or project and for any act or neglect of the Contractor or of any others relating to or affecting the work. No payment, however, final or otherwise, shall operate to release the Contractor or his sureties from any obligations under this Contract or the Performance Bond.

SECTION 11 MISCELLANEOUS PROVISIONS

ARTICLE 11.01 CONTRACTOR'S WARRANTIES

In consideration of, and to induce the award of this contract to him, the Contractor represents and warrants:

(a)That he is not in arrears to the City upon debt or contract, and he is not a defaulter, as surety, contractor, or otherwise.

(b)That he is financially solvent and sufficiently experienced and competent to perform the work.

(c)That the work can be performed as called for by the Contract Documents.

(d)That the facts stated in his proposal and the information given by him are true and correct in all respects.

(e)That he is fully informed regarding all the conditions affecting the work to be done and labor and materials to be

furnished for the completion of this Contract, and that his information was secured by personal investigation and research.

ARTICLE 11.02 PATENTED DEVICES, MATERIAL AND PROCESSES

It is mutually understood and agreed that Contract prices include all royalties and costs arising from patents, trademarks, and copyrights in any way involved in the work. Whenever the Contractor is required or desires to use any design, device, material, or process covered by letters of patent or copyright, the Contractor shall indemnify and save harmless the City, its officers, agents and employees from any and all claims for infringement by reason of the use of any such patented design, device, tool, material, equipment, or process, to be performed under the Contract, and shall indemnify the said City, its officers, agents, and employees for any costs, expenses, and damages which may be incurred by reason of such infringement at any time during the prosecution or after completion of the work.

ARTICLE 11.03 SUITS AT LAW

In case any action at law or suit in equity may or shall be brought against the City or any of its officers, agents, or employees for or on account of the failure, omission, or neglect of the Contractor or his subcontractors, employees, or agents, to do or perform any of the covenants, acts, matters, or things by this Contract undertaken to be done or performed by the Contractor of his subcontractors, employees, or agents, or from any injuries done to property or persons and caused by the negligence or alleged negligence of the Contractor of his subcontractors, employees, or agents, or in any other manner arising out of the performance of this Contract, then the Contractor shall immediately assume and take charge of the defense of such actions or suits in like manner and to all intents and purposes as if said actions or suits have been brought directly against the Contractor, and the Contractor shall also indemnity and save harmless the City, its officers, agents, and employees from any and all loss, cost or damage whatever arising out of such actions or suits, in like manner and to all intents and purposes as if said actions or suits have been brought directly against the Contractor.

The Contractor shall and does hereby assume all liability for and agrees to indemnify the City or its Engineer against any or all loss, costs, damages, and liability for any or by reason of any lien, claims or demands, either for materials purchased or for work performed by laborers, mechanics, and others and from any damages, costs, actions, or causes of action and judgement arising from injuries sustained by mechanics, laborers, or other persons by reason of accidents or otherwise, whether caused by the carelessness or inefficiency or neglect of said Contractor, his subcontractors, agents, employees, workmen or otherwise.

ARTICLE 11.04 CLAIMS FOR DAMAGES

If the Contractor shall claim compensation for any damage sustained, other than for extra or disputed work covered by Article 7.02 and 7.03 hereof, by reason of any act or omission of the City, its agents, or any persons, he shall, within five days after sustaining such damage, make and

deliver to the Engineer a written statement of the nature of the damage sustained and of the basis of the claim against the City. On or before the 15th of the month succeeding that in which any damage shall have been sustained, the Contractor shall make and deliver to the Engineer an itemized statement of the details and amounts of such damage, duly verified by the Contractor. Unless such statements shall be made delivered within the times aforesaid, it is stipulated that and all claims for such compensation shall be forfeited and invalidated, and the Contractor shall not be entitled to payment on account of such claims.

ARTICLE 11.05 NO CLAIMS AGAINST INDIVIDUALS

No claim whatsoever shall be made by the Contractor against any officer, agent, employee of the City for, or on account of, anything done or omitted to be done in connection with this Contract.

ARTICLE 11.06 LIABILITY UNAFFECTED

Nothing herein contained shall in any manner create any liability against the City on behalf of any claim for labor, services, or materials, or of subcontractors, and nothing herein contained shall affect the liability of the Contractor or his sureties to the City or to any workmen or materialsmen upon bond given in connection with this Contract.

ARTICLE 11.07 INDEMNIFICATION PROVISIONS

Whenever there appears in this Agreement, or in the other Contact Documents made a part hereof, an indemnification provision within the purview of Chapter 725.06, Laws of Florida, the monetary limitation on the extent of the indemnification under each such provision shall be One Million Dollars or a sum equal to the total Contract price, whichever shall be the greater.

ARTICLE 11.08 UNLAWFUL PROVISIONS DEEMED STRICKEN

If this contract contains any unlawful provisions not an essential part of the Contract and which shall not appear to have a controlling or material inducement to the making thereof, such provisions shall be deemed of no effect and shall, upon notice by either party, be deemed stricken from the Contract without affecting the binding force of the remainder.

ARTICLE 11.09 LEGAL PROVISIONS DEEMED INCLUDED

Each and every provision of any law and clause required by law to be inserted in this Contract shall be deemed to be inserted herein, and the Contract shall be read and enforced as though it were included herein and if, through mistake or otherwise, any such provision is not inserted or is not correctly inserted, then upon application of either party the Contract shall forthwith be physically amended to make such insertion.

ARTICLE 11.10 DEATH OR INCOMPETENCY OF CONTRACTOR

In the event of death or legal incompetency of a Contractor who shall be an individual or surviving member of a contracting firm, such death or adjudication of incompetency shall not terminate the Contract, but shall act as default hereunder to the effect provided in Article 9.01 hereof and the estate of the Contractor and his surety shall remain liable hereunder to the same extent as though the Contractor had lived. Notice of default, as provided in Article 9.01 hereof, shall not be required to be given in the event of such death or adjudication of incompetency.

ARTICLE 11.11 NUMBER AND GENDER OF WORDS

Whenever the context so admits or requires, all references herein in one number shall be deemed extended to and including the other number, whether singular or plural, and the use of any gender shall be applicable to all genders.

ARTICLE 11.12 ACCESS TO RECORDS

Representatives of Federal Agencies, if applicable, and the State of Florida shall have access to the work whenever it is in preparation of progress. On federally assisted projects the Federal Agency, the Comptroller General of the United States, or any authorized representative shall have access to any books, documents, papers, and records of the Contractor which are pertinent to the project for the purpose of making audit, examination, excerpts, and transcription thereof.

SECTION 12 LABOR STANDARDS

ARTICLE 12.01 LABOR STANDARDS

The Contractor shall comply with all of the regulations set forth in "Labor Standards Provisions for Federally Assisted Construction Contracts", which may be attached, and any applicable Florida Statutes.

ARTICLE 12.02 NOTICE TO LABOR UNIONS

If required, the Contractor shall provide Labor Unions and other organizations of workers, and shall post, in a conspicuous place available to employees or applicants for employment, a completed copy of the form entitled "Notice to Labor Unions or Other Organizations of Workers" attached to and made a part of this Agreement.

ARTICLE 12.03 SAFETY AND HEALTH REGULATIONS

The Contractor shall comply with the Department of Labor Safety and Health Regulations for construction promulgated under the Occupational Safety and Health Act of 1970 (PL 91-596) and under Section 107 of the Contract Work Hours and Safety Standards Act (PL 91-54). Nothing in these Acts shall be construed to supersede or in any manner affect any worker's compensation law or statutory rights, duties, or liabilities of employers and employees under any law with respect to injuries, diseases, or death of employees arising out of, or in the course of, employment.

ARTICLE 12.04 EEO AFFIRMATIVE ACTION REQUIREMENTS

The Contractor understands and agrees to be bound by the equal opportunity requirements of Federal regulations which shall be applicable throughout the performance of work under this Contract. The Contractor also agrees to similarly bind contractually each subcontractor. In policies, the Contractor agrees to engage in Affirmative Action directed at promoting and ensuring equal employment opportunity in the work force used under the Contract (and the Contractor agrees to require contractually the same effort of all subcontractors whose subcontractors exceed \$100,000). The Contractor understands and agrees that "Affirmative Action" as used herein shall constitute a good faith effort to achieve and maintain minority employment in each trade in the onsite work force used on the Contract.

ARTICLE 12.05 PREVAILING RATES OF WAGES

Florida's prevailing wage law was repealed effective April 25, 1979.

For Federally assisted projects, appropriate prevailing wage rate determinations are indicated on pages beginning with WR-1.

* * * * * * *

IN WITNESS THEREOF, the parties have hereunto set their hands and seals, and such of them as are corporation have caused these present to be signed by their duly authorized officers.

CITY OF TAMPA, FLORIDA

Jane Castor, Mayor (SEAL)

ATTEST:

City Clerk

Approved as to Form: The execution of this document was authorized by Resolution No.

Justin R. Vaske, Assistant City Attorney

Contractor

By:______ (SEAL)

Title:

ATTEST:

Witness

TAMPA AGREEMENT (ACKNOWLEDGMENT OF PRINCIPAL)

STATE OF)	
COUNTY OF) SS:)	
For a Corporation:		
STATE OF COUNTY OF	-	
The forgoing instrument was Swo	orn to (or affirmed) and subscri	ibed before me by means of □ physical presence or □ , 2020_, byas
Partnership Joint Venture	of 1 LLC Corp Other:	, <u>2020</u> , byas, a/n, a/n, on behalf of such entity. Such individual is
Personally Known OR Produced	Identification. Type of Identific	ation Produced
[NOTARY SEAL]		Notary Public, State of
		Notary Printed Name: Commission No.:
For an Individual:		My Commission Expires:
STATE OF	-	
online notarization, this	day of	ibed before me by means of □ physical presence or □ , 2020, , Such individual is Personally Known OR Produced
[NOTARY SEAL]		Notary Public, State of
		Notary Printed Name:
		Commission No.:
		My Commission Expires:
For a Firm:		
STATE OF COUNTY OF	-	
The forgoing instrument was Sw online notarization, this	rorn to (or affirmed) and subscr	ribed before me by means of □ physical presence or □ , 2020_, byas
	of	, a/n
Partnership Joint Venture Personally Known OR Produced	□ LLC □ Corp □ Other: I Identification. Type of Identific	, 2020_, byas, a/n, on behalf of such entity. Such individual is cation Produced
[NOTARY SEAL]		Notary Public, State of
[Notary Printed Name:
		Commission No.:
		My Commission Expires:
	A-1	15 British 20200
		Havised 2020F

PUBLIC CONSTRUCTION BOND

Bond No. (enter bond number)	
Name of Contractor:	
Principal Business Address of Contractor:	
Telephone Number of Contractor:	
Name of Surety (if more than one list each):	
Principal Business Address of Surety:	
Telephone Number of Surety:	
Owner is The City of Tampa, Florida	
Principal Business Address of Owner:	306 E Jackson St, Tampa, FL 33602
	Contract Administration Department (280A4N)
Telephone Number of Owner:	813/274-8456
Contract Number Assigned by City to contract which	is the subject of this bond:
Legal Description or Address of Property Improved o	r Contract Number is:
General Description of Work and Services:	
· · · · · ·	

(Name of Contractor)

as Principal, hereinafter called CONTRACTOR, of the State of _____, and

(Name of Surety)

a corporation organized and existing under and by virtue of the laws of the State of ______, and regularly authorized to do business in the State of Florida, as SURETY, are held and firmly bound unto the City of Tampa, a municipal corporation organized and existing under the laws of the State of Florida, hereinafter called Owner, in the penal sum of ______Dollars and ______Cents (\$_____), lawful money of the United States of America, for the payment whereof well and truly to be made, we bind ourselves, our heirs, executors, and administrators, successors and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS BOND is that if Principal:

1. Performs the contract dated _____, ___, 20___, between Principal and Owner for construction of _____, the contract being made a part of this bond by reference, in the time and in the manner prescribed in the contract; and

2. Promptly makes payments to all claimants, as defined in Section 255.05(1) (Section 713.01), Florida Statutes, supplying Principal with labor, materials, or supplies, used directly or indirectly by Principal in the prosecution of the work provided for in the contract; and

3. Pays Owner all losses, damages, expenses, costs, and attorney's fees, including appellate proceedings, that Owner sustains because of a default by Principal under the contract; and

4. Performs the guarantee of all work and materials furnished under the contract for the time specified in the contract, then this bond is void; otherwise it remains in full force.

5. Contractor and Surety acknowledge that the Work for which this bond has been issued may be one of several such contract documents for a group of projects. This bond does not secure covenants to pay for or to perform design services survey or program management services. The Owner/Obligee is expected to reasonably account for damages that are caused to Owner with respect to Principal's (Contractor's) default in performance of the scope of the Work incorporated by reference into the bond, and notwithstanding any contractual or common law remedy permitted to Owner as against Contractor, the obligation of Surety for any damages under this bond shall be determined by the cost of completion of the Work less the contract balance unpaid upon default of Contractor for the Work plus liquidated damages at the rate of \$500.00 per day for delays by the Contractor and/or Surety in reaching substantial completion.

6. The notice requirements for claimants and conditions for entitlement to payment set forth in Section 255.05, Fla. Stat. and the limitations period to actions upon Section 255.05, Fla. Stat. bonds apply to claimants seeking payment from surety under this bond. Any action instituted by a claimant under this bond for payment must be in accordance with the notice and time limitation provisions in Section 255.05, Florida Statutes.

7. The Surety, for value received, hereby stipulates and agrees that no changes, extensions of time, alterations or additions to the terms of the contract documents or other Work to be performed hereunder, or the specifications referred to therein shall in any way affect its obligations under this bond, and it does hereby waive notice of any such changes, extensions of time, alterations or additions to the terms of the Contract or to Work or to the specifications.

8. The above SURETY states that it has read all of the Contract Documents made by the CONTRACTOR with the CITY, hereto attached, and the terms and conditions of the contract and work, and is familiar therewith and in particular those portions of the Agreement concerning the guaranty of such CONTRACTOR for a period of one year following the date of the final acceptance of the completed work under the Contract by the CITY, all of which this BOND includes.

DATED ON, 20	
(Name of Principal)	(Name of Surety)
(Principal Business Address)	(Surety Address)
Ву	By (As Attorney in Fact)*
Title	Telephone Number of Surety
Telephone Number of Principal	
	Approved as to legal sufficiency:
Countersignature:	By Assistant City Attorney
(Name of Local Agency)	
(Address of Resident Agent)	
Ву	
Title	
Telephone Number of Local Agency	

*(As Attorney in Fact) attach Power of Attorney and Current Certificate with Original Signature

SPECIFICATIONS GENERAL PROVISIONS

SECTION 1 SCOPE AND INTENT

G-1.01 DESCRIPTION

The work to be done consists of the furnishing of all labor, materials and equipment, and the performance of all work included in this Contract.

G-1.02 WORK INCLUDED

The Contractor shall furnish all labor, superintendence, materials, plant, power, light, heat, fuel, water, tools, appliances, equipment, supplies, and other means of construction necessary or proper for performing and completing the work. He shall obtain and pay for all required permits. He shall perform and complete the work in the manner best calculated to promote rapid construction consistent with safety of life and property and to the satisfaction of the Engineer, and in strict accordance with the Contract Documents. The Contractor shall clean up the work and maintain it during and after construction, until accepted, and shall do all work and pay all costs incidental thereto. He shall repair or restore all structures and property that may be damaged or disturbed during performance of the work.

The cost of incidental work described in these General Provisions, for which there are no specific Contract Items, shall be considered as part of the overhead cost of doing the work and shall be included in the prices for the various Contract Items. No additional payment will be made therefor.

The Contractor shall provide and maintain such modern plant, tools, and equipment as may be necessary, in the opinion of the Engineer, to perform in a satisfactory and acceptable manner all the work required by this Contract. Only equipment of established reputation and proven efficiency shall be used. The Contractor shall be solely responsible for the adequacy of his plant and equipment, prior approval of the Engineer notwithstanding.

G-1.03 PUBLIC UTILITY INSTALLATIONS AND STRUCTURES

Public utility installations and structures shall be understood to include all poles, tracks, pipes, wires, conduits, house service connections, vaults, manholes, and all other appurtenances and facilities pertaining thereto whether owned or controlled by the City, other governmental bodies or privately owned by individuals, firms, or corporations, and used to serve the public with transportation, traffic control, gas, electricity, telephone, sewerage, drainage, water or other public or private property which may be affected by the work.

The Contract Documents contain data relative to existing public utility installations and structures above and below the ground surface. These data are not guaranteed as to their completeness or accuracy and it is the responsibility of the Contractor to make his own investigations to inform himself fully of the character, condition and extent of all such installations and structures as may be encountered and as may affect the construction operations.

The Contractor shall protect all public utility installations and structures from damage during the work. Access across any buried public utility installation or structure shall be made only in such locations and by means approved by the Engineer. The Contractor shall so arrange his operations as to avoid any damage to these facilities. All required protective devices and construction shall be provided by the Contractor at his expense. All existing public utilities damaged by the Contractor which are shown on the Plans or have been located in the field by the utility shall be repaired by the Contractor, at his expense, as directed by the Engineer. No separate payment shall be made for such protection or repairs to public utility installations or structures.

Public utility installations or structures owned or controlled by the City or other governmental body which are shown on the Plans to be removed, relocated, replaced or rebuilt by the Contractor shall be considered as a part of the general cost of doing the work and shall be included in the prices bid for the various Contract Items. No separate payment shall be made therefor.

Where public utility installations or structures owned or controlled by the City or other governmental body are encountered during the course of the work, and are not indicated on the Plans or in the Specifications, and when, in the opinion of the Engineer, removal, relocation, replacement or rebuilding is necessary to complete the work under this Contract, such work shall be accomplished by the utility having jurisdiction or such work may be ordered, in writing by the Engineer, for the Contractor to accomplish. If such work is accomplished by the utility having jurisdiction it will be carried out expeditiously and the Contractor shall give full cooperation to permit the utility to complete the removal, relocation, replacement or rebuilding as required. If such work is accomplished by the Contractor, it will be paid for as extra work as provided for in Article 7.02 of the Agreement.

The Contractor shall, at all times in performance of the work, employ approved methods and exercise reasonable care and skill so as to avoid unnecessary delay, injury, damage or destruction of public utility installations and structures; and shall, at all times in the performance of the work, avoid unnecessary interference with, or interruption of, public utility services, and shall cooperate fully with the owners thereof to that end.

All City and other governmental utility departments and other owners of public utilities, which may be affected by the work, will be informed in writing by the Engineer within two weeks after the execution of the Contract or Contracts covering the work. Such notice will set out, in general, and direct attention to, the responsibilities of the City and other governmental utility departments and other owners of public utilities for such installations and structures as may be affected by the work and will be accompanied by one set of Plans and Specifications covering the work under such Contract or Contracts.

In addition to the general notice given by the Engineer, the Contractor shall give written notice to all City and other governmental utility departments and other owners of public utilities of the location of his proposed construction operations, at least forty-eight (48) hours in advance of breaking ground in any area or on any unit of the work. This can be accomplished by making the appropriate contact with the "Underground Utility Notification Center for Excavators (Call Candy)".

The maintenance, repair, removal, relocation, or rebuilding of public utility installations and structures, when accomplished by the Contractor as herein provided, shall be done by methods approved by the Engineer.

SECTION 2 PLANS AND SPECIFICATIONS

G-2.01 PLANS

The Plans referred to in the Contract Documents bear the general project name and number as shown in the Notice To Bidders.

When obtaining data and information from the Plans, figures shall be used in preference to scaled dimensions, and large scale drawings in preference to small scale drawings.

G-2.02 COPIES FURNISHED TO CONTRACTOR

After the Contract has been executed, the Contractor will be furnished with five sets of paper prints, the same size as the original drawings, of each sheet of the Plans and five copies of the Specifications. Additional copies of the Plans and Specifications, when requested, may be furnished to the Contractor at cost of reproduction.

The Contractor shall furnish each of the subcontractors, manufacturers, and material suppliers such copies of the Contract Documents as may be required for his work.

G-2.03 SUPPLEMENTARY DRAWINGS

When, in the opinion of the Engineer, it becomes necessary to explain more fully the work to be done or to illustrate the work further or to show any changes which may be required, drawings known as Supplementary Drawings, with specifications pertaining thereto, will be prepared by the Engineer and five paper prints thereof will be given to the Contractor.

The Supplementary Drawings shall be binding upon the Contractor with the same force as the Plans. Where such Supplementary Drawings require either less or more than the estimated quantities of work, credit to the City or compensation therefor to the Contractor shall be subject to the terms of the Agreement.

G-2.04 CONTRACTOR TO CHECK PLANS AND DATA

The Contractor shall verify all dimensions, quantities, and details shown on the Plans, Supplementary Drawings, Schedules, Specifications, or other data received from the Engineer, and shall notify him of all errors, omissions, conflicts, and discrepancies found therein. Failure to discover or correct errors, conflicts or discrepancies shall not relieve the Contractor of full responsibility for unsatisfactory work, faulty construction or improper operation resulting therefrom nor from rectifying such conditions at his own expense. He will not be allowed to take advantage of any errors or omissions as full instructions will be furnished by the Engineer, should such errors or omissions be discovered. All schedules are given for the convenience of the Engineer and the Contractor and are not guaranteed to be complete. The Contractor shall assume all responsibility for the making of estimates of the size, kind, and quality of materials and equipment included in work to be done under the Contract.

G-2.05 SPECIFICATIONS

The specifications consist of four parts, the General Provisions, the Technical Specifications, the Special Provisions and the Contract Items. The General Provisions and Technical Specifications contain general requirements which govern the work. The Special Provisions and the Contract Items modify and supplement these by detailed requirements for the work and shall always govern, whenever there appears to be conflict.

G-2.06 INTENT

All work called for in the Specifications applicable to this Contract, but not shown on the Plans in their present form, or vice versa, shall be of like effect as if shown or mentioned in both. Work not specified in either the Plans or in the Specifications, but involved in carrying out their intent or in the complete and proper execution of the work, is required and shall be performed by the Contractor as though it were specifically delineated or described.

The apparent silence of the Specifications as to any detail, or the apparent omission from them of a detailed description concerning any work to be done and materials to be furnished, shall be regarded as meaning that only the best general practice is to prevail and that only material and workmanship of the best quality is to be used, and interpretation of these Specifications shall be made upon that basis.

SECTION 3 WORKING DRAWINGS

G-3.01 SCOPE

The Contractor shall promptly prepare and submit layout, detail and shop drawings to insure proper construction, assembly, and installation of the work using those materials and methods as hereafter specified under the Technical Specifications, Special Provisions and Contract Items. These drawings shall accurately and distinctly present the following:

- a. All working and erection dimensions.
- b. Arrangements and sectional views.

c. Necessary details, including complete information for making connections between work under this Contract and work under other Contracts.

- d. Kinds of materials and finishes.
- e. Parts listed and description thereof.

Drawings for mechanical equipment shall present, where applicable, such data as dimensions, weight and performance characteristics. These data shall show conformance with the performance characteristics and other criteria incorporated in the Plans and Specifications.

Each drawing shall be dated and shall contain the name of the project, Division number and description, the technical specifications section number, names of equipment or materials and the location at which the equipment or materials are to be installed. Location shall mean both physical location and location relative to other connected or attached material. The Engineer will return unchecked any submittal which does not contain complete data on the work and full information on related matters.

Stock or standard drawings will not be accepted for review unless full identification and supplementary information is shown thereon in ink or typewritten form.

The Contractor shall review all working drawing submittals before transmitting them to the Engineer to determine that they comply with requirements of the Specifications. Drawings which are incomplete or are not in compliance with the Contract Documents shall not be submitted for processing by the Engineer. The Contractor shall place his stamp of approval on all working drawings submitted to the Engineer to indicate compliance with the above.

G-3.02 APPROVAL

If the working drawings show departures from the Contract requirements, the Contractor shall make specific mention thereof in his letter of submittal; otherwise approval of such submittals shall not constitute approval of the departure. Approval of the drawings shall constitute approval of the subject matter thereof only and not of any structure, material, equipment, or apparatus shown or indicated.

The approval of drawings will be general and shall not relieve the Contractor of responsibility for the accuracy of such drawings, nor for the proper fitting and construction of the work, nor for the furnishing of materials or work required by the Contract and not indicated on the drawings. No work called for by working drawings shall be done until such drawings have been approved by the Engineer.

The procedure in seeking approval of the working drawings shall be as follows:

1. The Contractor shall submit four complete sets of drawings

and other descriptive data together with one copy of a letter of transmittal to the Engineer for approval. The letter of transmittal shall contain the name of the project, contract number, technical specifications section number, the name of the Contractor, a list of drawings with numbers and titles, and any other pertinent information.

2.Drawings or descriptive data will be stamped "Approved", "Approved Subject to Corrections Marked", or "Examined and Returned for Correction" and one copy with a letter of transmittal will be returned to the Contractor.

3.If a drawing or other data is stamped "Approved", the Contractor shall insert the date of approval on five additional copies of the document and transmit the five copies to the Engineer together with one copy of a letter of transmittal containing substantially the same information as described in Instruction 1. above.

4.If a drawing or other data is stamped "Approved Subject to Corrections Marked", the Contractor shall make the corrections indicated and proceed as in Instruction 3., above.

5.If a drawing or data is stamped "Examined and Returned for Correction", the Contractor shall make the necessary corrections and resubmit the documents as set forth in Instruction 1., above. The letter of transmittal shall indicate that this is a resubmittal.

The Contractor shall revise and resubmit the working drawings as required by the Engineer, until approval thereof is obtained.

SECTION 4 MATERIALS AND EQUIPMENT

G-4.01 GENERAL REQUIREMENTS

All materials, appliances, and types or methods of construction shall be in accordance with the Specifications and shall, in no event, be less than that necessary to conform to the requirements of any applicable laws, ordinances, and codes.

All materials and equipment shall be new, unused, and correctly designed. They shall be of standard first grade quality, produced by expert personnel, and intended for the use for which they are offered. Materials or equipment which, in the opinion of the Engineer, are inferior or of a lower grade than indicated, specified, or required will not be accepted.

The quality of Workmanship and Materials entering into the work under this Contract shall conform to the requirements of the pertinent sections, clauses, paragraphs, and sentences, both directly and indirectly applicable thereto, of that part of the Technical Specifications, whether or not direct reference to such occurs in the Contract Items.

Equipment and appurtenances shall be designed in conformity with ANSI, ASME, IEEE, NEMA and other

generally accepted standards and shall be of rugged construction and of sufficient strength to withstand all stresses which may occur during fabrication, testing, transportation, installation, and all conditions of operation. All bearings and moving parts shall be adequately protected against wear by bushings or other approved means and shall be fully lubricated by readily accessible devices. Details shall be designed for appearance as well as utility. Protruding members, joints, corners, gear covers, and the like, shall be finished in appearance. All exposed welds shall be ground smooth and the corners of structural shapes shall be mitered.

Equipment shall be of the approximate dimensions as indicated on the Plans or as specified, shall fit the spaces shown on the Plans with adequate clearances, and shall be capable of being handled through openings provided in the structure for this purpose. The equipment shall be of such design that piping and electrical connections, ductwork, and auxiliary equipment can be assembled and installed without causing major revisions to the location or arrangement of any of the facilities.

Machinery parts shall conform exactly to the dimensions shown on the working drawings. There shall be no more fitting or adjusting in setting up a machine than is necessary in assembling high grade apparatus of standard design. The equivalent parts of identical machines shall be made interchangeable. All grease lubricating fittings on equipment shall be of a uniform type. All machinery and equipment shall be safeguarded in accordance with the safety codes of the ANSI and applicable state and local codes.

G-4.02 MANUFACTURER

The names of proposed manufacturers, suppliers, material, and dealers who are to furnish materials, fixtures, equipment, appliances or other fittings shall be submitted to the Engineer for approval, as early as possible, to afford proper investigation and checking. Such approval must be obtained before shop drawings will be checked. No manufacturer will be approved for any materials to be furnished under this Contract unless he shall be of good reputation and have a plant of ample capacity. He shall, upon the request of the Engineer, be required to submit evidence that he has manufactured a similar product to the one specified and that it has been previously used for a like purpose for a sufficient length of time to demonstrate its satisfactory performance.

All transactions with the manufacturers or subcontractors shall be through the Contractor, unless the Contractor shall request, in writing to the Engineer, that the manufacturer or subcontractor deal directly with the Engineer. Any such transactions shall not in any way release the Contractor from his full responsibility under this Contract.

Any two or more pieces of material or equipment of the same kind, type or classification, and being used for identical types of service, shall be made by the same manufacturer.

G-4.03 REFERENCE TO STANDARDS

Whenever reference is made to the furnishing of materials or

testing thereof to conform to the standards of any technical society, organization or body, it shall be construed to mean the latest standard, code, specification or tentative specification adopted and published at the date of advertisement for proposals, even though reference has been made to an earlier standard, and such standards are made a part hereof to the extent which is indicated or intended.

Reference to a technical society, organization or body may be made in the Specifications by abbreviations, in accordance with the following list:

AASHTO for American Association of State Highway and Transportation Officials (formerly AASHO)

ACI for American Concrete Institute

AGMA for American Gear Manufacturer's Association AFBMA for Anti-Friction Bearing Manufacturer's Association

AISC for American Institute of Steel Construction

AISI for American Iron and Steel Institute

ANSI for American National Standards Institute

ASCE for American Society of Civil Engineers

ASTM for American Society for Testing and Materials

ASME for American Society of Mechanical Engineers

AWS for American Welding Society

AWWA for American Water Works Association

AWPA for American Wood Preservers Association

CEMA for Conveyor Equipment Manufacturers Association

CIPRA for Cast Iron Pipe Research Association

IEEE for Institute of Electrical and Electronic Engineers

IPCEA for Insulated Power Cable Engineers Association

NEC for National Electrical Code

NEMA for National Electrical Manufacturers Association

SAE for Society of Automotive Engineers

SHBI for Steel Heating Boiler Institute

Fed.Spec. for Federal Specifications

Navy Spec. for Navy Department Specifications

U.L.,Inc. for Underwriters' Laboratories, Inc.

When no reference is made to a code, standard or specification, the Standard Specifications of the ANSI, the ASME, the ASTM, the IEEE, or the NEMA shall govern.

G-4.04 SAMPLES

The Contractor shall, when required, submit to the Engineer for approval typical samples of materials and equipment. The samples shall be properly identified by tags and shall be submitted sufficiently in advance of the time when they are to be incorporated into the work, so that rejections thereof will not cause delay. A letter of transmittal, in duplicate, from the Contractor requesting approval must accompany all such samples.

G-4.05 EQUIVALENT QUALITY

Whenever, in the Contract Documents, an article, material, apparatus, equipment, or process is called for by trade name or by the name of a patentee, manufacturer, or dealer or by reference to catalogs of a manufacturer or dealer, it shall be understood as intending to mean and specify the article, material, apparatus, equipment or process designated, or any equal thereto in quality, finish, design, efficiency, and durability and equally serviceable for the purposes for which it is intended.

Whenever material or equipment is submitted for approval as being equal to that specified, the decision as to whether or not such material or equipment is equal to that specified shall be made by the Engineer.

Upon rejection of any material or equipment submitted as the equivalent of that specifically named in the Contract, the Contractor shall immediately proceed to furnish the designated material or equipment.

Neither the approval by the Engineer of alternate material or equipment as being equivalent to that specified nor the furnishing of the material or equipment specified, shall in any way relieve the Contractor of responsibility for failure of the material or equipment, due to faulty design, material, or workmanship, to perform the functions required of them by the Specifications.

G-4.06 DELIVERY

The Contractor shall deliver materials in ample quantities to insure the most speedy and uninterrupted progress of the work so as to complete thw work within the allotted time. The Contractor shall also coordinate deliveries in order to avoid a delay in, or impediment of, the progress of the work of any related Contractor.

G-4.07 CARE AND PROTECTION

The Contractor shall be solely responsible for properly storing and protecting all materials, equipment, and work furnished under the Contract from the time such materials and equipment are delivered at the site of the work until final acceptance thereof. He shall, at all times, take necessary precautions to prevent injury or damage by water, freezing, or by inclemencies of the weather to such materials, equipment and work. All injury or damage to materials, equipment, or work resulting from any cause whatsoever shall be made good by the Contractor.

The Engineer shall, in all cases, determine the portion of the site to be used by the Contractor for storage, plant or for other purposes. If, however, it becomes necessary to remove and restack materials to avoid impeding the progress of any part of the work or interference with the work to be done by any other Contractor, the Contractor shall remove and restack such materials at his own expense.

G-4.08 TOOLS AND ACCESSORIES

The Contractor shall, unless otherwise stated in the Contract Documents, furnish with each type, kind or size of equipment, one complete set of suitably marked high grade special tools and appliances which may be needed to adjust, operate, maintain, or repair the equipment. Such tools and appliances shall be furnished in approved painted steel cases, properly labeled and equipped with good grade cylinder locks and duplicate keys.

Spare parts shall be furnished as specified.

Each piece of equipment shall be provided with a substantial nameplate, securely fastened in place and clearly inscribed with the manufacturer's name, year of manufacture, serial number, weight and principal rating data.

G-4.09 INSTALLATION OF EQUIPMENT

The Contractor shall have on hand sufficient proper equipment and machinery of ample capacity to facilitate the work and to handle all emergencies normally encountered in work of this character.

Equipment shall be erected in a neat and workmanlike manner on the foundations at the locations and elevations shown on the Plans, unless directed otherwise by the Engineer during installation. All equipment shall be correctly aligned, leveled and adjusted for satisfactory operation and shall be installed so that proper and necessary connections can be made readily between the various units.

The Contractor shall furnish, install and protect all necessary anchor and attachment bolts and all other appurtenances needed for the installation of the devices included in the equipment specified. Anchor bolts shall be as approved by the Engineer and made of ample size and strength for the purpose intended. Substantial templates and working drawings for installation shall be furnished.

The Contractor shall, at his own expense, furnish all materials and labor for, and shall properly bed in non-shrink grout, each piece of equipment on its supporting base that rests on masonry foundations. Grout shall completely fill the space between the equipment base and the foundation.

G-4.10 OPERATING INSTRUCTIONS

The Contractor, through qualified individuals, shall adequately instruct designated employees of the City in the operation and care of all equipment installed hereunder, except for equipment that may be furnished by the City.

The Contractor shall also furnish and deliver to the Engineer three complete sets for permanent files, identified in accordance with Subsection G-3.01 hereof, of instructions, technical bulletins and any other printed matter, such as diagrams, prints or drawings, containing full information required for the proper operation, maintenance, and repair, of the equipment installed and the ordering of spare parts, except for equipment that may be furnished by the City.

In addition to the above three copies, the Contractor shall furnish any additional copies that may be required for use during construction and start-up operations.

G-4.11 SERVICE OF MANUFACTURER'S ENGINEER

The Contract prices for equipment shall include the cost of furnishing a competent and experienced engineer or superintendent who shall represent the manufacturer and shall assist the Contractor, when required, to install, adjust, test and place in operation the equipment in conformity with the Contract Documents. After the equipment is placed in permanent operation by the City, such engineer or superintendent shall make all adjustments and tests required by the Engineer to provide that such equipment is in proper and satisfactory operating condition, and shall instruct such personnel as may be designated by the City in the proper operation and maintenance of such equipment.

SECTION 5 INSPECTION AND TESTING

G-5.01 GENERAL

The Contractor's attention is hereby directed to Article 3.03 of the Agreement.

Inspection and testing of materials will be performed by the City unless otherwise specified.

For tests specified to be made by the Contractor, the testing personnel shall make the necessary inspections and tests and the reports thereof shall be in such form as will facilitate checking to determine compliance with the Contract Documents. Five copies of the reports shall be submitted and authoritative certification thereof must be furnished to the Engineer as a prerequisite for the acceptance of any material or equipment.

If, in the making of any test of any material or equipment, it is ascertained by the Engineer that the material or equipment does not comply with the Contract, the Contractor will be notified thereof and he will be directed to refrain from delivering said material and equipment, or to remove it promptly from the site or from the work and replace it with acceptable material, without cost to the City.

Tests of electrical and mechanical equipment and appliances shall be conducted in accordance with recognized test codes of the ANSI, ASME, or the IEEE, except as may otherwise be stated herein.

The Contractor shall be fully responsible for the proper operation of equipment during tests and instruction periods and shall neither have nor make any claim for damage which may occur to equipment prior to the time when the City formally takes over the operation thereof.

G-5.02 COSTS

All inspection and testing of materials furnished under this Contract will be performed by the City or duly authorized inspection engineers or inspection bureaus without cost to the Contractor, unless otherwise expressly specified.

The cost of shop and field tests of equipment and of certain other tests specifically called for in the Contract Documents shall be borne by the Contractor and such costs shall be deemed to be included in the contract price.

Materials and equipment submitted by the Contractor as the equivalent to those specifically named in the Contract may be tested by the City for compliance. The Contractor shall reimburse the City for the expenditures incurred in making such tests on materials and equipment which are rejected for noncompliance.

G-5.03 INSPECTIONS OF MATERIALS

The Contractor shall give notice, in writing to the Engineer, sufficiently in advance of his intention to commence the manufacture or preparation of materials especially manufactured or prepared for use in or as part of the permanent construction. Such notice shall contain a request for inspection, the date of commencement and the expected date of completion of the manufacture or preparation of materials. Upon receipt of such notice the Engineer will arrange to have a representative present at such times during the manufacture as may be necessary to inspect the materials or he will notify the Contractor that inspection will be made at a point other than the point of manufacture, or he will notify the Contractor that inspection will be waived. The Contractor must comply with these provisions before shipping any material. Such inspection shall not release the Contractor from the responsibility for furnishing materials meeting the requirements of the Contract Documents.

G-5.04 CERTIFICATE OF MANUFACTURE

When inspection is waived or when the Engineer so requires, the Contractor shall furnish to him authoritative evidence in the form of Certificates of Manufacture that the materials to be used in the work have been manufactured and tested in conformity with the Contract Documents. These certificates shall be notarized and shall include copies of the results of physical tests and chemical analyses, where necessary, that have been made directly on the product or on similar products of the manufacturer.

G-5.05 SHOP TESTS OF OPERATING EQUIPMENT

Each piece of equipment for which pressure, duty, capacity, rating, efficiency, performance, function, or special requirements are specified shall be tested in the shop of the maker in a manner which shall conclusively prove that its characteristics comply fully with the requirements of the Contract Documents. No such equipment shall be shipped to the work until the Engineer notifies the Contractor, in writing, that the results of such tests are acceptable.

Five copies of the manufacturer's actual test data and interpreted results thereof, accompanied by a certificate of authenticity sworn to by a responsible official of the manufacturing company, shall be forwarded to the Engineer for approval.

The cost of the shop tests and of furnishing manufacturer's preliminary and shop test data of operating equipment shall be borne by the Contractor.

G-5.06 PRELIMINARY FIELD TESTS

As soon as conditions permit, the Contractor shall furnish all labor, materials, and instruments and shall make preliminary field tests of equipment. If the preliminary field tests disclose any equipment furnished under this Contract which does not comply with the requirements of the Contract Documents, the Contractor shall, prior to the acceptance tests, make all changes, adjustments, and replacements required.

G-5.07 FINAL FIELD TESTS

Upon completion of the work and prior to final payment, all equipment and appliances installed under this Contract shall be subjected to acceptance tests as specified or required to prove compliance with the Contract Documents.

The Contractor shall furnish labor, fuel, energy, water and all other materials, equipment, and instruments necessary for all acceptance tests, at no additional cost to the City.

G-5.08 FAILURE OF TESTS

Any defects in the materials and equipment or their failure to meet the tests, guarantees or requirements of the Contract Documents shall be promptly corrected by the Contractor by replacements or otherwise. The decision of the Engineer as to whether or not the Contractor has fulfilled his obligations under the Contract shall be final and conclusive. If the Contractor fails to make those corrections or if the improved materials and equipment, when tested, shall again fail to meet the guarantees or specified requirements, the City, notwithstanding its partial payment for work, and materials and equipment, may reject the materials and equipment and may order the Contractor to remove them from the site at his own expense.

In case the City rejects any materials and equipment, then the Contractor shall replace the rejected materials and equipment within a reasonable time. If he fails to do so, the City may, after the expiration of a period of thirty calendar days after giving him notice in writing, proceed to replace such rejected materials and equipment, and the cost thereof shall be deducted from any compensation due or which may become due the Contractor under this Contract.

The City agrees to obtain other equipment within a reasonable time and the Contractor agrees that the City may use the equipment furnished by him without rental or other charges until the new equipment is obtained.

Materials or work in place that fails to pass acceptability tests shall be retested at the direction of the construction engineer all such retests shall be at the Contractor's expense. The rates charged shall be in accordance with the Department of Public Works current annual inspection contract which is available for inspection at the offices of the Department of Public Works.

G-5.09 FINAL INSPECTION

The procedures for final inspection shall be in accordance with the provisions of Article 4.07 of the Agreement. During such final inspections, the work shall be clean and free from water. In no case will the final estimate be prepared until the Contractor has complied with all the requirements set forth and the Engineer has made his final inspection of the entire work and is satisfied that the entire work is properly and satisfactorily cosntructed in accordance with the requirements of the Contract Documents.

SECTION 6

TEMPORARY STRUCTURES

G-6.01 GENERAL

All false work, scaffolding, ladders, hoistways, braces, pumping plants, shields, trestles, roadways, sheeting, centering forms, barricades, drains, flumes, and the like, any of which may be needed in the construction of any part of the work and which are not herein described or specified in detail, must be furnished, maintained and removed by the Contractor, and he shall be responsible for the safety and efficiency of such works and for any damages that may result from their failure or from their improper construction, maintenance, or operation.

G-6.02 PUBLIC ACCESS

At all points in the work where public access to any building, house, place of business, public road, or sidewalk would be obstructed by any action of the Contractor in executing the work required by this Contract, the Contractor shall provide such temporary structure, bridges or roadway as may be necessary to maintain public access at all times. At least one lane for vehicular traffic shall be maintained in streets in which the Contractor is working. Street closure permits are required from the Department of Public Works.

The Contractor shall provide suitable temporary bridges, as directed by the Engineer, at street intersections when necessary for the maintenance of vehicular and pedestrian traffic.

Prior to temporarily cutting of access to driveways and garages, the Contractor shall give twelve (12) hours notice to affected property owners. Interruptions to use of private driveways shall be kept to a minimum.

G-6.03 CONTRACTOR'S FIELD OFFICE

The Contractor shall erect, furnish and maintain a field office with a telephone at the site during the entire period of construction. He or an authorized agent shall be present at this office at all times while his work is in progress. Readily accessible copies of both the Contract Documents and the latest approved working drawings shall be kept at this field office.

G-6.04 TEMPORARY FENCE

If, during the course of the work, it is necessary to remove or disturb any fence or part thereof, the Contractor shall, at his own expense, if so ordered by the Engineer, provide a suitable temporary fence which shall be maintained until the permanent fence is replaced. The Engineer shall be solely responsible for the determination of the necessity for providing a temporary fence and the type of temporary fence to be used.

G-6.05 RESPONSIBILITY FOR TEMPORARY STRUCTURES

In accepting the Contract, the Contractor assumes full responsibility for the sufficiency and safety of all temporary structures or work and for any damage which may result from their failure or their improper construction, maintenance, or operation and will indemnify and save harmless the City from all claims, suits or actions and damages or costs of every description arising by reason of failure to comply with the above provisions.

SECTION 7 TEMPORARY SERVICES

G-7.01 WATER

The Contractor shall provide the necessary water supply at his own expense. He shall, if necessary, provide and lay necessary waterlines from existing mains to the place of using, shall secure all necessary permits and pay for all taps to water mains or hydrants and for all water used at the established rates.

G-7.02 LIGHT AND POWER

The Contractor shall provide, at his own expense, temporary lighting and power facilities required for the proper prosecution and inspection of the work. If, in the opinion of the Engineer, these facilities are inadequate, the Contractor will not be permitted to proceed with any portion of the work affected thereby.

G-7.03 SANITARY REGULATIONS

The Contractor shall prohibit and prevent the committing of nuisances on the site of the work or on adjoining property and shall discharge any employee who violates this rule.

Ample washrooms and toilet facilities and a drinking water supply shall be furnished and maintained in strict conformity with the law by the Contractor for use by his employees.

G-7.04 ACCIDENT PREVENTION

Precautions shall be exercised at all times for the protection of persons and property. The safety provisions of applicable laws, building and construction codes shall be observed. The Contractor shall comply with the U. S. Department of Labor Safety and Health Regulations for construction promulgated under the Occupational Safety and Health Act of 1970 (PL 91-596), and under Section 107 of the Contract Work. Hours and Safety Standards Act (PL 91-54), except where state and local safety standards exceed the federal requirements and except where state safety standards have been approved by the Secretary of Labor in accordance with provisions of the Occupational Safety and Health Act.

G-7.05 FIRST AID

The Contractor shall keep upon the site, at each location where work is in progress, a completely equipped first aid kit and shall provide ready access thereto at all times when men are employed on the work.

G-7.06 HEATING

The Contractor shall provide temporary heat, at his own expense, whenever required on account of work being carried on during cold weather and to prevent freezing of water pipes and other damage to the work.

SECTION 8

LINES AND GRADES

G-8.01 GENERAL

All work done under this Contract shall be constructed in accordance with the lines and grades shown on the Plans, or as given by the Engineer. The full responsibility for keeping alignment and grade shall rest upon the Contractor.

The Engineer will establish bench marks and base line controlling points. Reference remarks for lines and grades as the work progresses will be located to cause as little inconvenience to the prosecution of the work as possible. The Contractor shall so place excavation and other materials as to cause no inconvenience in the use of the use of the reference marks provided. He shall remove any obstructions placed by him contrary to this provision.

G-8.02 SURVEYS

The Contractor shall furnish and maintain, at his own expense, stakes and other such materials, and give such assistance, including qualified helpers, as may be required by the Engineer for setting reference marks. The Contractor shall check such reference marks by such means as he may deem necessary and, before using them, shall call the Engineer's attention to any inaccuracies. The Contractor shall, at his own expense, establish all working or construction lines and grades as required from the reference marks set by the Engineer, and shall be solely responsible for the accuracy thereof. He shall, however, be subject to the check and review of the Engineer.

The Contractor shall keep the Engineer informed a reasonable time in advance as to his need for line and grade reference marks, in order that they may be furnished and all necessary measurements made for record and payment with the minimum of inconvenience to the Engineer or of delay to the Contractor.

It is the intention not to delay the work for the establishment of reference marks but, when necessary, working operations shall be suspended for such reasonable time as the Engineer may require for this purpose.

G-8.03 SAFEGUARDING MARKS

The Contractor shall safeguard all points, stakes, grade marks, monuments and bench marks made or established on the work, bear the cost of reestablishing them if disturbed, and bear the entire expense of rectifying work improperly installed due to not maintaining or protecting or to removing without authorization such established points, stakes and marks.

The Contractor shall safeguard all existing and known property corners, monuments and marks adjacent to but not related to the work and, if required, shall bear the cost of reestablishing them if disturbed or destroyed.

G-8.04 DATUM PLANE

All elevations indicated or specified refer to the Mean Sea Level Datum of the U.S.C. & G.S. (N.O.S.) which is 0.80 feet above the Mean Low Water Datum of the U. S. Army

SECTION 9 ADJACENT STRUCTURES AND LANDSCAPING

G-9.01 RESPONSIBILITY

The responsibility for removal, replacement, relocation, repair, rebuilding or protection of all public utility installations, including poles, tracks, pipes, wires, conduits, house service connections, vaults, manholes, sewers, traffic control and fire alarm signal circuit installations and other appurtenances and facilities shall be in accordance with G-1.02 and G-1.03.

The Contractor shall also be entirely responsible and liable for all damage or injury as a result of his operations to all other adjacent public and private property, structures of any kind and appurtenances thereto met with during the progress of the work. The cost of protection, replacement in their original locations and conditions or payment of damages for injuries to such adjacent public and private property and structures affected by the work, whether or not shown on the Plans, and the removal, relocation, and reconstruction of such items called for on the Plans or specified shall be included in the various Contract Items and no separate payment will be made therefor. Where such public and private property, structures of any kind and appurtenances thereto are not shown on the Plans and when, in the opinion of the Engineer, removal or relocation and reconstruction is necessary to avoid interference with the work, payment therefor will be made as provided for extra work in Article 7.02 of the Agreement.

G-9.02 PROTECTION OF TREES

All trees and shrubs shall be adequately protected by the Contractor with boxes or otherwise and, within the City of Tampa, in accordance with ordinances governing the protection of trees. No excavated materials shall be placed so as to injure such trees or shrubs. Trees or shrubs destroyed by negligence of the Contractor or his employees shall be replaced by him with new stock of similar size and age, at the proper season, and at the sole expense of the Contractor.

Beneath trees or other surface structures, where possible, pipelines may be built in short tunnels, backfilled with excavated materials, except as otherwise specified, or the trees or structures carefully supported and protected from damage.

The City may order the Contractor, for the convenience of the City, to remove trees along the line of trench excavation. If so ordered, the City will obtain any permits required for removal of trees. Such tree removal ordered shall be paid for under the appropriate Contract Items.

G-9.03 LAWN AREAS

Lawn areas shall be left in as good condition as before the starting of the work. Where sod is to be removed, it shall be carefully removed and later replaced, or the area where sod has been removed shall be restored with new sod in the manner described in the Technical Specifications section.

G-9.04 RESTORATION OF FENCES

Any fence, or part thereof, that is damaged or removed during the course of the work shall be replaced or repaired by the Contractor and shall be left in as good a condition as before the starting of the work. The manner in which the fence is repaired or replaced and the materials used in such work shall be subject to the approval of the Engineer. The cost of all labor, materials, equipment, and work for the replacement or repair of any fence shall be deemed included in the appropriate Contract Item or Items, or if no specific Item is provided therefor, as part of the overhead cost of the work, and no additional payment will be made therefor.

SECTION 10 PROTECTION OF WORK AND PUBLIC

G-10.01 TRAFFIC REGULATIONS

The Contractor shall arrange his work to comply with Article G-6.02. The work shall be done with the least possible inconvenience to the public and to that end the work may be confined by the Engineer to one block at a time.

G-10.02 BARRIERS AND LIGHTS

During the prosecution of the work, the Contractor shall put up and maintain at all times such barriers, and lights, as will effectually prevent accidents. The Contractor shall provide suitable barricades, red lights, "danger" or "caution" or "street closed" signs and watchmen at all places where the work causes obstructions to the normal traffic or constitutes in any way a hazard to the public. Such barriers and signs shall be constructed to State of Florida Department of Transportation standards and placed as recommended by the Traffic Division of the City's Department of Public Works.

No open fires will be permitted.

G-10.03 SMOKE PREVENTIONS

The Contractor shall use hard coal, coke, oil or gas as fuel for equipment generating steam. A strict compliance with ordinances regulating the production and emission of smoke will be required.

G-10.04 NOISE

The Contractor shall eliminate noise to as great an extent as practicable at all times. Air compressing plants shall be equipped with silencers and the exhaust of all gasoline motors or other power equipment shall be provided with mufflers. In the vicinity of hospitals and schools, special care shall be used to avoid noise or other nuisances. The Contractor shall strictly observe all local regulations and ordinances covering noise control.

Except in the event of an emergency, no work shall be done between the hours of 7:00 p.m. and 7:00 a.m., or on Sundays. If the proper and efficient prosecution of the work requires operations during the night, the written permission of the Engineer shall be obtained before starting such items of the work.

G-10.05 ACCESS TO PUBLIC SERVICES

Neither the materials excavated nor the materials or plant used in the construction of the work shall be so placed as to prevent free access to all fire hydrants, valves or manholes.

G-10.06 DUST PREVENTION

The Contractor shall prevent dust nuisance from his operations or from traffic by keeping the streets sprinkled with water at all times.

G-10.07 PRIVATE PROPERTY

The Contractor shall so conduct the work that no equipment, material, or debris will be placed or allowed to fall upon private property in the vicinity of the work unless he shall have obtained the owner's written consent thereto and shall have shown this consent to the Engineer.

SECTION 11 SLEEVES AND INSERTS

G-11.01 COORDINATION

When the Contract requires the placing of conduits, saddles, boxes, cabinets, sleeves, inserts, foundation bolts, anchors, and other like work in floors, roofs, or walls of buildings and structures, they shall be promptly installed in conformity with the construction program. The Contractor who erects the floors, roofs, and walls shall facilitate such work by fully cooperating with the Contractors responsible for installing such appurtenances. The Contractor responsible for installing such appurtenances shall arrange the work in strict conformity with the construction schedule and avoid interference with the work of other contractors.

G-11.02 OPENINGS TO BE PROVIDED

In the event timely delivery of sleeves and other materials cannot be made and to avoid delay, the affected Contractor may arrange to have boxes or other forms set at the locations where the appurtenances are to pass through or into the floors, roofs, walls, or other work. Upon the subsequent installation of these appurtenances, the Contractor erecting the structure shall fill around them with materials as required by the Contract. The necessary expenditures incurred for the boxing out and filling in shall be borne by the Contractor or Contractors required to furnish the sleeves and inserts. Formed openings and later installation of sleeves will not be permitted at locations subject to hydrostatic pressure.

SECTION 12 CUTTING AND PATCHING

G-12.01 GENERAL

The Contractor shall do all cutting, fitting, or patching of his portion of the work that may be required to make the several parts thereof join and coordinate in a manner satisfactory to the Engineer and in accordance with the Plans and Specifications. The work must be done by competent workmen skilled in the trade required by the restoration.

SECTION 13 CLEANING

G-13.01 DURING CONSTRUCTION

During construction of the work, the Contractor shall, at all times, keep the site of the work and adjacent premises as free from material, debris, and rubbish as is practicable and shall remove the same from any portion of the site if, in the opinion of the Engineer, such material, debris, or rubbish constitutes a nuisance or is objectionable.

The Contractor shall remove from the site all of his surplus materials and temporary structures when no further need therefor develops.

G-13.02 FINAL CLEANING

At the conclusion of the work, all erection plant, tools, temporary structures and materials belonging to the Contractor shall be promptly taken away, and he shall remove and promptly dispose of all water, dirt, rubbish or any other foreign substances.

The Contractor shall thoroughly clean all equipment and materials installed by him and shall deliver such materials and equipment undamaged in a bright, clean, polished, and new appearing condition.

SECTION 14 MISCELLANEOUS

G-14.01 PROTECTION AGAINST SILTATION AND BANK EROSION

The Contractor shall arrange his operations to minimize siltation and bank erosion on construction sites and on existing or proposed watercourses and drainage ditches.

G-14.02 EXISTING FACILITIES

The work shall be so conducted to maintain existing facilities in operation insofar as is possible. Work shall be scheduled to minimize bypassing during construction. Requirements and schedules of operations for maintaining existing facilities in service during construction shall be as described in the Special Provisions.

G-14.03 USE OF CHEMICALS

All chemicals used during project construction or furnished for project operation, whether herbicide, pesticide, disinfectant, polymer, reactant or of other classification, must show approval of either EPA or USDA. Use of all such chemicals and disposal of residues shall be in strict conformance with instructions.

* * * * * * *



Page 1 of 2 –DMI Payment City of Tampa – DMI Sub-(Contractors/Consultants/Suppliers) Payments (FORM MBD-30)

[]Partial []F	inal			
Contract No.:	WO#,(if any): C e:Address: Phone: Fa Payment Request/Invoice N	ontract Name:		
Contractor Name	e: Address:			
Federal ID:	Phone: Fa	IX: E	mail:	
GC Pay Period:	Payment Request/Invoice N	lumber: (City Department:	
Total Amount Re	equested for pay period: \$ To	tal Contract Amount(inc	luding change orde	rs):\$
∖-Type of Owr	nership - (F=Female M=Male), BF BM = Afr	ican Am. HF HM = His	spanic Am. AF AN	1 = Asian Am., NF
NM A Native Am	., CF CM = Caucasian S = SLBE			
Туре	,			Amount To Be
Trade/Work		Total	Amount Paid	Paid
Activity		Total Sub Contract	To Date	For This Period
[]Sub		Or PO	Amount	
[]Supplier		Amount	Pending	Sub Pay Period
Federal ID			Previously	Ending Date
			Reported \$	\$
			Þ	Þ
			\$	\$
			\$	\$
			\$	\$
			Φ	Φ
			\$	\$
			\$	\$

(Modifying This Form or Failure to Complete and Sign May Result in Non-Compliance) Certification: I hereby certify that the above information is a true and accurate account of payments to sub – contractors/consultants on this contract.

Signed:	Name/Title:	Date:
DMI form 30 (rev. 02/01/2013)	Note: Detailed Instructions for completing	this form are on the next page



Page 2 of 2 – DMI Payment Instructions for completing The DMI Sub-(Contractors/Consultants/ Suppliers) Payment Form (Form MBD-30)

This form must be submitted with all invoicing or payment requests where there has been subcontracting rendered for the pay period. If applicable, after payment has been made to the subcontractor, "Waiver and Release of Lien upon Progress Payment", "Affidavit of Contractor in Connection with Final Payment", or an affidavit of payment must be submitted with the amount paid for the pay period. The following will detail what data is required for this form. The instructions that follow correspond to the headings on the form required to be completed. (Modifying or omitted information from this form my result in non-compliance).

- Contract No. This is the number assigned by the City of Tampa for the bid or proposal.
- W.O.# If the report covers a work order number (W.O.#) for the contract, please indicate it in that space.
- Contract Name. This is the name of the contract assigned by the City of Tampa for the bid or proposal.
- Contractor Name. The name of your business.
- Address. The physical address of your business.
- Federal ID. A number assigned to a business for tax reporting purposes.
- **Phone.** Telephone number to contact business.
- **Fax.** Fax number for business.
- **Email.** Provide email address for electronic correspondence.
- **Pay Period.** Provide start and finish dates for pay period. (e.g. 05/01/13 05/31/13)
- **Payment Request/Invoice Number.** Provide sequence number for payment requests. (ex. Payment one, write 1 in space, payment three, write 3 in space provided.)
- City Department. The City of Tampa department to which the contract pertains.
- Total Amount Requested for pay period. Provide all dollars you are expecting to receive for the pay period.
- Total Contract Amount (including change orders). Provide expected total contract amount. This includes any change orders that may increase or decrease the original contract amount.
- Signed/Name/Title/Date. This is your certification that the information provided on the form is accurate.
- See attached documents. Check if you have provided any additional documentation relating to the payment data. Located at the bottom middle of the form.
- Partial Payment. Check if the payment period is a partial payment, not a final payment. Located at the top right of the form.
- **Final Payment.** Check of this period is the final payment period. Located at the top right of the form.


The following instructions are for information of any and all subcontractors used for the pay period.

- (Type) of Ownership. Indicate the Ethnicity and Gender of the owner of the subcontracting business or SLBE.
- Trade/Work Activity. Indicate the trade, service, or material provided by the subcontractor.
- SubContractor/SubConsultant/Supplier. Please indicate status of firm on this contract.
- Federal ID. A number assigned to a business for tax reporting purposes. This information is critical in proper identification of the subcontractor.
- Company Name, Address, Phone & Fax. Provide company information for verification of payments.
- Total Subcontract Amount. Provide total amount of subcontract for subcontractor including change orders.
- Amount Paid To Date. Indicate all dollars paid to date for the subcontractor.
- Amount Pending, Previously Reported. Indicate any amount previously reported that payments are pending.
- Amount To Be Paid for this Period. Provide dollar amount of dollars requested for the pay period.
- Sub Pay Period Ending Date. Provide date for which subcontractor invoiced performed work.

Forms must be signed and dated or will be considered incomplete. The company authorized representative must sign and certify the information is true and accurate. Failure to sign this document or return the document unsigned can be cause for determining a company is in non-compliance of Ordinance 2008-89.

If any additional information is required or you have any questions, you may call the Minority Business Development Office at (813) 274-5522.

0 1 2 3 4 5 6 0 1 2 3 4 5 6 Building a Better Tampa Building a Better Tampa Building with MacDill Park. Suth edge of the CapTrust building with MacDill Park. \$1.5 Million investment \$2.5 Million investment \$1.5 Million investment \$1.5 Million investment \$2.5 Million investment \$1.5 Million <t< th=""></t<>
--



TECHNICAL SPECIFICATIONS

SECTION 02315 SITE EARTHWORK

PART 1: GENERAL

1.1 DESCRIPTION OF WORK

1.1.1 Furnish all materials, equipment and labor as necessary for the installation of clean fill material over existing grade as shown and specified. The work includes: site preparation, placement of clean fill material, and compaction of clean fill material.

1.1.2 Related Work:

See Section 02900: TREES, PLANTS AND GROUNDCOVERS See Section 02440: UNDERGROUND SPRINKLERS See Section 03010: CONCRETE WORK

1.2 RELATED DOCUMENTS:

1.2.1 Drawings and general provisions of Contract, including General Provisions, Supplementary General Provisions, Special Conditions, and Division -1 Specification sections apply to work specified in this section.

1.3 QUALITY ASSURANCE

1.3.1 Inclement weather: When fill operations are ceased due to weather, construction shall not be resumed until the Contractor has determined soil strength has not been adversely affected. If soil strength has been decreased, the affected portion of fill shall be re-scarified, moistened or dried as required, and re-compacted to the specified density.

1.3.2 Inspection: The Contractor shall conduct daily inspections and more often as needed to verify that the specifications are met for the installation of materials.

1.3.3 Utilities: Prior to work, Contractor shall verify the locations of all utilities which may be in the area.

1.3.4 Drainage: The Contractor shall be responsible for the proper drainage of the site during the construction of the site.

1.4 AWARDEE SUBMITTALS

- **1.4.1** General: Copies of all test results and field and office worksheets shall be furnished to the City within 72 hours after tests are complete.
- **1.4.2** Test Reports: The testing agency shall submit the following reports, in duplicate, directly to the City Representative from the testing services, with copy going to the Contractor.
 - **1.4.2.1** Test report on fill material for soil classification.
 - **1.4.2.2** Field density reports and map of test location(s).
 - **1.4.2.3** One optimum moisture-maximum density curve for each type of soil used for fill material.

- **1.4.2.4** Other reports of any testing hereinafter specified deemed necessary and requested by City of Tampa.
- **1.4.2.5** A test location plan shall be included with each submittal.

1.5 PROJECT CONDITIONS

1.5.1 Topographic survey: Topographic information provided on plan is incorporated from ESRI One Foot Contour layer, translated into AutoCAD from ArcMap.

- **1.5.2** Existing Utilities: Protect existing utilities, paving and other facilities from damage caused by fill operations.
- **1.5.3** Work notification: Notify City of Tampa representative at least 7 working days prior to start of fill work.

1.5.4 Protection of Persons and Property: Barricade work area as necessary to secure site from trespass at all times.

- **1.5.4.1** The Contractor shall protect, maintain, and restore, if necessary, bench marks, monuments, and other permanent reference points affected by this work. If bench marks, monuments, and other permanent reference points are displaced or destroyed, points shall be re-established and markers reset under supervision of a licensed Land Surveyor at Contractor's expense.
- **1.5.4.2** The Contractor shall protect structures, utilities, sidewalks, pavements, trees and other facilities from damage caused by fill operations. Provide erosion-control measures to prevent erosion or displacement of soils and discharge of soil-bearing water runoff.

PART 2 - PRODUCTS

2.1 MATERIALS

2.1.1 <u>Materials</u>: All fill materials shall be free from mud, refuse, construction debris, organic material, rock or gravel greater than 3 inches in any dimension.

2.1.2 <u>Unsuitable Materials</u>: Areas of the site that do not meet density requirements due to unsuitable material shall be excavated and replaced with approved material in accordance with Part 3 Execution.

PART 3 - EXECUTION

3.1 INSPECTION

3.1.1 Contractor shall examine proposed sod areas and conditions for installation including but not limited to finish surfaces, grades, topsoil quality and depth. Do not start planting work until unsatisfactory conditions are corrected.

3.2 PREPARATION

3.2.1 Clear and grub site to remove overgrowth, existing grass and weeds down to bare earth. Plow and/or scarify area so fill material will bond with existing material.

3.3 INSTALLATION

3.3.1 Place clean fill material as indicated on plans to fill north end of fenced dog park area. Place fill material in 6 inch lifts, compacting each lift lightly to settle material sufficiently to support sodding operations yet encourage root growth into fill material. Do not place fill material on surfaces that are muddy and/or too wet to compact as indicated.

3.3.2 Final grade of filled area shall be approximately 12" above original grade. Retain original direction of water runoff.

3.3.3 Final grading: After fill material is placed and compacted, fine grade area as noted in plans and specifications.

3.4 ACCEPTANCE

3.5.1 Inspection to determine acceptance of filled and graded area will be made by the City Representative, upon contractor's request. Provide notification at least 5 working days before requested inspection date.

3.5 CLEANING

3.7.1 Perform cleaning during installation of the work and upon completion of the work. Remove from site all excess materials, debris, and equipment. Repair damage resulting from fill operations.

END OF SECTION 02315

TECHNICAL SPECIFICATIONS SECTION 02900 TREEES, PLANTS AND GROUNDCOVERS

PART 1 - GENERAL

1.1 DESCRIPTION OF WORK

1.1.1 Furnish all materials, equipment and labor as necessary for preparation of planting areas, soil treatment, planting of shrubs and groundcover, protection of existing plants, maintenance, warranty and replacement of plants, and related items as required to complete the work as indicated on the drawings and specified herein.

1.2 **DEFINITIONS**:

The following words and terms or pronouns used instead must wherever they appear in these specifications, be construed as follows, unless a different meaning is clear from the context:

"Final Acceptance" must mean that point in time when all requirements of project drawings and specifications are completed, including any punch list items, to the satisfaction of the City Representative. The contractor must be notified in writing of final acceptance by a City Representative.

"Warranty Period" must be a six month period beginning at Final Acceptance.

"Maintenance Period" must begin when plant material is installed and continue for ninety (90) days after notification of Final Acceptance.

"Final Maintenance Inspection" must occur at the end of the ninety (90) day maintenance period.

1.3 QUALITY ASSURANCE

1.3.1 The landscape installation must be by a single firm specializing in landscape work.

1.3.2 Plant names indicated must comply with "Standardized Plant Names" as adopted by the latest edition of the American Joint Committee of Horticultural Nomenclature. Names of varieties not listed must conform generally with names accepted by the nursery trade. Provide stock true to botanical name and legibly tagged.

1.3.3 Comply with sizing and grading standards of the latest edition of "American Standard for Nursery Stock" (ANSI 2601) and, sizing and grading standards of the latest edition of "Grades and Standards for Nursery Plants: Part I and II" by the Florida Department of Agriculture and Consumer Services. All plant material must be "Florida No. 1" or better.

1.3.4 Caliper measurement must be taken 6" above ground level if 4" or less. If greater than 4", caliper measurement will be taken at 12" above ground level.

1.3.5 Do not make substitutions. If specified landscape material is not obtainable, submit to City Representative in writing, proof of non-availability and proposal for use of equivalent material. When authorized, adjustment of contract amount will be made.

1.3.6 All plants must be nursery grown and 100% acclimatized to local planting conditions.

1.3.7 Stock furnished must be at least the minimum size indicated. Larger stock is acceptable, at no additional cost, providing that the larger plants will not be cut back to size indicated or rootbound in pots. Provide plants indicated by two measurements so that only a maximum of 25% are of the minimum size indicated and 75% are of the maximum size indicated. Height and spread specified will prevail over container size specified, for groundcover and shrub material only.

1.3.8 All trees will be inspected and approved by the City Representative at the place of growth, for compliance with specification requirements for quality, size, and variety. When trees cannot be obtained locally, provide sufficient photographs of the proposed plants for approval.

1.3.8.1 Such approval must not impair the right of inspection and rejection upon delivery at the site or during the progress of the work.

1.3.8.2 Tag trees at the source of supply prior to inspection by City Representative.

1.4 AWARDEE SUBMITTALS

The awarded bidder must submit the following prior to commencing with work:

1.4.1 Submit planting schedule showing scheduled dates for each type of planting in each area of site two weeks prior to beginning work.

1.4.2 Submit certificates of inspection, as required by governmental authorities, and manufacturers or vendors certified analysis for soil amendments, herbicides, insecticides and fertilizer materials, submit other data substantiating that materials comply with specified requirements.

1.4.3 Submit the following material samples:

- Mulch
- Topsoil with verification of sterilization and source.

• One typical sample or photographs of each shrub and groundcover material as specified, prior to planting for approval. Such approval must not impair the right of inspection and rejection upon delivery at the site or during the progress of the work.

1.4.4 Upon final acceptance of plant material, submit two written maintenance instructions recommending procedures for maintenance of plant materials for a one year period.

1.4.5 Provide landscape planting as-built drawings:

- Legibly mark drawings to record actual installation.
- Identify field changes of dimension and detail and changes made by approving authority.

1.5 DELIVERY, STORAGE AND HANDLING

1.5.1 Deliver fertilizer materials in original, unopened, and undamaged containers showing weight, analysis, and name of manufacturer. Store in manner to prevent wetting and deterioration.

 $\label{eq:1.5.2} \textbf{B}\& BTrees must be held and fully acclimatized over a period not less than eight (8) weeks prior to delivery to site.$

1.5.3 Take all precautions customary in good trade practice in preparing plants for moving. Workmanship that fails to meet the highest standards will be rejected. Spray deciduous plants in foliage with an approved "Anti-Desiccant" immediately prior to digging to prevent dehydration. Dig, pack, transport, and handle plants with care to ensure protection against injury. Inspection certificates required by law must accompany each shipment invoice or order. Upon arrival the certificate must be filed with the appropriate City of Tampa Department. Protect all plants from drying out. If plants cannot be planted immediately upon delivery, properly protect them with soil, wet peat moss, or in a manner acceptable to the City Representative. Water heeled-in plantings daily. Noplant must be bound with rope or wire in a manner that could damage or break the branches.

1.5.4 Plant material that is stored improperly must receive a special review of acceptance/rejection, established on a case by case basis.

1.5.5 Cover plants transported on open vehicles with a protective covering to prevent wind burn.

1.5.6 Topsoil must be kept dry and loose for planting bed mixes.

1.5.7 Label at least one (1) tree and one (1) shrub of each variety with a securely attached waterproof tag bearing legible designation of botanical and common name.

1.6 JOB CONDITIONS

1.6.1 Work notification: Notify the City Representative at least seven (7) working days prior to installation of plant material. All plant samples to be reviewed for approval prior to notification.

1.6.2 Protect existing utilities, paving, irrigation, landscaping and other facilities from damage caused by landscaping operations. Notify Sunshine One call a minimum of 72 hours prior to beginning work. Contractor must verify all underground and above ground utility locations prior to start of work. Notify the City Representative of any unsatisfactory conditions prior to start of work. Start of work will indicate acceptance of conditions and full responsibility for completed work. Awardee is responsible for repairing any damage done by landscape installation process.

1.6.3 A complete list of plants, including a schedule of sizes, quantities, and other requirements are shown on the drawings. In the event that quantity discrepancies or material omission occur in the plant materials list, the planting plans must govern.

1.6.4 Examine the sub-grade, verify the elevations, observe the conditions under which work is to be performed, and examine unsatisfactory conditions before proceeding with the work. Contractor must be responsible for the removal of existing vegetation deemed necessary by the City's Representative to carry out scope of project.

1.6.4.1 When conditions detrimental to plant growth are encountered such as rubble fill, adverse drainage conditions or obstructions, notify the City Representative before planting to determine alternative action.

1.6.5 Locate, protect, and maintain the existing irrigation system during planting operations. Repair irrigation system components, new and existing, damaged during planting operations with like materials. Test system prior to installation of plant material.

PART 2 - PRODUCTS

2.1 MATERIALS

2.1.1 Plants: Provide plants typical of their species or variety; with normal, densely developed branches and vigorous, fibrous root systems. Provide only sound, healthy vigorous plants free from defects, disfiguring knots, sunscald injuries, frost cracks, abrasion of the bark, plant diseases, insect eggs, borers, and all forms of infestation. All plants must have a fully developed form without voids and open spaces.

• All plant material must be "Florida No.1", or better.

• Dig balled and burlapped plants with firm, natural balls of earth of diameter and depth to encompass the fibrous and feeding root system necessary for full recovery of the plant. Provide ball sizes complying with the latest edition of the "American Standard for Nursery Stock". Cracked or mushroomed balls are not acceptable.

2.1.2 Container-grown stock: Grown in container for sufficient length of time for the root system to have developed to hold its soil together, firm and whole.

- No plants must be loose in the container.
- Container stock must not be pot bound.
- **2.1.3** Plants planted in rows must be matched in form.

2.1.4 Plants larger than those specified in the plant list may be used when acceptable to the City of Tampa representative. If the use of larger plants is acceptable, increase the spread of roots or root ball in proportion to the size of the plant.

2.1.5 The height of the trees, measured from the crown of the roots to the average height of the top of the tree, must not be less than the minimum size designated in the plant list. Container size designated, if any, must be minimum size required.

2.1.6 No pruning wounds must be present with a diameter of more than one-inch (1") and such wounds must show vigorous bark on all edges.

2.1.7 Height and spread requirements of shrub and groundcover material, indicated in the plant list, must prevail over container size indicated, unless otherwise specified.

2.1.8 Shrubs and small plants must conform to the following standards:

- The measurements for height must be taken from the ground level to the average height of the top of the plant and not the longest branch.
- Single stemmed or thin plants will not be accepted.
- Side branches must be generous, well-twigged, and the plant as a whole well-bushed to the ground, unless otherwise specified.
- Plants must be in a vigorous condition, free from dead wood, bruises, or other root or branch injuries.

2.1.9 Any plant material showing signs of shock will be judged on a case by case basis for acceptance or rejection.

2.2 ACCESSORIES

2.2.1 Refer to drawings and other portions of specifications for accessories specifically used on this project.

2.2.2 Landscape Mix: Hillary Peat Landscape Mix from the Hillary Peat Company. Mix must contain specified percentages as identified on plans. Each plant must use

2.2.3 Fertilizer: Agriform Planting tablets 20-10-5 (21 gram) must be complete with the following analysis and source compounds:

20% nitrogen (2.4% urea nitrogen, 4.0% other water soluble nitrogen, 13.6% water insoluble nitrogen). 10% phosphate (P20s). 5% soluble potash (K20).

The fertilizer must be neutral and contain the essential micro-nutrients (Chelated Fe, Ca, S, Mg, Mn, Zn, Mo, B, Cu) in sulfates unless otherwise indicated in ppm. Fertilizer must be slow release. The City of Tampa has a nitrogen fertilizer banfrom June 1st to September 3Qth.

2.2.4 Anti-Desiccant: Protective film emulsion providing a protective film over plant surfaces; permeable to permit transpiration. Mixed and applied in accordance with manufacturer's instructions.

2.2.5 Mulch must be as specified in plan, clean, bright and free from weeds, moss, sticks and other debris. Mulch must be spread at minimum of two (2) inches deep and maximum of four (4) inches deep or as otherwise noted. Mulch all beds as indicated on the plans. Infill beds must use existing mulch except where new washed medium shell is indicated on the plans on bed edges.

2.2.6 Water must be free of substances harmful to plant growth. Water must contain less than 300 ppm soluble salts and less than 10 ppm chlorine, fluoride and sodium. Hoses or other methods of transportation furnished by Awardee. Awardee must furnish water supply from an acceptable source. Acceptable sources: deep wells, municipal potable supply and

treated wastewater.

2.2.7 Pre-emergent weed killer: Apply 2: granular "Chipco" Ronstar or approved equal, at a rate recommended by manufacturer.

PART 3 - EXECUTION

3.1 INSPECTION

Awardee must examine proposed planting areas and conditions for installation. Do not start planting work until unsatisfactory conditions are corrected.

3.2 PREPARATION

- **3.2.1** Time of planting.
 - Deciduous material: If deciduous trees are planted in-leaf, they must be sprayed with an anti-desiccant prior to planting operation.

3.2.2 Planting must be performed only by experienced workmen familiar with planting procedures under the supervision of a qualified supervisor.

3.2.3 Layout of planting beds must be performed by the Awardee prior to starting work, and approved by the City of Tampa representative at each site. Give 48 hours notice of need for inspection. If obstructions are encountered that are not shown on the drawings, do not proceed with planting operations until alternate plant locations have been selected. Verify locations of existing utilities.

3.2.4 Excavate circular plant pits with vertical sides, except for plants specifically indicated to be planted in beds. Provide shrub pits at least 12" greater than the diameter of the root system and 3X times greater than diameter of rootball for trees. Depth of pit must accommodate the root system. Remove excavated materials from the site, as indicated under Project Notes on plans.

3.3 INSTALLATION

3.3.1 Set plant material in the planting pit to proper grade and alignment. Set plants upright, plumb, and faced to give the best appearance or relationship to each other or adjacent structure. Set plant material 2"-3" above the finish grade. No filling will be permitted around trunks of stems. Backfill the pit with planting mixture until approximately 2/3 full, then water thoroughly before placing remainder of backfill. Place Agri-form fertilizer tablets per manufacturer's recommendations. Repeat watering until no more is absorbed. Do not use muddy mixtures for backfilling. Form a ring of soil around the edge of each planting pit to retain water.

After balled and burlapped plants are set, place soil mixture around bases of balls and fill all voids.

3.3.1.1. Remove all burlap, ropes, and wires from the tops of balls.

3.3.2 Space ground cover plants in accordance with indicated dimensions. Adjust quantities as necessary to fill planting bed with indicated spacing of plants. Plant to within 5' of the trunks of trees and shrubs within planting bed, and to within 1' of edge of bed.

3.3.3 Apply anti-desiccant using power spray to provide adequate film over trunks, branches, stems, twigs and foliage.

3.3.4 Mulch:

• Apply pre-emergent weed killer over grade prior to mulching, as specified by City of Tampa representative. Use rates recommended for specified product.

• Mulch tree, shrub planting pits and shrub beds with required mulching material 2"-4" deep or as otherwise noted immediately after planting. Thoroughly water mulched areas. After watering, rake mulch to provide a uniform finished surface.

3.3.5 Pruning:

• Prune branches of B&B stock, prior to transplanting, to balance the loss of roots and preserve the natural character appropriate to the particular plant requirements. In general, remove 1/4 to 1/3 of the leaf bearing buds, proportion must in all cases be acceptable to the City of Tampa representative. Remove or cut back broken, damaged, and unsymmetrical growth of new wood. Prune trees to retain required height and spread. Do not cut structural branches. Required sizes are the size after pruning.

• Multiple leader plants: Preserve the leader which will best promote the symmetry of the plant. Cut branches at branch collars.

3.3.6 care of Existing Trees:

• All existing trees, if any, must be protected through the duration of this project as outlined in the Tree Protection Standards of the City of Tampa Site Clearing Ordinance. These requirements and those attached at the end of this section are available in the City Hall Annex Building, Duplication office for a fee.

3.3.7 Plant Locations:

3.3.7.1 Coordinate the installation of plants so as to not obscure the site visibility triangle at intersections and the visibility of directional signs or lights. Field adjust plant locations as required to avoid conflict with light poles, sign supports, utility poles, walls and fences, etc.

3.4 MAINTENANCE

3.4.1 Begin maintenance immediately after planting. Maintain all plant material until final acceptance and for an establishment period of ninety days after final acceptance

3.4.2 Maintenance must include but is not limited to pruning, cultivating, mowing, weeding, fertilizing, watering, and application of appropriate insecticides and fungicides necessary to maintain plants free of insects and disease.

- Re-set settled plants to proper grade and position. Restore planting saucer and adjacent material and remove dead material.
- Tighten and repair guys and stakes as required.
- Correct defective work immediately after deficiencies become apparent and weather permits.

• In addition to irrigation system or if no system exists, water trees every other day saturating the soil to depth of 3' for the first two weeks. If no irrigation system exists, water plant material per the following schedule:

- o 1-30 days water every other day, saturating the soil to a depth of 3'.
- o 30-90 days water twice a week, saturating the soil to a depth of 3'.
- o Quantity of water applied should be adjusted in accordance to rainfall.
- o Submit weekly report of watering activities to City of Tampa representative.
- o Report must indicate date of watering activity, location and quantities applied.

3.5 ACCEPTANCE

3.5.1 Inspection to determine acceptance of planted areas will be made by the City of Tampa representative upon Awardee's request. Provide notification at least five working days before requested inspection date.

• Planted areas will be accepted provided all requirements, including maintenance, have been complied with and plant materials are alive and in a healthy, vigorous condition.

3.5.2 The City of Tampa representative will prepare a "punch list" of those items which must be corrected before re-inspection for final acceptance. The City of Tampa representative will determine an appropriate time period in which punch list items must be corrected. Provide 48 hour notification of need for re-inspection.

3.5.3 The City will assume plant maintenance 90 days after final acceptance, at which time, the Awardee must request a final maintenance inspection for acceptance, where requirements as stated in Section 3.5.1 apply.

3.6 WARRANTY

3.6.1 Warrant plant material to remain alive and be in healthy, vigorous condition for a period of 6 months after completion and final acceptance of entire project.

3.6.2 Replace, in accordance with the drawings and specifications, all plants that are dead or as determined by the City of Tampa representative to be in an unhealthy or unsightly condition, and have lost their natural shape due to contractor's negligence. The cost of such replacement(s) is at Awardee's expense. Warrant all replacement plants for six months after final acceptance.

3.6.3 Warranty must not include damage or loss of trees, plants, or ground covers caused by fires, floods, rains, lightning storms or winds over 75 miles per hour, winter kill caused by extreme cold and severe winter conditions not typical of planting area; acts of vandalism or negligence on the part of the owner.

3.6.4 Remove and replace immediately all plants found to be dead or in unhealthy condition as determined by City of Tampa representative at any time during warranty period. Make replacements- within four weeks of notification. An inspection will be conducted at the end of the warranty period. Awardee will replace any plants found to be dead or in poor condition at this time within four weeks of inspection.

3.6.5 Awardee will also remove any tree bracing or guying determined by the City representative to be unnecessary at this point in the trees development.

3.7 CLEANING

Perform cleaning during installation of the work and upon completion of the work. Remove from site all excess materials, soil, debris, and equipment. Do not leave on site overnight, unless arrangements have been made to do so with the City of Tampa representative. Repair damage resulting from planting operations.

END OF SECTION 02900

TECHNICAL SPECIFICATIONS

SECTION 02930 SODDING

PART 1 - GENERAL

1.1 DESCRIPTION OF WORK

1.1.1 Furnish all materials, equipment and labor as necessary for installation and maintenance of sodded lawns as shown and specified on plans. The work includes: soil preparation and testing, sodding operations, and maintenance.

1.1.2 Related work:

1.1.2.1 Section 02900 Trees, Plants and Groundcovers

1.2 DEFINITIONS:

The following words and terms or pronouns used instead shall wherever they appear in these specifications, be construed as follows, unless a different meaning is clear from the context:

"**Final Acceptance**" shall mean that point in time when all requirements of project drawings and specifications are completed, including any punch list items, to the satisfaction of the City Representative. The contractor shall be notified in writing of final acceptance by a City Representative.

"Warranty Period" shall be a three month period beginning at Final Acceptance.

"**Maintenance Period**" shall begin when sod is installed and continue for thirty (30) days after notification of Final Acceptance.

"Final Maintenance Inspection" shall occur at the end of the thirty (30) day Maintenance Period.

1.3 QUALITY ASSURANCE

- **1.3.1** Sod: Comply with American Sod Producers Association (ASPA) classes of sod materials.
- **1.3.2** Provide and pay for materials testing. Testing agency shall be acceptable to City Representative. Provide the following data:
 - **1.3.2.1** Test representative materials sample proposed for use.
 - **1.3.2.2** Soil analysis of existing conditions.
 - **1.3.2.2.1** Soil pH and recommendations for correction. Ideal pH for Bahia is 5.0 6.5, and St. Augustine is 5.0 8.5.
 - **1.3.2.2.2** Nematode infestation check and recommendation for eradication
 - **1.3.2.2.3** Organic matter check and recommendations.
 - **1.3.2.2.4** Starter fertilizer check and recommendations.

1.4 AWARDEE SUBMITTALS

- **1.4.1** Submit sod growers certification of grass species. Identify source location.
- **1.4.2** Submit the following materials samples:
 - **1.4.2.1** Topsoil with verification of sterilization and source.

02930 - 1

1.4.3 Submit the following material certification:

1.4.3.1 Submit certificates of inspection as required by governmental authorities and manufacturers or vendors certified analysis for soil amendments, herbicides, insecticides, and fertilizer materials; submit other date substantiating that materials comply with specified requirements.

- **1.4.4** Submit soil analysis report.
- **1.4.5** Bidders shall furnish, with their bid, evidence in writing that they maintain a permanent place or places of business and have adequate equipment, finances, and personnel to provide the specified services. This evidence shall include, but not be limited to: a list of current contracts, their value, and a contact person with each firm; at least three references who can verify work of a similar nature done by your firm in the last three year; a list of owned and/or leased equipment available for use on this contract; a list of key personnel and a brief summary of their qualifications. Failure to provide the listed material may cause the Bidder to be deemed non-responsive. The City reserves the right to inspect the apparent low Bidder's place of business and equipment prior to contract of any bid to determine the responsibility and capability of the Bidder to perform the services. The City also reserves the right to solicit references in making judgment on the Bidder's ability to perform said services.

1.4 DELIVERY, STORAGE AND HANDLING

- **1.4.1** Cut, deliver and install sod within a 48-hour period.
 - **1.4.1.1** Do not harvest or transport sod when moisture content may adversely affect sod survival.
 - **1.4.1.2** Protect sod from sun, wind, and dehydration prior to installation.
 - **1.4.1.3** Do not tear, stretch, or drop sod during handling and installation.

1.5 **PROJECT CONDITIONS**

- **1.5.1** Work notification: Notify City of Tampa representative at least seven (7) working days prior to start of sodding operations.
- **1.5.2** Protect existing utilities, paving and other facilities from damage caused by sodding operations.
- **1.5.3** Perform sodding work only after planting and other work affecting ground surface has been completed.
- **1.5.4** Existing soil to be amended as determined necessary from soil analysis, including: soil pH, nematode infestation, organic matter check and starter fertilizer check.
- **1.5.5** Restrict traffic from lawn areas until grass is established.
- **1.5.6** Provide hose and lawn watering equipment as required.
- **1.5.7** The project site has an existing irrigation system. Locate, protect and maintain the irrigation system during sodding operations. Repair irrigation system components damaged during sodding operations at the contractor's expense using like materials and coordinating with City Representative. Test system prior to installation of plant material coordinate with City Representative.

PART 2 - PRODUCTS

2.1 MATERIALS

2.1.1 Sod

2.1.1.1 Sod: An "approved" nursery grown sod composed of either Argentine Bahia, or St. Augustine, or as specified on drawings.

- **2.1.1.2** Provide well-rooted, healthy sod, free of diseases, nematodes and soil borne insects. Provide sod uniform in color, leaf texture, density, and free of weeds, undesirable grasses, stones, roots, thatch, and extraneous material; viable and capable of growth and development when planted.
- **2.1.1.3** Furnish sod machine stripped and of supplier's standard width, length, and thickness: uniformly 1" to 1-1/2" thick with clean cut edges. Mow sod before stripping.

2.1.2 Fertilizer:

- **2.1.2.1** Granular, non-burning product composed of not less than 50% organic slow-acting, guaranteed analysis professional fertilizer. The City of Tampa prohibits the application of nitrogen fertilizers between June 1st and September 30th.
 - **2.1.2.1.1** Type A: Starter fertilizer containing 16% nitrogen, 4% phosphoric acid, and 8% potash by weight or similar approved composition.
 - **2.1.2.1.2** Type B: Top dressing fertilizer containing 31% nitrogen, 3% phosphoric acid, and 10% potash by weight or similar approved composition.
 - **2.1.2.1.3** Ground Limestone: Containing not less that 85% of total cabonates and ground to such fineness that 50% will pass through a 100 mesh sieve and 90% will pass through a 20 mesh sieve.
- **2.1.3** Stakes: Steel, tee shaped pins, 4" head x 8" leg.
- **2.1.4** Topsoil: Fertile, friable, natural topsoil of loamy character, without admixture of subsoil material, reasonably free from clay lumps, coarse sand stones, plants, roots and other foreign materials with an acidity level as specified by type of sod.
 - **2.1.4.1** Identify source location of topsoil.
 - **2.1.4.2** Topsoil shall be fertilized.
- **2.1.5** Water: Free of substance harmful to sod growth. Hoses or other methods of transportation to be furnished by contractor.

PART 3 - EXECUTION

3.1 INSPECTION

3.1.1 Examine finish surfaces, grades, topsoil quality, and depth. Do not start sodding work until unsatisfactory conditions are corrected.

3.2 **PREPARATION**

- **3.2.1** If area to be sodded has existing grass or vegetative cover, apply a non-selective herbicide (Round-up) to area. Wait ten (10) days before continuing with prep work.
- **3.2.2** Excavate areas to be sodded to 4" below adjacent concrete sidewalks or plaza areas. Loosen topsoil of lawn areas to minimum depth of 8". Remove stones over 1" in any dimension and sticks, roots, rubbish, and extraneous matter. Stay 5' away from existing trees.
- **3.2.3** Add 2" topsoil or organic material as required from organic matter check. Till into top 8" of existing soil.
- **3.2.4** Grade lawn areas to smooth, free drainage and even surface with a loose, uniformly fine texture. Roll and rake, remove ridges and fill depressions as required to drain.

- **3.2.5** Apply ground limestone fertilizer at rate determined by the soil test, to adjust pH of topsoil as specified in sod type. Distribute evenly by machine and incorporate thoroughly into topsoil.
- **3.2.6** Apply "Type A" fertilizer as specified by manufacturer October 1 through June 1, only. Apply fertilizer by mechanical rotary or drop type distributor, thoroughly and evenly incorporated with the soil to a depth of 3" by discing or other approved methods. Fertilize areas inaccessible to power equipment with hand tools and incorporate it into soil.
- 3.2.7 Dampen dry soil prior to sodding.
- **3.2.8** Restore prepared areas to specified condition if eroded, settled or otherwise distributed after fine grading and prior to sodding.

3.3 INSTALLATION

- **3.3.1** Lay sod to form a solid mass with tightly-fitted joints. Butt ends and sides of sod strips. Do not overlay edges. Stagger strips to offset joints in adjacent courses. Remove excess sod to avoid smothering of adjacent grass. Provide sod pad top flush with adjacent curbs, sidewalks, drains and seed areas.
- **3.3.2** Do not lay dormant sod or install sod on saturated soil.
- **3.3.3** Install initial row of sod in a straight line, beginning at bottom of slopes, perpendicular to direction of the sloped area. Place subsequent rows parallel to and lightly against previously installed row.
- **3.3.4** Peg sod on slopes greater than 3 to 1 to prevent slippage at a rate of 2 stakes per yard of sod.
- **3.3.5** Water sod thoroughly with a fine spray immediately after laying.
- **3.3.6** Roll with light lawn roller to ensure contact with subgrade.
- **3.3.7** Sod indicated areas within contract limits as indicated on plans.
- **3.3.8** Top dress all seams of sodded area with specified topsoil.

3.4 MAINTENANCE

- **3.4.1** Maintain sodded lawns until completion <u>and final acceptance</u> of sodding operations.
- **3.4.2** Maintain sodded lawn areas, including watering, spot weeding, mowing, application of herbicides, fungicides, insecticides and resodding until a full, uniform stand of grass free of weed, undesirable grass species, disease, and insects is achieved and accepted by the City of Tampa representative.
 - **3.4.2.1** Water sod thoroughly every 2 to 3 days, as required to establish proper rooting.
 - **3.4.2.2** Repair, rework, and resod all areas that have washed out or are eroded. Replace undesirable or dead areas with new sod.
 - **3.4.2.3** Mow lawn areas as soon as top growth reaches a 3" height. Cut back to 2" height. Repeat mowing as required to maintain specified height. Not more than 40% of grass leaf shall be removed at any single mowing.
 - **3.4.2.4** Apply "Type B" fertilizer to lawns approximately 30 days after initial sod installation at a rate specified by the manufacturer, between October 1 and June 1 only. Apply with a mechanical rotary or drop type distributor. Thoroughly water into soil.
 - **3.4.2.5** Apply herbicides as required to control weed growth or undesirable grass species.
 - **3.4.2.6** Apply fungicides and insecticides as required to control disease and insects.

3.5 ACCEPTANCE

- **3.5.1** Inspection to determine acceptance of sodded lawns will be made by the City Representative, upon contractor's request. Provide notification at least 5 working days before requested inspection date.
 - **3.5.1.1** Sodded areas will be acceptable provided all requirements, including maintenance, have been complied with, and a healthy, even colored viable lawn is established, free of weeds, undesirable grass species, disease, and insects.
- **3.5.2** Upon acceptance, contractor shall maintain area for thirty (30) days. At the end of this period, contractor shall request a Final Maintenance Inspection for acceptance.
- **3.5.3** Upon acceptance at end of Maintenance Period, the City of Tampa will assume lawn maintenance.

3.6 WARRANTY

3.6.1 Provide a uniform stand of grass by watering, mowing and maintaining lawn areas until Final Acceptance and for a period of thirty (30) days after Final Acceptance. Resod areas, with specified materials, which fail to provide a uniform stand of grass until all affected areas are accepted by the City of Tampa Representative.

3.7 CLEANING

3.6.1 Perform cleaning during installation of the work and upon completion of the work. Remove from site all excess materials, debris, and equipment. Repair damage resulting from sodding operations.

END OF SECTION 02930

TECHNICAL SPECIFICATION SECTION 32 31 19 ORNAMENTAL METAL FENCES AND GATES

PART 1 – GENERAL

1.01 WORK INCLUDED

The contractor must provide all labor, materials and appurtenances necessary for installation of the welded ornamental steel fence system defined herein as shown on the construction plans.

1.02 RELATED WORK

Section 02315 - Earthwork Section 03300- Cast-in-Place Concrete

1.03 SYSTEM DESCRIPTION

The contractor must supply a total fence system of Montage Plus[®] standard picket space, Welded and Rackable, 4' height Ornamental Steel Fence with standard picket space, Majestic[™] design with 3 rails. The system must include all components: panels, posts, gates and hardware as required.

1.04 QUALITY ASSURANCE

The contractor must provide laborers and supervisors who are thoroughly familiar with the type of construction involved and materials and techniques specified.

1.05 REFERENCES

- ASTM A653/A653M Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy Coated (Galvannealed) by the Hot-Dip Process.
- ASTM B117 Practice for Operating Salt-Spray (Fog) Apparatus.
- ASTM D523 Test Method for Specular Gloss
- ASTM D714 Test Method for Evaluating Degree of Blistering in Paint.
- ASTM D822 Practice for Conducting Tests on Paint and Related Coatings and Materials using Filtered Open-Flame Carbon-Arc Light and Water Exposure Apparatus.
- ASTM D1654 Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments.
- ASTM D2244 Test Method for Calculation of Color Differences from Instrumentally Measured Color Coordinates.
- ASTM D2794 Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact).
- ASTM D3359 Test Method for Measuring Adhesion by Tape Test.
- ASTM F2408 Ornamental Fences Employing Galvanized Steel Tubular Pickets.

1.06 SUBMITTAL

The manufacturer's literature or shop drawings must be submitted for review and approval by City Representative prior to installation.

1.07 PRODUCT HANDLING AND STORAGE

Upon receipt at the job site, all materials must be checked to ensure that no damage occurred during shipping or handling. Materials must be stored in such a manner to ensure proper ventilation and drainage, and to protect against damage, weather, vandalism and theft.

1.08 PRODUCT WARRANTY

A. All structural fence components (i.e. rails, pickets, and posts) must be warranted within specified limitations, by the manufacturer for a period of 20 years from date of original purchase. Warranty must cover any defects in material finish, including cracking, peeling, chipping, blistering or corroding.

B. Reimbursement for labor necessary to restore or replace components that have been found to be defective under the terms of manufactures warranty must be guaranteed for five (5) years from date of original purchase.

PART 2 – MATERIALS

2.01 MANUFACTURER

The fence system must conform to Montage Plus, standard picket space, Welded and Rackable, Ornamental Steel, Majestic design, extended picket bottom rail treatment, 3-Rail style manufactured by Ameristar Fence Products, Inc., in Tulsa, Oklahoma.

2.02 MATERIAL

A. Steel material for fence panels and posts must conform to the requirements of ASTM A653/A653M, with a minimum yield strength of 45,000 psi (310 MPa) and a minimum zinc (hot-dip galvanized) coating weight of 0.60 oz/ft² (184 g/m²), Coating Designation G-60.

B. Material for pickets must be 3/4" square x 18 Ga. tubing. The rails must be steel channel, 1.5" x 1.4375" x 14 Ga. Picket holes in the rail must be spaced 4.675" o.c. for standard picket space. Fence posts and gate posts must meet the minimum size requirements of Table 1.

2.03 FABRICATION

A. Pickets, rails and posts must be pre-cut to specified lengths. Rails must be pre-punched to accept pickets.

B. Pickets must be inserted into the pre-punched holes in the rails and must be aligned to standard spacing using a specially calibrated alignment fixture. The aligned pickets and rails must be joined at each picket-to-rail intersection by Ameristar's proprietary fusion welding process, thus completing the rigid panel assembly (Note: The process produces a virtually seamless, spatter-free good-neighbor appearance, equally attractive from either side of the panel).

C. The manufactured panels and posts must be subjected to an inline electrode position coating (E-Coat) process consisting of a multi-stage pretreatment/wash, followed by a duplex application of an epoxy primer and an acrylic topcoat. The minimum cumulative coating thickness of epoxy and acrylic must be 2 mils (0.058 mm). The color must be black. The coated panels and posts must be capable of meeting the performance requirements for each quality characteristic shown in Table 2

(Note: The requirements in Table 2 meet or exceed the coating performance criteria of ASTM F2408).

D. The manufactured fence system must be capable of meeting the vertical load, horizontal load, and infill performance requirements for Commercial weight fences under ASTM F2408.

E. Gates (when applicable) with an out to out leaf dimension less than and including 72 inches must be fabricated using Montage Plus ornamental panel material and 1-3/4" sq. x 14ga. gate ends. Gate leafs greater than 72 inches must be fabricated using ForeRunner rails, 17 gauge pickets, intermediate uprights, gussets and 1-3/4" sq. x 14ga. gate ends. All rail and upright intersections must be joined by welding. All picket and rail intersections must also be joined by welding.

PART 3 - EXECUTION

3.01 PREPARATION

All new installation must be laid out by the contractor in accordance with the construction plans.

3.02 INSTALLATION

Fence post must be spaced according to Table 3, plus or minus ¹/₄". For installations that must be raked to follow sloping grades, the post spacing dimension must be measured along the grade. Fence panels must be attached to posts with brackets supplied by the manufacturer. Posts must be set in concrete footers having a minimum depth of 36". The "Earthwork" and "Concrete" sections of this specification must govern material requirements for the concrete footer. Posts setting by other methods such as plated posts or grouted core-drilled footers are permissible only if shown by engineering analysis to be sufficient in strength for the intended application.

3.03 FENCE INSTALLATION MAINTENANCE

When cutting/drilling rails or posts adhere to the following steps to seal the exposed steel surfaces; 1) Remove all metal shavings from cut area. 2) Apply zinc-rich primer to thoroughly cover cut edge and/or drilled hole; let dry. 3) Apply 2 coats of custom finish paint matching fence color. Failure to seal exposed surfaces per steps 1-3 above will negate warranty. Ameristar spray cans or paint pens must be used to prime and finish exposed surfaces; it is recommended that paint pens be used to prevent overspray. Use of non-Ameristar parts or components will negate the manufactures' warranty.

3.04 GATE INSTALLATION (WHERE APPLICABLE)

Gate posts must be spaced according to the manufacturers' gate drawings, dependent on standard out-to-out gate leaf dimensions and gate hardware selected. Type and quantity of gate hinges must be based on the application; weight, height, and number of gate cycles. The manufacturers' gate drawings must identify the necessary gate hardware required for the application. Gate hardware must be provided by the manufacture of the gate and must be installed per manufacturer's recommendations.

3.05 CLEANING

The contractor must clean the jobsite of excess materials; post-hole excavations must be scattered uniformly away from posts.

Table 1 – Minimum Sizes for Montage Plus Posts						
Fence Posts	Panel Height					
2-1/2" x 16 Ga.	Up to & Including 6' Height					
Gate Leaf	Gate Height					
	Up to & Including 4'	Over 4' Up to & Including 6'				
Up to 4'	2-1/2" x 14 Ga.	3" x 12 Ga.				
4'1" to 6'	3" x 12 Ga.	3" x 12 Ga.				
6'1" to 8'	3" x 12 Ga.	4" x 12 Ga.				

Table 2 – Coating Performance Requirements						
Quality	ASTM Test Method	Yest Method Performance Requirements				
Characteristics						
Adhesion	D3359 – Method B	Adhesion (Retention of Coating) over 90% of test area				
		(Tape and knife test).				
Corrosion	B117, D714 & D1654	Corrosion Resistance over 1,500 hours (Scribed per				
Resistance		D1654; failure mode is accumulation of 1/8" coating				
		loss from scribe or medium #8 blisters).				
Impact Resistance	D2794	Impact Resistance over 60 inch lb. (Forward impact				
		using 0.625" ball).				
Weathering	D822 D2244, D523 (60°	Weathering Resistance over 1,000 hours (Failure				
Resistance	Method)	mode is 60% loss of gloss or color variance of more				
		than 3 delta-E color units).				

	Table 3 – Montage Plus – Post Spacing By Bracket Type							
Span	For CLASSIC, GENESIS, MAJESTIC, & WARRIOR							
	8' Nominal (91.95" Rail)							
Post Size	2-1/2"	2-1/2"	2-1/2"	3"	2-1/2"	3"		
Bracket	Montage Plus	Montage Plus	Montage Plus		Montage Plus			
Туре	Universal	Line Blvd.	Flat Mount		Swivel			
	(BB112)	(BB114)	(BB111)		(BB113)*			
Post								
Settings	95"	95"	95"	95-1/2"	*95"	*95-1/2"		
± 1/4" O.C.								
*Note: When using BB113 swivel brackets on either or both ends of a panel installation, care must be taken								
to ensure the spacing between post and adjoining pickets meets applicable codes. This will require trimming								
one or both ends of the panel.								

END OF SECTION 32 31 19

TECHNICAL SPECIFICATIONS

SECTION 32 84 23 UNDERGROUND SPRINKLERS

PART 1: GENERAL

1.1 DESCRIPTION OF WORK

1.1.1 Furnish all materials, equipment and labor as necessary for the installation of an irrigation system per the drawings and specifications. All work should meet City of Tampa standards for materials and workmanship.

1.1.2 Related Work: See Section 32 93 00: PLANTS

1.2 RELATED DOCUMENTS:

1.2.1 Drawings and general provisions of Contract, including General Provisions, Supplementary General Provisions, Special Conditions, and Division – 1 Specification sections apply to work specified in this section.

1.3 DESCRIPTION OF WORK:

- **1.3.1** Location of underground sprinkler system is shown on drawings if provided.
- **1.3.2** Design and installation of system included in this section

1.4 QUALITY ASSURANCE:

1.4.1 Workmanship: All work must be installed by skilled personnel, proficient in the trades required, in a neat, orderly and responsible manner with recognized standards of workmanship. The Contractor must have had considerable experience and demonstrated ability in the installation of sprinkler irrigation systems of this type.

1.5 SUBMITTALS:

1.5.1 Product Data: Submit manufacturer's technical data for all materials and installation instructions for underground sprinkler system prior to starting work on the project site.

1.5.2 Drawings: Provide Design drawings that will include plan layout and details illustrating location and type of heads, valves, piping circuits, controls and accessories. If requested by the City, provide design calculations demonstrating how system component sizes were derived.

1.5.2.1 Format: The irrigation system design plans must be done in AutoCad to scale. These plans must be provided to the City of Tampa prior to final acceptance of the project. Provide CD containing AutoCad (DWG files) 2013 version minimum along with the requirements of the general provisions of the contract.

PART 2 PRODUCTS

2.1 MATERIALS:

2.1.1 Backflow Preventer: <u>Top Ported</u> – Double Check Vacuum Breaker sized to match the system and installed underground in a valve box of adequate size to ensure 2" of clearance of all valve handles.

2.1.2 Irrigation Pipe: All main and lateral lines must be PVC pipe ASTMD1785 1120 Schedule 40. Exception would be galvanized steel pipe, when specified, and if exposed paint with 2 coats of forest green enamel.

- 1. Pipe Size: Increased to allow expansion or nozzle size change.
 - a. No flow must exceed 4' per second.
 - b. All laterals to heads will be 1" or larger on rotors and $\frac{3}{4}$ " or larger on pop-ups, bubblers and Quick Couplers
 - c. Nozzle and zone size will be calculated to provide maximum precipitation rate to reduce watering time based on meter size.
 - d. No pipe smaller than 3/4".

2.1.3 Sleeving: Sleeving must be installed for all hardscape surfaces including, but not limited to, sidewalks, courts, etc. Contractor to verify Schedule 40 or HDPE. Sleeve size must be 2 times irrigation pipe size minimum. For all sleeves containing lateral pipe and wiring, all wire to be in its own conduit.

2.1.4 Adhesives:

- **2.1.4.1** All connections, 4" and less, must be Weld-On PC-64 purple primer and Weld-On PVC 702 clear cement.
- **2.1.5** Pipe Fittings:
 - **2.1.5.1** ASTM D 2466 socket fittings Schedule 40 must be used for PVC pipe. Put purple primer first, cement after.
 - **2.1.5.2** ANSI B 16.3 galvanized malleable iron screwed fittings must be used for all galvanized pipe.

2.1.6 Manual Valves: Manufactured as follows: PVC Schedule 40 ball valves unless otherwise indicated.

2.1.7 Quick Coupling Valve: Standard is Rainbird #3RC with minimum lateral size ³/₄". Athletic fields with wells are Rainbird 44RC with minimum lateral size ¹/₂". Ensure 2" of clearance of all valve handles. (See "Quick Coupling Valve Detail" for installation.)

2.1.8 Electric Valves: Irritrol 200B series electric valve with flow control. AC or DC depending upon power source. If DC is specified, a separate common wire for each 6 zones must be installed. Master valve to be used with more than 2 zones of if main line crosses a roadway. No pressure regulator on valves. For reclaimed applications use Rainbird PEB valve.

2.1.9 Automatic Valve Wiring: 14 gauge direct burial wire, color coded as follows: red for zones; blue for master valve and black for extras. Two black extra wires to be run to the furthest valve from controller in each direction. Wire splices must be made at a common location, contained in a valve box and spliced using greased filling King wire nuts. All wire to be brought to timer location with 6' pigtail to facilitate hook-up. Provide 12 gauge white common wire for any runs over 100'.

- **2.1.10** Sprinkler Heads: Manufacturer's standard unit designed to provide uniform coverage over entire area of spray shown on drawings at available water pressure and installed using K-flex pipe and Schedule 40 PVC connectors as follows:
 - **2.1.10.1** Rainbird Bubbler: #1402 0.5 GPM on K-Flex pipe (2 per tree).
 - **2.1.10.2** Rainbird Pop-up: 1800 series with nozzle to match application (No PRS).
 - **2.1.10.3** Hunter rotor: Hunter I-20 or I-25 (athletic fields) with nozzle to match application.
 - **2.1.10.4** Micro (Maxi-Jet): to be matched to job and used only with Parks and Recreation Department approval.

- **2.1.11** Valve Box: Provide plastic valve box with cover, size as needed, or as specified on drawings. Place level on brick or stone blacks. Provide a minimum of 2" of #57 stone below exposed PVC pipes. Top of valve installed flushed with finished grade. Any valve placed in concrete must be concrete or double wall concrete rated plastic box.
- **2.1.12** Computerized Irrigation Controller: Computerized irrigation controller and cabinet must be supplied and installed by Contractor. Coordination of installation of the controller with the City of Tampa is required by the Contractor.
- **2.1.13** Computerized Irrigation Equipment: The following is part of the computerized system and is the responsibility of the awarded contractor.
 - **2.1.13.1** Computerized systems must utilize a flow meter by Master Meter Inc. matched to the water meter size, with a 1 or 10 gallon pulse depending on zone GPM.
 - **2.1.13.2** Wiring from flow meter to controller must be 14-2 Maxi-com cable. No splices should be made in the Maxi-com cable. Maxi-com to be run under main line or in conduit.
 - **2.1.13.3** Power source at timer should be A/C. D/C (requires special wiring) used only if all sources of A/C have been exhausted.

WM	DCVB	FM]	MV	ZV
water	double check	flow		master	zone
meter	vacuum breaker	meter		valve	valve

2.1.14 Water Source: To be coordinated with City of Tampa prior to design of irrigation system. New water meters must be requested and paid for by the contractor. If available, reclaimed water must be used for irrigation. Any system that is to be connected to reclaimed water or is indicated to have reclaimed in the near future must have all materials of the appropriate color to indicate the use of reclaimed water.

PART 3 – EXECUTION

3.1 SYSTEM DESIGN:

3.1.1 System design must take into account existing physical and cultural features and all proposed site improvements to avoid conflicts and ensure an efficient optimal system.

3.1.2 Design Pressures: Verify available water source and pressure prior to system design. Design system throughout to be compatible with available water source. Use reclaimed water whenever available. Athletic fields to be on a well system whenever possible.

3.1.3 Location of Heads: Design locations in accordance with accepted sprinkler practice to provide 100% head to head coverage. Make minor adjustments as necessary to avoid structures and other obstructions.

- **3.1.4** Minimum Water Coverage:
 - **3.1.4.1** 100% of all landscape beds and turf areas.
 - **3.1.4.2** Layout may be modified, if necessary to obtain coverage, and to suit manufacturer's standard heads. Do not decrease number of heads indicated unless otherwise acceptable to City Representative. Any proposed decrease must be approved by the City Representative.
- **3.1.5** Group values close to water source in 1 or 2 locations. Planting beds, trees and turf areas must be on separate zones.
- **3.1.6** Minimize wiring runs. Maximize use of lateral lines. Keep valves 5' from closest hardscape.

- **3.1.7** No flow must exceed 4 feet per second.
- **3.1.8** Top of pipe to grade must be:
 - 1. Manifolds: 6"
 - 2. Laterals: 12"
 - 3. Mainlines: 18"
- **3.1.9** Design zones to have matched precipitation rates.
- **3.1.10** Do not use pressure-regulating sprinklers.
- **3.1.11** Insert sprinklers 3 inches from curbs, hardscapes and structures to allow for edging.
- **3.1.12** Computerized irrigation system controller will be installed by the City of Tampa. Verify controller location prior to installation of irrigation system and related electrical wiring.
- 3.1.13 No pipe smaller than 3/4"
- **3.1.14** Quick Coupler Valve (Rainbird #3RC or 44RC for athletic field applications) must be located in a valve box (to grade). Provide 3" of galvanized main line up to and after a galvanized T. Provide 2' of vertical galvanized pipe, capped at bottom. Mount QC valve on galvanized nipple, length as required. Quick Coupler to be on a separate main line (See Quick Coupler valve detail).
- **3.1.15** Coordinate and confirm exact water source and electric source.

3.2 ELECTRIC and WATER SERVICE:

3.2.1 Water Service: The contractor must include in the bid price all costs associated with providing water service to system as required. This includes all applications and fees required by City of Tampa Water Department to provide service, connection fees and all materials and labor for a complete functioning system. Contractor must be responsible for applying and paying for any new water meters as required. Coordinate this requirement with the contract documents.

3.2.2 Electric Service: Contractor must include in bid price all costs associated with providing power service to system as indicated in the general provisions of the contract. This includes all applications, drawings and fees required by Tampa Electric Company (TECO) and the City of Tampa. All work to comply with City of Tampa codes and TECO standards for power connection. All costs associated with power installation and connection must be the responsibility of the contractor.

3.2.3 Upon final acceptance of irrigation system, ownership of water and electric meters will be transferred to the City of Tampa.

3.3 TRENCHING AND BACKFILLING:

3.3.1 General: Protect existing utilities, paving, plants, trees and other facilities caused by irrigation operations. Contractor must be responsible for the repair of any damage to existing utilities and paving. Excavate straight and true with bottom uniformly sloped to low point.

3.3.2 Sunshine: Contactor must be responsible for notifying underground utilities 48 hours prior to beginning work (800) 432-4770. No site work must commence until all underground utilities have been properly located and identified.

3.3.3 Backfill: Backfill with clean material from excavation. Remove organic material as well as rocks and debris larger than 1" diameter. Place acceptable backfill material in 6" lifts, compacting each lift.

3.3.4 Existing Lawns: Where trenching is required across existing lawns, trench no wider than necessary to accommodate pipes.

- **3.3.4.1** Backfill trench to within 6" of finished grade. Continue fill with acceptable topsoil and compact to bring area to the elevation of existing lawn.
- **3.3.4.2** If trench is more than 6" in width, relay or plant new sod within 7 days after removal, roll and water generously.
- **3.3.4.3** Restore to original condition any sod areas not in healthy condition equal to adjoining lawns 30 days after planting.

3.3.5 Existing Trees: All efforts must be made to avoid trenching under the driplines of existing trees and canopy spread of proposed trees. All proposed trenching or other work under the limb spread of any and all trees must be done by hand so that no limbs or branches or roots are damaged in any way.

3.3.5.1 Trenching must comply with Chapter 13-146, Technical Manual and must be done to minimize root disturbance. City of Tampa representative must be present prior to beginning work, to determine limits of root pruning and must approve any work taking place within protective radius of trees. All tree roots must be severed cleanly per the Chapter 13 of the City Code.

3.3.5.2 Protective radius schedule per Chapter 13 of the City Code reads as follows:
1" caliper – no trenching within 4' of tree trunk
6" – 14"caliper – no trenching within 6' of tree trunk
15" – 34" caliper – no trenching within 15' of tree trunk
34" and greater – no trenching within 20' unless approved by City Representative

- **3.3.6** Pavements:
 - **3.3.6.1** Boring is the preferred method. Open cuts must be approved by City Representative. Where existing pavements must be crossed to install landscape irrigation system, saw cut straight clean lines 6" wider than trench.
 - **3.3.6.2** Excavate trench to required depth and width.
 - **3.3.6.3** Remove cut out pavement and excavated material from the site.
 - **3.3.6.4** Backfill with dry sand fill material, placing in 6" lifts to meet City of Tampa compaction requirements.
 - **3.3.6.5** Repair or replace pavement cuts with equivalent materials and finishes.
 - **3.3.6.6** If a concrete sidewalk is cut or damaged, the full section must be replaced.
 - **3.3.6.7** Piping under hardscape that is 5' wider or greater must be sleeved.
 - **3.3.6.8** Contractor is responsible for daily clean up of operations to include debris, directional bore slurry and any hydraulic fluids.

3.4 INSTALLATION: (See details on construction drawings)

3.4.1 A pre-construction meeting will occur on site prior to commencement of work.

3.4.2 General: Contractor must be responsible for filing and obtaining any and all agency permits as described. All work must conform to City of Tampa and the latest adopted plumbing code. Any work taking place along a city, county or state road or median must comply with appropriate regulating authority guidelines for Traffic Control for Construction and Maintenance Operations.

3.4.3 Required Inspections:

3.4.3.1 Piping: prior to covering.

- **3.4.3.2** All materials prior to planting and/or mulching.
- **3.4.3.3** 24 hour notice of inspection required.
- **3.4.3.4** Main lines require pressure tests of 50 PSI to be maintained for minimum of 1 hour.

3.4.4 Backflow Preventer: Top ported DCVB installed underground in a rectangular valve box with 6" gravel sump. Box of adequate size for easy testing access.

- **3.4.5** Control Valves: Install in valve box. Arrange in box for easy adjustment and removal.
 - **3.4.5.1** Adjust size of automatic control valves to provide flow rate of rated operating pressure required for each sprinkler zone.
 - **3.4.5.2** All zone wiring and Maxi-com cable to be installed under the main line or in conduit. Wiring that shares a sleeve with irrigation water lines must be contained in its own conduit.
- **3.4.6** Provide 18" of straight uninterrupted PVC pipe in front of the Master Meter and 12" of straight behind.
- **3.4.7** Piping: Lay pipe on solid sub-base uniformly sloped.
 - **3.4.7.1** Install PVC pipe in dry weather when temperature is above 40 degrees F in strict accordance with manufacturer's instructions. Allow joints to cure at least 24 hours at temperatures above 40 degrees F (4 degrees C) before testing, unless otherwise recommended by manufacturer. All PVC connections will be cleaned with purple primer prior to cementing.
 - **3.4.7.2** Mainline depth must be 18".
 - **3.4.7.3** Lateral line depth must be 12".

3.4.8 Sprinkler Heads: Flush circuit lines with full pressure and install nozzles after hydrostatic test is completed.

- **3.4.8.1** Install all heads at manufacturer's recommended heights.
- **3.4.8.2** Locate part-circle heads to maintain a minimum distance of 3" from curbs, hardscape and structures.
- **3.4.8.3** After completion of grading, seeding or sodding, and rolling of the grass areas, carefully adjust lawn sprinkler heads so they will be flush with grade.
- **3.4.8.4** Pop-ups installed on 1/2" flex hose using Schedule 40 PVC connectors.
- **3.4.8.5** Rotors to be installed on appropriate size flex hose using Schedule 40 PVC connectors. Ensure sprayer rotor water does not directly contact existing structures or hardscape areas.
- **3.4.9** Dielectric Protection: Use dielectric fittings at connection where pipes of dissimilar metal are joined.
- **3.4.10** Wiring: All wiring must be performed by the contractor as shown on drawings. All wiring must be run from point of connection back to the controller. Provide 6' pig tail.

3.4.11 Quick Coupler Valves: Build and install per details on construction drawings. Valve box must be adequately sized and installed so as not to interfere with the operation of the quick coupler key.

3.5 ACCEPTANCE:

3.5.1 Maintenance: Contractor is responsible for all maintenance of the system until final acceptance by City Representative and for the maintenance period specified in section Trees, Plants and Ground Covers.

3.5.2 Final Inspection: The inspection of irrigated areas will be made by the City Representative upon contractor's request. Provide notification at least 2 working days prior. The City Representative will provide a punch list of those items which must be corrected before re-inspection for final acceptance. The City Representative will set an appropriate time period in which the punch list items must be corrected.

- **3.5.2.1** Contractor to provide notification of at least 2 working days prior to inspection.
- **3.5.2.2** System to be run through electronically of all zones to ensure all components are working properly.
- **3.5.2.3** System to be run through City programming for one week prior to final acceptance.
- **3.5.2.4** As Built drawings: At project closeout, the Contractor must submit complete electronic drawings showing any changes from approved shop drawing. These must be included as part of required As-Built/Record Drawing requirement of the general provision.

As-built drawings must include the following:

- Irrigation system as installed.
- Water source location and size.
- Power source location.
- Changes to controller type or location.
- Changes in type or location of flow meter or master valve.
- Any wiring changes in location, number, type, color.
- Valve locations should be dimensioned and areas controlled identified.
- Location, depth and size of mainline and feeder lines. Off-set to main line requested.
- Location of maxi-com cable.
- Location and depth of all directional bores.

3.6 GUARANTEE:

3.6.1 Guarantee: All work must be guaranteed by contractor for one year from date of final acceptance against all defects and malfunctions in materials, equipment and workmanship and must be included as a part of the project closeout document requirements.

3.6.1.1 The guarantee must also cover repair of damage to any part of the premises resulting from leaks or other defects in materials, equipment and workmanship, to the satisfaction of the City of Tampa. Repairs, if required, must be done promptly at no cost to the City of Tampa. The contractor must not be responsible for damage to the irrigation system by others. The guarantee must state the name of the owner, provide full guarantee terms, effective and termination date, name and license number. It must be signed by the chief executive of the contracting firm and notarized. Manufacturer's warranties must not relieve the contractor of his liability under the guarantee. Such warranties must only supplement the guarantee.

3.6.1.2 The contractor must make necessary repairs within 72 hours notice. If the Contractor neglects to make or undertake the repairs with the due diligence, the City of Tampa may make such repairs at the contractor's expense. In the case of an emergency where in the judgment of the City of Tampa, delay would cause loss or damage, repairs or replacement may be mad without notice being sent to the contractor and the contractor must pay the cost thereof.

END OF SECTION 32 84 23